


SERVICE AND SUPPLY ITEMS

GRAND RAPIDS AUTOMOTIVE SUPPLY CORP.

Here's the most encouraging sign you can put

here's the most encour



NA-1

Auto Repairs

Motor Tune Up

Metal Flange Signs and Specialty Panels

Display the N•A•P•A "Assurance of Quality Seal!" Recognized and accepted by millions of car owners as a guarantee of quality merchandise and prompt service.

Auto Repairs

NA-14

Mechanic on Duty

A-15

Motor Tune-Up

NA-16

Brake Service

NA-17

Auto Painting

NA-18

Machine Shop

NA-19

Automatic Transmission Service and Repairs

NA-20

Parts Department

NA-21

Cooling System Service

NA-22

Tire Repairs

NA-23

Muffler Service

NA-24

Electrical Service

NA-25

Shocks Installed

NA-26

Generator Service

NA-27

Wash and Polish

NA-28

Windshield Wiper Service

NA-2

Tractor Repair

NA-3



FOUNTAIN BRUSHES

Available in several types for use in garages, homes, farms and shops.

Will not scratch or mar;

Will not mat.

A. FOUNTAIN BRUSH

The Higher Quality Fountain Brush

Round brush head fabricated of molded rubber with a replaceable filler of soft black horsehair 2¼ in. flaring to 5½ in.—Aluminum tube handle has shut off valve in hose nut and equipped with insulated rubber grip. Green finish.

B. FOUNTAIN BRUSH

The Highest Quality Fountain Brush

Designed for heavy duty use. Oblong brush head of flexible rubber filled with black horsehair and saran; covers 8½ in. swath in one stroke—Has aluminum tube handle with a handy shut off valve in hose nut and insulating rubber handle.

C. FOUNTAIN BRUSH

A High Quality, Low Cost Brush

Round brush head made of molded rubber with a replaceable filler of black horsehair and saran 2¼ in. flaring to 4¾ in.—Equipped with an aluminum tube handle with insulating rubber grip and a shut off valve in hose nut.

4-1502 Brush w/3 ft. handlePrice \$3.98 4-1520 Brush refillPrice \$1.50

D. SPIN-TYPE FOUNTAIN BRUSH

Brush has water powered revolving inner brush and a built in sudser that automatically mixes detergent with water. Permits instant control of detergent for fast sudsing, scrubbing and rinsing. Sudser shuts off for rinsing thereby saving soap. Brush head is made of polyethylene plastic with a filler of black horsehair reinforced with solvent resistant plastic. Handle is constructed of aluminum tubing with a covering of vinyl. 3 ft. handle.

4-1531 Price \$4.95

E. SPIN-TYPE FOUNTAIN BRUSH

Brush has a black polyethylene head with solvent resistant plastic bristles, all metal parts of rotating inner brush are brass fabricated for longer life. Aluminum brush has built-in shutoff at hose nut. 30 in. handle.

4-1533 Price \$2.98

F. FOUNTAIN BRUSH

Low cost brush—Has rubber head filled with horsehair and solvent resistant plastic bristles. Handle is made of aluminum tubing with rubber grips and has shut-off valve in hose nut. 36 in. handle.

4-1534 Price \$2.9

G. SHUT-OFF VALVE

Leak proof control valve for B★K 4-656 and 4-657 fountain brushes.

H. TRUCK and BUS FOUNTAIN BRUSH

Brush head is fabricated of molded rubber and adjustable to any angle. Choice of Nylon or horsehair bristles anchored in the replaceable

rubber filler. Brush cleans a 13 in. wide sweep with one stroke. Equipped with a rigid aluminum 6 ft. extension handle with splash guard and insulating red rubber grips. Total weight 3 lbs.

 4-1510 w/horsehair bristles
 Price \$14.95

 4-1513 w/nylon bristles
 Price \$16.95

 4-1522 Brush Refill-horsehair
 Price \$ 8.00

 4-1523 Brush Refill-nylon
 Price \$10.00

I. FOUNTAIN BRUSH

Convenient one hand size fountain brush is 7 in. in diameter and has a revolving center brush that spins at 1500 or over rpms. Made of aluminum and brass parts for longer life. Bristles are black horsehair. Has plastic covering on metal back to prevent scratching. Equipped with 10 in. aluminum handle with rubber grip.

4-1500 Price \$5.95

J. FOUNTAIN BRUSH - MOP TYPE

Aluminum head and handle with rubber hand grips and bumper. Replaceable head is thick cotton pad. Flexible head has 160° up and down action.

 4-656
 Brush 41 in. long
 Price \$ 8.95

 4-657
 Brush 60 in. long
 Price \$10.95

 4-658
 Replacement Pad
 Price \$ 3.25

 4-659
 Replacement Rubber Bumper
 Price \$ 1.45

 4-660
 Replacement Hose
 Price \$.95

K. FOUNTAIN BRUSH — WOODEN BLOCK TYPE

Brush head is oblong wooden block 9¼ in. long by 2¾ in. wide and has a rubber guard entirely around the block. Filling is a blend of light grey patent fibre and Tampico fibre. 25% in. long hollow metal handle has hose connector on one end is threaded to the wooden brush.

L. FOUNTAIN BRUSH EXTENSION

Aluminum extension for all **B**★**K** fountain brushes —3 ft. length.

4-1535 Price \$1.49



BRUSHES

Quality brushes for automotive and industrial uses . . .

The Right Shape, Size and Design for the Job!

GRILLE and SPOKE BRUSH

White Tampico filling twisted in wire. 10 in. brush face with 5 in. wooden handle. Overall length-15 in.

4-1561 ... Price 50¢+ busses. All brushes have a 5 in. x 4½ in. face and a 2 in trim

Brushes with brown Palmyra filling:	
4-1550 8 in block	Price 48¢†
4-1551 12 in. block	Price 65¢+
4-1552 20 in. block	Price 90¢†
Brushes with white Tampico filling:	
4-1553 8 in block	Price 65¢+
4-1554 12 in. block	Price 80¢+
4-1555 20 in. block	

D. ENGINE and PARTS CLEANING BRUSH

Shaped wooden handle with natural lacquer finish and bright nickel steel ferrule. Brush filling is vulcanized in rubber.

	Nylon Filling in. trim		Price	1 25+
	Tampico fil			1.20
	in. trim	 	Price	80¢†

4-1559 Black bristle 1034 in. long, 2% in. trim Price \$1.60+

E. ENGINE and PARTS CLEANING BRUSH

White Tampico fibre filling with 27% in. trim.

H. SNOW BRUSH

A necessity for the removal of snow or ice. 24 in. overall length with 4 in. wide plastic scraper. 9 in. wide brush with plastic bristles trimmed to 134 in. and set in wooden handle.

TIRE CLEANING BRUSH

Large

A professional style brush with a crimped brass wire filling. 834 in. x 2½ in. wooden block with shaped handle—9/16 in. trim.

.. Price \$1.25+

J. TIRE CLEANING BRUSH

Red plastic block with shaped handle-2% in. x 81/4 in. with 5/8 in. trim. Medium size.

4-1564	Nylon	fillin	g	Price	90¢+
4-1568					
4-1569	Steel	wire	filling	Price	76¢+

TIRE CLEANING BRUSH

Small

A brush with 6 x 8 rows of crimped brass wire



B. LONG HANDLE FENDER BRUSH

White Tampico fibre filling with 2 in. trim. Brush face 7 in. x $5\frac{1}{2}$ in. Overall length—20 in. ...Price 85¢†

WHEEL and FENDER BRUSH

Ideal for cleaning wheels, fenders, running boards and grille work of cars, trucks and

5 in. x ½ in. Brush face—1½ in. diameter. Overall length-7% in.

Price 23¢+

ENGINE and PARTS CLEANING BRUSH

A better quality cleaning brush with white Tampico filling trimmed to 2½ in. Overall length 1134 in.

Price 65¢†

G. UPHOLSTERY BRUSH

A practical upholstery scrub brush with white tampico fibre filling trimmed to 1 in. Overall dimensions 61/4 in. long and 21/2 in. wide.

Price 36¢+

with 1/2 in. trim. Hanging hole in end.

TIRE CLEANING BRUSH

Medium

A brush with a crimped wire filling set in a 25% in. x 87% in. wooden block with shaped handle. Trim—¾ in. Hanging hole in the handle

4-1566

M. WHEEL BRUSH

A red plastic brush with shaped handle and a white nylon filling 3 in. x 8½ in. with a 17% in. trim. Ideal for prescrubbing wheels and washing bumpers and grilles.

4-1556 Price \$3.22†

A. UTILITY WHISK BRUSH

Lacquered hardwood block with shaped handle and brass wire filling. Overall length 8% in. Trim— $1\frac{1}{2}$ in.

4-1571 Price 90¢†

B. FLOOR SWEEPING BRUSHES

Streamline hardwood block with a natural lacquered finish with natural lacquered wooden handle 5/16 in. diameter—5 ft. long. Available in choice of quality.

High quality brush—Master blend border of black horsehair and saran bristles with a center filling of black Tampico fibre—27% in. trim.

4-1578	Brush	only,	18	in.	wide	Price	\$3.65+
4-1579	Brush	only,	24	in.	wide	Price	\$4.98+
4-1598	Handle	only,	5	ft.	long	Price	48¢†

Better Quality Brush—Black Tampico fibre filling with 2% in. trim.

4-1577 Brush only, 18 in. widePrice \$2.75† 4-1598 Handle only, 5 ft. longPrice 48¢†

(For complete unit on both types order 1 brush and 1 handle)

E. STEEL WIRE BRUSH

A good brush for scraping paint, roughing surfaces and scrubbing. Steel wire filling 6 in. long in 3 x 19 rows Sanded hardwood handle 13% in. long. Available with or without hook.

4-1594	with hook .	Price	55¢†
4-1593	without hook	Price	50¢+

F. HEAVY DUTY FLOOR SWEEPING BRUSHES

Sanded and lacquered hardwood blocks with separate 1½ in. diameter 5 ft. long lacquered wooden handle. Available in choice of quality.

Best Quality Brush—Light brown plastic bristle filling with 31% in. trim.

4-1580	Brush	only,	18	in.	wide	F	rice	\$2.98†
4-1581	Brush	only,	24	in.	wide	F	rice	\$4.15+
								49¢†
Better with 4	Quality		h—	Brov	wn Pa	Imyra	fibre	filling

4-1575	Brush	only,	18	in.	wide	Price	\$1.85+
4-1576	Brush	only,	24	in.	wide	Price	\$2.70+
4-1599	Handle	only,	5	ft.	long	Price	49¢†

(For complete unit on both types order 1 brush and 1 handle)

BROOMS • MOPS BRUSHES

For special uses and general clean-up work in . . .

Service Stations and Garages Stores, Shops and Factories Homes and Schools

I. FLOOR SQUEEGEE

A rubber floor squeegee suitable for homes, garages, filling stations, stores, shops, etc. Welded steel construction with a molded rubber blade and a heavy duty hickory handle. Rigid support arms give extra strength.

oupport	armo Biro overa peronomi		
4-1892	Complete squeegee	Price	\$6.85†
	Handle only, 54 in. x 11/8 in.	Price	\$1.00+
4-1894	Blade only, 25 in. wide	Price	\$3.00+



C. METAL ACID BRUSH

Stiff gray horsehair firmly secured in tin handle.

		Width		Overall Length	
	4-1545 4-1546	1/4 in. 3/8 in.	3/4 in. 13/16	6 in. Price	5¢†

D. WIRE ACID BRUSH

Stiff black horsehair firmly secured in twisted wire.

4-1543	½ in.	134 in.	71/2	inPrice	8¢†
4-1544	7/16 in.	1½ in.	9 in.	Price	71/2¢†

G. STEEL WIRE BRUSH

The best brush for scraping paint, roughing surfaces and scrubbing. Steel wire filling 5 in. long in 4 x 16 rows. Sanded hardwood handle 10¼ in. long with metal scraper.


4-1595 Price 72¢†

H. WHISK BROOM

Handy Car Owner Size

Palmetto fibre filling with bright wire wrapped handle with metal cap and hanging ring. Double stitched shellaced shoulders, $2\frac{1}{2}$ in. wide. Overall length— $7\frac{1}{2}$ in.

4-1570	Price	56¢+
7 10/0	***************************************	



J. PAINT and VARNISH BRUSHES

Pure black bristles vulcanized in rubber—Flat plastic block with nickeled ferrule. Will not deteriorate in solvents.

Part No.	Trim	Thickness	Size	Price
4-1584	15% in.	½ in.	½ in.	20¢†
4-1585	2 in.	7/16 in.	1 in.	50¢†
4-1586	2 in.	½ in.	1½ in.	72¢†
4-1587	2 in.	9/16 in.	2 in.	90¢†
4-1588	2½ in.	11/16 in.	3 in.	\$1.80+
4-1589	23/4 in.	11/16 in.	4 in.	\$3.25+

K. PAINT and VARNISH BRUSH DISPLAY ASSORTMENT

Contains: 4 4-1585; 6 4-1586; 6 4-1587; 2 4-1588. 4-1583 Price \$15.20†

L. INDUSTRIAL WET MOPS

Finest quality wet mop for heavy duty work. Replaceable mop head is made of 15 ply, 24 oz. yarn and measures 17 in. x 5 in. and absorbs up to 4 times its own weight.

4-650 Handle only, 5 ft. x 11/8 in.Price \$1.89† 4-651 Head onlyPrice \$2.69†

M. INDUSTRIAL DUST MOP


A high quality dust mop with replaceable mop head made of chemically treated yarn sewn onto sanforized canvas or duck. Covers 26 in. wide swath in single stroke.


4-1890 Mop	Head	Assembly	Price	\$5.461
4-1891 Mop	Head-	_2 piece	Price	\$3.55
			1/8 inPrice	

CHAMOIS SPONGES

Keep the New Car Look!

Clean and polish with the finest materials. Lots of uses around service stations, garages and homes.





A. NATURAL SEA SPONGES

Soft texture—High absorbency. Moist packed in sealed bag.

4-1030	51/2	in.	x 6	in.	Price	75¢
4-1031	6 in	. X	61/2	in.	Price	\$1.00
					Price	

B. ENGLISH CHAMOIS

A 100% cod oil tanned, heavy duty whole skin chamois. Slightly rough finish on back gives firm body and heaviest weight. Best for heavy duty automotive use.

uuty au	CUIII	OCIV	0	usc.			
4-1000	18	in.	X	21	in.	Price	\$2.10+
4-1001	20	in.	X	25	in.	Price	\$3.30+
4-1002	25	in.	X	28	in.	Price	\$4.65+
4-1003	29	in.	X	32	in.	Price	\$5.65+
4-1004	33	in.	X	35	in.	Price	\$6.80+

C. CELLULOSE SPONGE

Soft - Pliable - Tough

Natural colored sponge, wet packed in polyethylene bag.

4-1034	11/8	in.	x 3	7	/16	;	in. x	57/8	in.	Price	35¢
4-1035											
4-1036	21/2	in.	X	4	in.	X	61/2	in.		Price	90¢

D. FRENCH CHAMOIS

Skin shaped chamois made from skins especially

selected to produce the finished chamois needed for heavy use. Thoroughly oil tanned yet free from oils. Will not smear or lint.

4-1007	13	in.	X	23	in.	Price	\$2.40+
4-1008	16	in.	X	28	in.	Price	\$4.25+
4-1009	19	in.	X	31	in.	Price	\$5.35+
4-1010	22	in.	X	35	in.	Price	\$6.55+
4-1011	27	in.	X	40	in.	Price	\$8.25+

E. PROFESSIONAL TYPE SPONGE

A large sponge fabricated of reinforced cellulose fibres. Best for tough commercial usage. Moist packed in plastic bag. 7¾ in. x 6 in. x 2½ in. 4-1039 Price \$1.50

F. SQUARE SHAPE CHAMOIS

An imported English chamois trimmed to the popular square shape.

4-1014	14	in.	X	15	in.	Price \$1.55+
4-1015	17	in.	X	18	in.	Price \$2.45†
4-1016	19	in.	X	20	in.	Price \$3.15+
4-1017	21	in.	X	22	in.	Price \$3.90†
4-1018	23	in	Y	24	in	Price CA 65+

G. OVAL TYPE CELLULOSE SPONGE

Reinforced cellulose fibre construction. For use in shop or home. Moist packed in plastic bag.

4-1037 734 in. x 434 in. x 214 in.Price \$1.00

H. DOMESTIC CHAMOIS

FULL SKIN HEAVY DUTY—Recommended for professional use on car wash racks and in service stations.

4-1020	77	In.	X	20	In.			Price	e \$3.45†
4-1021	27	in.	X	31	in.			Price	\$4.45+
4-1022	30	in.	X	37	in.			Price	e \$5.25+
				–Re	com	mended	for	all	non-pro-
fession	al w	ork.							
4-1024	12	in	X	16	in			Price	\$1 15±

4-1024	12	in.	X	16	in.	Price	\$1.15+
4-1025	13	in.	X	17	in.	Price	\$1.50+
						Price	

I. BUG SPONGE

Sponge Carries the Water! Nylon Mesh Provides the Abrasive Action!

A cellulose sponge encased in a nylon mesh bag firmly stitched with a mildew proof thread that will not pull loose or deteriorate with the hardest usage.

4-1029 Price 98¢

J. BUG SPONGE

A fast, thorough bug remover made of top quality tough loofah and cellulose sewn together. Supplied in assorted colors.

4-1038 Price 35¢

A. UNBLEACHED COTTON POLISHING CLOTH

Highly Absorbent-Soft-Lint Free.

A ½ lb. package of 100% pure cotton yarn, tubular knit polishing cloth.

4-1848 Price \$1.00

B. POLISHING CLOTH DISPLAY

Six of No. 4-1848 tubular knit cloths packaged with a wire display rack.

4-1850 Price \$6.00

C. UNBLEACHED COTTON POLISHING CLOTH

For the Big User!

Tubular knit 100% pure cotton yarn packaged in economical 5 lb. roll. Highly absorbent, lint free cloth

4-1849 Price \$9.00

D. BLEACHED COTTON POLISHING CLOTH

Super-absorbent — soft — lint free — attractively packed in various quantities. White cotton yarn. 100% knitted white cotton yarn.

4-1854	1/2	lb.	pkg.	Price	82¢
				Price	\$1.72
4-1856	5	lb.	pkg.	Price	\$8.10

SYNTHETIC LORENE-DYNEL FIBRE MITTS

Fast, efficient car wash mitts designed especially for professional car washing. Not affected by

heat, detergents, gasoline or solvents. Won't shed, mat or shrink. Stays soft and gives longer service.

E. 4-1064 8 in. x 9 in. colossal mitt with cuff	Price	\$2.35
F. 4-1065 8 in. x 10 in. pad	Price	\$2.35
G. 4-1043 6 in. x 8 in. with cuff	Price	\$1.95

CAR WASHING MITTS

Made of finest grade golden sheep's-wool—double sided, all one piece center tacked for easier handling—mildew proof thread—top grade wristband. Colossal size for wash rack use, regular size for car owner use.

H. 4-1	041	Colossa	l size	e	Price	\$2.75
1. 4-1	040	Regular	size		Price	\$2.00

J. CHENILLE MITT

A snow-white wash mitt made from dense, tough fine quality chenille. Full size, double sided—center tack for easy handling.

4-1042 Price \$1.25

CLEANING and POLISHING SUPPLIES

CLEANING and POLISHING CLOTH

Ideal for Car or Furniture. Heavy duty flannel cloth impregnated with silicone fortified wax formula. Cloth has stitched edges and is attractively packaged in 2 color polyethylene bag or can.


K. 4-271 Packaged in bag Price 59¢
L. 4-270 Packaged in can Price 75¢



POLISHING DISCS

"For the Professional User"
Quality discs manufactured of
the finest materials to the
highest standards.





B. SHEEPSWOOL POLISHING BONNETS

For Professional Auto Polishing

Same specifications as discs except bonnets have the tie-on band. (Order bonnets one size larger than diameter of disc it is to cover).

SIZE AND TYPE CHART (Leather Back)											
Size*	Part No. No Hole	Part No. ½" Hole	Part No. 34'' Hole	Part No. 7%'' Hole	Part No. 7%" Hole and Washer						
5¾"	4-1050										
7"	4-1051										
8"	4-1052	11112	4-1057	4-1059							
9"	4-1053	4-1056	4-1058	4-1060	4-1062						
10"	4-1054	中間衛星			- 9-2						

4-1050	Price 80¢+
4-1051	Price \$1.17+
4-1052	Price \$1.43+
4-1053	Price \$1.71+
4-1054	Price \$2.07†
4-1056	Price \$1.71+
4-1057	Price \$1.43†
4-1058	Price \$1.71+
4-1059	Price \$1.43†
4-1060	
4-1062	Price \$1.74+

^{*}Dia. of leather backing

A. SHEEPSWOOL POLISHING DISCS

For Professional Auto Polishing

Dense, wiry 11 in. wool.

Unequaled for final dry polishing of lacquered or enameled surfaces.

		TYPE CHART vas Back)	
Size	Part No. ½" Hole	Part No. ¾" Hole	Part No. %" Hole
8"	4-1090	E-minu	4-1096
9''	4-1091	4-1094	4-1097

(Leather Back)

Size*	Part No. ½" Hole	Part No. %" Hole	Part No. %" Hole and Washer	
8''	4-1066	4-1074		
9''		4-1075	4-1087	

*Dia. of leather backing

4-1066	Price \$1.19+
	Price \$1.19+
	Price \$1.50+
	Price \$1.52+
	Price \$1.35+
	Price \$1.65+
	Price \$1.65+
	Price \$1.35+
	Price \$1.65+

C. POLISHING DISCS

For High Speed, Easy Buffing

High pile woolen discs for polishing and waxing. A deep, tough pile on strong canvas back.

4-1046 8 in. dia. w/½ in. hole	Price \$2 80+
4-1048 8 in. dia.	11166 \$2.00
w/% in. hole	Price \$2.80†
4-1047 9 in. dia.	
w/½ in. hole	Price \$3.45†
4-1049 9 in. dia.	D-1 60 AE 1
w/% in, hole	Price \$3.457

D. POLISHING DISCS

100% virgin wool— $71/\!\!/_2$ in dia. Durable canvas backing for heavy duty polishing and buffing. Washer inserted between two layers of canvas gives added rigidity.

4-1098	1/2	in.	arbor	hole	Price	\$2.20†
4-1099	7/8	in.	arbor	hole	Price	\$2.20+

AMCOR POLISHING DISCS

Extra strong woolen yarn—soft pile tufts—chemically treated

E. FAST CUTTING DISCS Amcor No. 1

Does faster job on first cutting. Has extra efficiency on lacquer and slush rubbing operations. Never used on final polishing.

4-992 7¾ in. dia.		***
w/34 in. hole	Price	\$2.30+
4-993 7¾ in. dia.		
w/1/2 in hole	Price	\$2 30+

F. HIGH PILE DISCS Amcor No. 2

For all rubbing—can be used for cutting, semifinishing and final operations. Use rubbing compound of a thin consistency or liquid polish for highly polished surface.

4-996	73/4	in.	dia.	W/3/4	in.	hole	Price	\$2.40+
4-997	73/4	in.	dia.	W/1/2	in.	hole	Price	\$2.40+

G. FINISHING and POLISHING DISCS

Amcor No. 5

Made of worsted yarns that will not mat. Use in the final finishing and dry polishing of lacquers and synthetic enamels and in semi-finishing and clean-up operations.

4-988 7½ in. dia. w/% in. hole	Price \$2.60+
4-989 7½ in. dia. w/½ in. hole	Price \$2.60+
4-990 9 in. dia. w/% in. hole	Price \$3.85+
4-991 9 in. dia. w/½ in. hole	Price \$3.85†



A. PRESSURE NOZZLE

High Quality

All brass, precision made, non-corrosive nozzle complete with washer. $6\ \text{in. long.}$

4-857Price \$2.25

B. GARDEN HOSE NOZZLE

Adjustable Spray

All brass, leakproof nozzle is very durable and non-corrosive. Ideal for industry, gardens and homes. Finger-tip control adjusts to any spray. "Non-Rising" feature eliminates leak causing up-down movement. Complete with washer—4 in. long.

in. lung.

.....Price \$1.80

WATER SAVER HOSE NOZZLES

Drop it—It's off!

Pick It Up-It's On

Water saver nozzles with their automatic shutoffs will save their costs many times over. Removable hose ends on all but Economy Nozzle.

	morable mose ende on an bat been		
C.	4-862 Economy Nozzle—6 13/16 in. long	Price	\$2.00
Ņ.	4-861 Concentrated pressure stream—9 in. nozzle	Price	\$4.0
E.	4-860 Full-flow stream— 9 in. nozzle	Price	\$4.00
	4-863 Extra hose end for 4-860		
	4-864 Extra hose end for 4-861		

F. PISTOL GRIP NOZZLE

For Home and Work

Leakproof and clog-proof nozzle with all brass valve arrangement and trigger-type handle. Positive lock keeps nozzle at desired spray.

4-858 Price \$1.50

G. GARAGE PAIL

Heavy duty galavnized construction with wire handle. 3 gallon capacity.

-1888 Price \$1.22†

H. MOP WRINGER PAIL

Extra heavy duty galvanized oval pail equipped with three hardwood maple wringer rollers 9 in. long x 17% in. dia. Has casters for greater mobility. 26 qt. capacity.

4-2329 Price \$16.50†

I. CLEANING SPRAY GUN

An improved spray unit for applying kerosene or other cleaning solvents with compressed air, Removes dirt, grease and oil from engine, parts, motors, generators and machinery. Operates without adjustment on any air pressure from 35 to 175 lbs.



J. WATER VALVE

Radiator Filler

Thumb and hand lever water valve has aluminum body with nickel plated parts. Rubber covered spout. Tapped with 1/4 in. female pipe thread.

4-672 Price \$2.95†

K. WATER VALVE

Radiator Filler


Thumb and hand lever water valve has one piece aluminum casting body with nickel plated parts. Female garden bibb thread.

ANTI-FREEZE TESTERS BATTERY TESTERS & FILLERS

All year-round coolants, such as Dowgard, Telar, etc. can be tested as permanent type (Ethylene Glycol) antifreeze solutions.

Drice \$7.75

Price \$6.75+



Thermo-Type Universal

Direct reading instrument. Tests most types and makes of anti-freeze. Four easy-to-read correction scales are labeled by brand name.

4-100	*******	FIILE \$1.13
4-150	Float	Price \$1.19
4-151	Barrel Assy	Price \$3.24
4-152	Bulb & Hanger	Price \$1.35
4-153	Tip Assy	Price \$1.19
	DISCONTINUED TESTER	1-105
4-165	Float Assy	Price \$1.62
4-166	Barrel Assy	Price \$5.40
4-167	Bulb w/Hanger	Price \$2.70

Tip Assy. Price \$1.62

B. ANTI-FREEZE TESTER

4-168

4-104

Self-Calculating

Shows accurate freezing point for all solutions instantly and automatically. Gives information on radiator capacities and first-fill and refill tables.

	REPLACEMENT PARTS		
4-172	Float	Price	\$1.28+
4-173	Bulb	Price	98¢†
4-174	Jar Seal Washer	Price	38¢†
4-175	Jar	Price	\$1.00+
4-176	Hose and Holder	Price	40¢†

C. ANTI-FREEZE TESTER

Thermo-Type Single Solution

For fleets and shops where it is desirable to have a special instrument for each type Anti-Freeze.

4-101	Alcohol typePr	ice	\$3.65
4-102	Methanol (semi-perm.)Pri	ice	\$3.65
	Ethylene Glycol (Perm.)Pri	ice	\$3.65

REPLACEMENT PARTS

Tester	Float	w/Stopper	Bulb	Tip
4-101	4-154	4-157	4-162	4-163
4-102	4-154	4-158	4-162	4-163
4-103	4-155	4-159	4-162	4-163
4-154			Pri	ce \$1.08
4-155			Pri	ce \$1.08
4-157		•	Pri	ce \$2.59
4-158			Pri	ce \$2.59
4-159			Pri	ce \$2.59
4-162			Pri	ce 76¢
4-163			Pri	ce 97¢

D. ANTI-FREEZE TESTER

An economical and accurate tester constructed of heavy annealed glass. Thermometer ranging to 180° permits faster testing of all types anti-freeze. Has 2 large correction tables.

4-180		Р	rice	\$5.95
	REPLACEMENT	PARTS		
4-185	Float	P	rice	\$1.05+
4-186	Barrel	P	rice	604

4-187	Barrel w/thermometer	Price	\$1.05+
4-188	Rubber Bulb	Price	63¢†
4-189	Rubber Tip	Price	75¢†
4-190	Connector	Price	27¢†

E. BATTERY HYDROMETER

"Break-Not" Tester

All purpose hydrometer gives minimum breakage with maximum accuracy. Thermometer scale shows temperature and corresponding specific gravity correction.

4-202		Price \$2.75
	REPLACEMENT PARTS FO	OR 4-202
4-170	Float Assy	Price 85¢
4-171	Glass Barrel	Price 55¢

F. BATTERY HYDROMETER

Thermometer Type

Tests accurately under extremes of heat or cold. Color coded correction scale.

4-201	•	Price	\$2.50
	REPLACEMENT PARTS		
4-156	Float	Price	\$1.03
	Barrel w/Stopper	Price	\$2.32
4-162	Bulb and Hanger	Price	76¢
	Tip		

G. BATTERY HYDROMETER

Non-Thermo Type

High quality, low cost tester. Accurate readings under normal temperature conditions.

4-200		Price	\$2.10
	REPLACEMENT PARTS		
4-156	Float	Price	\$1.03
	Barrel w/Stopper		
4-162	Bulb and Hanger	Price	76¢
	Tip		766

H. BATTERY FILLER

Automatic Self-leveling

Full quart plastic bottle with soft rubber nozzle. Nothing to turn — nothing to squeeze. Shuts off automatically when water reaches proper level above plates.

4-217	Pri	92	\$2	45
		LG	P4.	41

BATTERY FILLERS

Bulb Type

Fabricated of specially compounded rubber for longer life without becoming brittle.


1.	4-210	Straight TipP	rice	90¢
		Curved TipP		


K. BATTERY FILLER JUG

Lightweight, flexible and unbreakable plastic construction withstands heat and cold. Acid resistant. Over a gallon content. Pours from spout or flexible hose.

4-216		Price	\$9.50
4-177	Hose only	Price	30¢-

† Denotes Suggested Dealer Net Price. All Other Prices Are Suggested List Prices.





BATTERY CELL TESTER

Economy Type

Tests 6 volt batteries only. Resistance load-150 amps. Strongly constructed with 2 in. voltmeter reading 2.6 - 0 - 2.6.

4-60			Price	\$4.99†
4-60G	Gauge	only	Price	\$2.60+

BATTERY CELL TESTER

Deluxe Type

Tests 6 or 12 volt batteries with simple switch operation and adjustable prods. 2½ in. diameter meter with color coded dial. Fits all batteries.

4-61	Price	\$10.45†
4-61G Gauge only	Price	\$ 4.99†

BATTERY CELL TESTER

A rugged, dependable instrument. Has a high quality meter built into the top of the handle for easier visibility regardless of how the tester is held. Tests 6 or 12 volt batteries.

	사람들은 사람들은 사람들은 보다 있다면 보다 되었다면 보다 없는데 보다 되었다면 다른데 얼마나 되었다면 보다는데 보다 없다면 보다 없다면 보다 없다면 보다 되었다면 보다 없다면 보다 되었다면 보다 사람들이 되었다면 보다 되었다면 보니요. 그렇지 되었다면 보다 되었다면 보니요. 그렇지 되었다면 보다 되었다면 보	PF OF
A_U/	Price	17 47 +

D. BATTERY CONDITION TESTER

Will run load and no load tests on 6 or 12 volt systems. Also tests voltage regulator settings. Has coiled type wire with double prod

4-62	Price	\$20 QR-	+
4-04	FIICE	\$20.30	F

BATTERY BOOSTER CABLES

Ideal for dead battery starting of cars with automatic transmission. Heavy duty 6 gauge copper wire flexible cable with copper clad clips. Handles have different colored plastic insulation for quick identification of positive and negative hook-up. 2 cables per set.

4-1860	8 ft. cablesPrice	\$5.95
4-1861	12 ft. cablesPrice	\$7.45
4-1857	Red handle clip onlyPrice	80¢
4-1858	Black handle clin only Price	80¢

F. IGNITION AND BATTERY

A plastic acrylic spray for weatherproofing and protecting the ignition system and battery top. Spray forms a permanent coating that is both tough and extremely pliable. Goes on clear and stays clear. Prevents tarnish, rust and corrosion. Heat resistant. Net Weight-16 ozs.

4-1980	Price	\$1.89	
--------	-------	--------	--

BATTERY TERMINAL CLEANER

Removes corrosion from battery terminals, casing, cable connectors, frames, etc. 16 oz. pressurized can.

Price \$1.95 4-2535

RADIATOR PRESSURE CAP TESTER

Designed for testing radiator pressure caps at all pressure ranges. High quality gauge, rubber bulb and plastic tube.

Price \$8.95+

RADIATOR PRESSURE CAP AND COOLING SYSTEM TESTER

A high quality instrument designed to be used any place a regular cap can be used. Has 2 in. color-coded dial with flexible 14 in. hose. Fits long and short filler necks. Complete with metal carrying case.

Price \$19.95+ 4-1162

J. THREADED ADAPTER

for 4-1162 Tester

Special adapter fits White 3022 PLT and some GMC trucks. 2½ in. thread diameter.

....Price \$5.50+

TRUCK ADAPTER KIT

for 4-1162 Tester

Fits most trucks having large diameter filler necks. Consists of 2 solid die cast, chrome plated adapters and rubber bushing.

Price \$5.50+

BATTERY SERVICE KIT

Lightweight, durable and acid proof, rubber, 1 gallon capacity. Two compartments — 1 for battery filler and 1 for hydrometer. Space for service tools. Dimensions—11 in. x 5½ in. x 9½ in.

For complete service kit buy with No. 4-202 hydrometer and No. 4-210 filler.

BATTERY ACID DISPENSER

Automatic Flow Control

Hydrostatic valve automatically fills all cells to proper level then shuts off. Plastic container with removable 45° nozzle gives easier and safe usage and storage of battery acid. Metal parts protected from corrosion by rubber covering. 3 qt. capacity graduated in 1 pint scale.

4-220		Price	\$8.95
	Nozzle only	Price	\$3.75

COOLING SYSTEM TESTERS



TEST **INSTRUMENTS**

A. DWELL-TACH TESTER

A high quality, self-powered test instrument with jewel movement. Operates on 6 or 12 volt systems automatically. Tachometer reads R.P.M. without prior setting. Scales are 0-5000 and 0-1000 per prior setting. 1000. Use Tach to adjust engine speed, automatic transmission, carburetor balance.

Dwell Meter gives direct reading on cam angle. Checks 4, 6, 8 cyl. engines.

Use to test point adjustment and behavior, excessive point resistance.

4-94			Price	\$49.50+
4-68L	Lens	only	Pric	e 55¢+

B. AUTOMOTIVE POINT DWELL TESTER

A high quality, self-powered test instrument specifically designed for one job. Sensitive jewel movement. Operates automatically on 6 or 12 volt systems. Single control selects setting for 6 or 8 cyl. (Also checks 4 cyl.) Has automatic battery shut-off when not in use. Color coded died rene indicate seits. dial zones indicate point resistance.


4-68	Price			34.50+
4-68L			Pric	


MARINE POINT DWELL TESTER

A high quality, self-powered test instrument with jewel movement. Has four scales: 0-45, 0-60, 0-120, 0-360 that permit dwell to be measured on engines with 1, 3, 4, 6 and 8 lobe cams. Measures point resistance and includes special continuity test for timing magnetos.

Automatically adjusts to 6 or 12 volt systems. Automatically shuts off when not in use.

4-82			Price	\$3	5.50+
4-681	Lene	only	Pri	92	556+





D. AUTOMOTIVE IGNITION TESTER

A high quality test instrument with jewel movement, operates on 6 or 12 volt systems automatically. Checks ignition system while engine is running without need of specifications. Checks coil, condenser, reversed polarity, secondary circuit connections, radio suppressors, resistance in ignition primary circuit and spark plug wire leakage. Thumb switch permits either high tension voltage test or milliamp test. Furnished complete with adapters, jumper wire and high voltage pliers.

4-71		Price	\$39.50+
	PARTS FOR 4-71		
4-68L	Lens only	Pri	ice 55¢†
4-71T	"T" Adapter	Pric	e \$2.50+
	Starting Adapter		
4-71P	Ignition Pliers	Pric	e \$2.65†
	Jumper Wire		

MARINE IGNITION TESTER

A high quality test instrument for Marine Bat-A nign quality test instrument for marine Battery or Magneto Ignition systems. Has jewel movement. Checks ignition system while engine is running without need of specifications — checks coil, condenser, polarity, secondary circuit connections, resistance in primary circuit and spark plug wire leakage. Thumb switches permit high tension voltage test or milliamp test and continuity test on magneto systems. Furnished complete with all adapters.

4-84			Price \$4	1.50+
4-68L	Lens	only	Price	55¢†

A. REGULATOR TESTERS

A high quality test instrument with jewel movement. Operates on 6 or 12 volt systems automatically. Tests generator output, voltage regulator setting, current regulator setting plus normal volt-ammeter tests. Two thumb switches permit easy and quick tester settings; one selects polarity, the other selects the desired test. Not necessary to remove regulator cover or turn on lights and accessories to make tests. Has amp scale 0-60 in 1 amp divisions and voltage scale in 2/10th volt divisions.

 4-69
 Automotive tester
 Price \$39.50†

 4-83
 Marine tester
 Price \$39.50†

 4-68L
 Lens for 4-69 and 4-83
 Price 55¢†


 4-71L
 Jumper wire
 Price 70¢†


B. AUTOMOTIVE TACHOMETER

A high quality test instrument with jewel movement. Operates on 6 or 12 volt system. Direct reading for 6 or 8 cylinder engines (also checks 4 cyl.), Ranges 0-5000 on high scale and 0-1000 on low scale. Use to check engine RPM when adjusting transmission or carburetion.

4-67 Price \$39.50†
4-68L Lens only Price 55¢†







A high quality test instrument with jewel movement. Checks fuel pump pressure on 0-15 lb. scale. Checks fuel pump capacity, meter shows 0-3 pints per minute flow. Vacuum gauge registers 0-30 inches.

4-93 Price \$19.50†

C. MARINE TACHOMETER

10

A high quality test instrument with jewel movement. Operates from spark plug voltage making tester independent of system voltage or number of cylinders. Gives direct reading on engines ranging 0-8000 on the high scale and 0-800 on the low scale. Works on battery or magneto system. Self-powered unit permits usage on outboards, inboards, aircraft, tractors, industrial engines and cars.

4-81 Price \$49.50†
4-68L Lens only Price 55¢†

E. STARTING CIRCUIT TESTER

This high quality instrument runs four tests on the starting circuit in 6 or 12 volt systems:

Battery—Determines its ability to do the job under actual starting conditions.

Starter—Determines need for starter service or replacement.

Cables and Solenoid—Components generally overlooked in most tests.

Ground Connections—Another factor generally overlooked.

4-73 Price \$39.50†

TEST INSTRUMENTS





A high quality, self-powered test instru-ment with jewel movement. Four connec-tions make all tests—no changing of leads necessary. Furnished with 4-2800 and 4-2801 adapters permitting testing of all selfrectifying alternator systems. Checks amp. output, high voltage setting and low voltage setting. Simple push-button operation cycles the system.

Price \$49.50+

PARTS FOR 4-98

4-68L Lens onlyPrice 55¢† 4-2800 Universal Adapter Price \$3.50+

4-2801 Plug-in Adapter for

Delcotron® Regulator
w/connector plugPrice \$4.25†



Price \$28.30+

D. INSTRUMENT DISPLAY WALL CABINET Increase Sales

Displays your tools to best advantage yet keeps them in best order and always handy. All steel cabinet hangs on wall and swings shut for locking. Measures 39 in. wide x 27 in. high x 5½ in. deep. Holds 6 hand-fitting type instruments and pistol-type timing light—gray finish. 4-2802 ...Price \$23.55+



E. DISPLAY CABINET STAND

Handy tubular steel floor merchandiser, screws onto 4-2802 cabinet. May be moved anywhere. Display your merchandise in high traffic area regardless of wall space. Measures 34½ in. high by 9½ in. wide.

4-2803 Price \$19.50+



B. ALTERNATOR DIODE TESTER

Locates defective dodes in alternators. Checks negative and positive diodes without necessity of isolating or disconnecting them. Tests diodes out of alternator. Diode polarity shown on colorfully calibrated dial. Operates from 110 volt power source. Equipped with lead clip and prod.

4-99



TUNE TOOL KIT

A low price kit of the essential instruments. Contains 1 each of the following:

- 4-69 Regulator Tester
- 4-92 A.C. Timing Light
- 4-94 Dwell and Tach Tester
- 4-96 Tool Box

This kit will make the following tests:

- · Engine Timing
- Distributor Advance Behavior
- · Point Dwell
- Point Resistance
- Breaker Plate Wear
- Engine Speed
- Carburetor Idle
- Mixture
- Cylinder Balance

- Automatic Transmission Adjustment
- Governor Setting
- Battery Condition
- Battery Cables
- Generator Output
- Voltage Regulator
- Current Regulator
- · Cut-Out Relay

 - Cranking Voltage

4-95 Price \$110.00† 4-96 Carrying Case onlyPrice \$ 6.50†

TUNEMASTER ASSORTMENTS

Here are some of the tests 4-74, 4-75 and 4-85 assortments will make:

- Engine Timing
- Engine Speed
- Distributor Advance **Behavior**
- Carburetor Idle
- Point Dwell
- Cylinder Balance
- Point Resistance
- Governor Setting
- Breaker Plate Wear
- Battery Condition
- High Tension Voltage
 - Battery Cables
- High Tension Current
- Generator Output
- **Coil and Condenser**
- Voltage Regulator
- Distributor Cap and
- Current Regulator
- Spark Plug Wires
- Cut-Out Relay
- **Radio Suppressors**
- Cranking Voltage



MARINE "TUNEMASTER" ASSORTMENT

A complete tuneup kit packed in a sturdy, lightweight metal box. Contains individual tools to perform every major step in a tune up job on inboard or outboard engines. Performs all the listed tests and also checks magneto output and continuity.

4-86 Carrying Case onlyPrice \$ 17.50†

Contents:

- 4-80 Power Timing Light
- 4-81 Tachometer
- 4-82 Point Dwell Meter
- 4-83 Regulator Tester
- 4-84 Ignition Tester
- 4-86 Carrying Case





AUTOMOTIVE "TUNEMASTER" ASSORTMENTS

High quality instruments packed in a sturdy, lightweight metal box. Contains all the instruments needed to make the listed tests and will also check the engine vacuum and fuel pump pressure and capacity.

No. 4-75 contains:

- 4-59 Power Timing Light
- 4-69 Regulator Tester
- 4-71 Ignition Tester
- 4-93 Fuel Pump Tester
- 4-94 Tach and Dwell Tester
- 4-78 Carrying Case

4-75 Price \$195.00† 4-78 Case onlyPrice \$ 17.50†

No. 4-74 contains:

- 4-59 Power Timing Light
- 4-67 Tachometer
- 4-68 Point Dwell Tester
- 4-69 Regulator Tester
- 4-71 Ignition Tester 4-78 Carrying Case

4-74 Price \$187.50†

TEST INSTRUMENTS

COMPRESSION TESTERS

Indicates maximum compression of each cylinder. Large 2½ in. dials. Rubber cone type universal fitting will seat in all spark plug holes without use of adapters. 63% in. long.

A. Standard Model:

0-300 graduations. Air valve in base of stem holds pressure reading until valve pin is released.

4-50 Price \$6.95†

B. Deluxe Model:

O-300 graduations. Air pressure release valve located on side of gauge stem. Pressure reading is held until valve pin is released.

4-51 Price \$8.25†

COMPACT COMPRESSION TESTER

Fits any make engine—every spark plug location. Graduated dial 0-300 scale. Plug adapter screws into spark plug hole for positive seating. Detachable "snap-in" gauge holds compression reading until valve is released.

90Price \$10.95†

1.	4-91	Chrysler products adapter Price \$2.75+
	4-2807	Replacement Screw for
		for 4-90
	4-2808	Replacement Spring
		for 4-90
	4-2809	Replacement O Ring
		for 4-90 Price 10¢†
	4-2810	Replacement Pressure Valve Ball
	72010	for 4-90 Price 10¢†
	1.2011	Replacement Coupler
	4-2011	for 4-90Price \$1.70+
	A 2012	
	4-2012	Replacement Zerk Fitting
	4 2012	for 4-90
	4-2813	Replacement Ball, Zerk Fitting
		for 4-90
	4-2814	Replacement Gauge only
		for 4-90
	4-2815	Replacement Lens
		for 4-90
	4-126	Spark plug adapterPrice \$2.25+
	4-127	Replacement springPrice 10¢†
	COM	DDECCION TECTED

E. COMPRESSION TESTER

The complete tester—fits all makes and models of cars, trucks and buses. Blue enameled gauge has 2½ in. unbreakable dial and scale reading

to 300 lbs. Chrome plated bezel. Quick change stems are cadmium plated and have universal rubber cone fitting that seats in all spark plug holes. Has pressure tight quick disconnect coupling that permits fitting changes in fraction of the time.

Price \$16.95†

REPLACEMENT PARTS FOR COMPRESSION TESTERS

	COMPRESSION TESTER	S	
F.	4-56 Straight Extension		
	for 4-50 & 4-51	Price	\$2.75+
G.	4-70S 45° stem		
	8 in. long for 4-70	Price	\$2.25†
H.	4-70SS Straight stem		
	7½ in/ long for 4-70	Price	\$2.25+
1.	4-70R Master gauge stem		
	18 in. rubber hose attached to		
	4 in. metal cone end	Price	\$4.75+
J.	4-57 Rubber tip for		
	4-50 & 4.51	Price	25¢†
	4-50V Valve core for		
	4-50, 4-51 & 4-70	Price	15¢†
	4-129 Quick coupler for 4-70	Price	\$2.50+
	4-130 Gauge & coupler for 4-70	Price	\$7.75+
	4-131 Hose w/fittings for 4-70	Price	65¢†
I.	4-57 Rubber tip for 4-50 & 4.51 4-50V Valve core for 4-50, 4-51 & 4-70 4-129 Quick coupler for 4-70 4-130 Gauge & coupler for 4-70 4-131 Hose w/fittings for 4-70	Price Price Price	25¢† 15¢† \$2.50† \$7.75†





TURN . . . plug adapter into spark plug hole with fingers. No wrench needed




CLICK . . . tester into




SNAP . . . tester off



READ . . . pressure on tester in your hand where you can see it









A. A.C. POWER TIMING LIGHT

Will work on 6-12-24 volt systems and magneto ignition. Emits a sharp brilliant white light — 115 volt, 25-60 cycle. An A.C. timing light gets its power source from the line and therefore many of the expensive components used in battery-powered timing lights may be omitted from the lesser expensive A.C. type.

4-92		Price	\$14.50+
	only	Price	

B. POWER TIMING LIGHTS, PISTOL TYPE

Operate from 6 or 12 volt battery systems. Chrome plated case, bright, focused beam, trigger control. Internal ground eliminates electric shock possibility. Distributor insert provided for use on weatherproof systems. Long flexible connectors with grip clips.

4-59	Automotive Timing Light Price	\$29.50+
4-80		\$29.50+
4-88	Bulb Assy, for 4-59Price	\$ 6.20+
4-59A	Adapter for 4-59Price	10¢+
4-125		45¢+
		\$ 1.35+
		\$ 4.40†

C. TIMING LIGHT

A low cost neon timing light in the handy pistol grip design. Works off of the ignition on 6-12-24 volt systems.

4-87Price \$5.95†

D. NEON TIMING LIGHT

For use on 6, 12, 24 volt systems. Built with bakelite case and heavy lens. 4 foot leads with insulated test clips.

4-53			Price	\$5.50+
4-55	Neon	Tube	Price	\$1.35+
4-128	Lens	only	Price	35¢+

E. STARTER CURRENT INDICATOR

An inexpensive indicator determines the approximate amount of current drawn by the starter of any car or truck. No connections to make, no leads to hook up. To operate—place bar on the back of the meter over the starter cable. Press starter switch and meter will show current drawn by the starter motor. 400/0/400 amp. color coded scale in 25 amp. divisions.

4-64	Price	\$4.15	†

F. CURRENT INDICATOR

2 in 1

Low priced indicator measures **both** generator and starter current. Has single clearly marked dial with two scales; starter scale reads 400/0/400 and generator scale reads 80/0/80 amps. Equipped with non-protruding wire locators

4-107 Price \$2.95+

REPLACEMENT PART

4-58 Light Tube for old A.C. Timing
Light No. 4-54Price \$4.50†

TEST INSTRUMENTS

A. SMALL ENGINE TESTER

115 Volt/60 cycle; checks R.P.M., Ignition, Condenser, coil and continuity. Checks magneto on dead engine before dismantling. Heavy steel case, shatterproof plastic window, trouble free printed circuits. Tunes the following types of small engines:

Lawn Mowers

Chain Saws

Scooters

Portable Generators

Motorcycles

Garden Tractors

Small Industrial Engines

Truck Refrigeration Units

4-89

.....Price \$87.50+

B. VOLT-AMP TESTER

For 6, 12, 24, 32 Volt systems. Complete voltage coverage 1/10th volt to 50 volts in 3 separate ranges: 0-10-20-50 volts. Complete current coverage 0-80 amps.

Tests: Battery, voltage regulator, generator system, starter action, cables and wires, high current drain, electrical leads and short circuits coil primary current drain, solenoids, special generator and alternator systems.

C. VACUUM AND FUEL PUMP TESTER

Large dial indicates 30 in. vacuum and 7 lbs. pressure. Extremely useful instrument for diagnosing various engine troubles such as idle adjustment, leaky valves, clogged muffler, valve timing, fuel pump vacuum and pressure, cylinder balance, gas line leakage, etc. Gauge has easy to read graduations and is equipped with 4 ft. of high quality rubber hose with taper vacuum fitting and all other necessary fittings.

Price \$7.25+

D. REGULATOR TESTER

For 6 and 12 Volt Systems

Accurately calibrated at the critical range for setting voltage regulators. Tester is equipped with reversing switch which makes it unnecessary to change hook-up regardless of which terminal is grounded. Black bakelite case with 3 insulated connecting clips.

4-66

Price \$27.00+

E. VOLT-AMP TESTER

For 6 and 12 Volt Systems 0-18 Volts; 5/0/60 Amps.

Tests all generators, regulators, batteries, cables wiring, relays and primary coil currents. 5 amp. reverse reading is provided for checking cut-out

relay. Bakelite case-test leads.

4-63 Price \$22.05+

F. VOLT TESTER

FOR BAYONET TYPE SOCKETS

An economical test unit for checking the voltage at the vehicle light sockets on cars, trucks, buses and trailers. Accurately indicates whether there is sufficient current to illuminate a specific bulb to its designed rating. Fitted with two plugs, one for S.C. sockets such as the directional and clearance markers and an indexed D.C. socket for combination tail and stop lights. Recoil type cable permits access to remote lamps. Has polarity reversing switch.

A 76

Price \$80.00

G. VOLTMETER

Illuminated

A tester for checking generator capacity at the dash. A permanent installation for checking of generator, and battery voltage output at the dash on trucks, buses, etc., or can be used as a portable tester for mechanics. Has hooded light for easier dial reading. When intended for use as portable tester it is necessary to use the 2 clips and insulated handle furnished in 4-79 conversion kit.

4-77 Price \$52.50
4-79 Conversion kit Price \$ 2.50



TIRE and TUBE PATCHES Hot and Cold Vulcanizing 100% Natural Rubber Patches with Holland Cloth Backing Patches individually wrapped in moisture-proof wrapper and factory sealed in moisture and waterproof cans. 100% natural rubber used in all patches. TUBELESS TIRE

VULCANIZING PATCHES for TUBELESS TIRES and TUBES

Patches are individually wrapped and have easy lighting fuel board.

A. DIAMOND SHAPE

Regular size 134" x 214"; King size 3" x 314" Can of 20 king sizePrice \$2.49 4-508

B. OBLONG SHAPE

Regular size 13/8" x 25/6"; King size 13/4" x 33/4"

Regular size 134" Dia.; King size 3" Dia. 4-500 Can of 10 reg. size......Price .92¢

D. COLD VULCANIZING PATCHES

Vulcanizes tubeless tires and tubes without heat. Chemical formula does the vulcanizing. Use with 4-513 liquid vulcanizer. Just 3 sizes repair tubeless tire injuries as large as 1 inch and tube injuries up to 4 inches.

4-509 Box of 40 regular size 13%" x 21/4" Patches	
4-510 Box of 30 medium si 23%" x 35%" Patches	ze Price \$1.94†
4-511 Box of 20 king size	Price \$2.26+

TUBELESS TIRE BRUISE BREAK PATCHES

Cold vulcanizing patch designed especially for tubeless tire bruise breaks-will repair breaks up to 1½ in. 77° angle of construction matches angle of tire ply. Nylon reinforced. 4½ in.

4-512 Price 50¢

COLD PATCH ASSORTMENT 4-531

Contains:

4-509 Patches 40 4-510 **Patches** 30 **Patches** 20 4-511 4-512 **Patches Vulcanizing Fluid** 4-513 4-550 Buffer & Stitcher

\$11.39+ PRICE

COLD PATCH SERVICE KIT 4-532

Contains:

80 4-509

20 4-510 Patches **Patches Patches** 4-511 4-512 **Patches** 4-513

Vulcanizing Fluid 4-550 Buffer & Stitcher

Metal Cabinet

\$22.89† PRICE

FEATHER-EDGE BEVEL PATCHES for TUBES

A 3-ply laminated construction patch that can be used on crude, reclaimed or synthetic rubber. Each ply crosses grain—eliminates pin-holes, blisters and air pockets—stays in place without any rough projecting surfaces that could pinch the tube. The tacky surfaced layer is compounded to self-vulcanize to tubes and is protected by Holland cloth backing.

4-528 Box of 50 patches Price \$2.58+ 11/8" x 21/8" 4-527 Box of 75 patches 13%" x 17%" Price \$1.75†

4-526 Box of 75 patches 1" x 11/8" Price \$1.45† 4-525 Box of 150 patches

Price \$1.69+ 1" x 1" L. 4-529 Roll rubber (2 sides bevelled)-17/8" x 100" Price \$2.02+

TUBE REPAIR SERVICE KIT 4-530

Contains:

150 (1 pkg.) 4-525 75 (1 pkg.) 4-526 75 (1 pkg.) 4-527 50 (1 pkg.) 4-528 1 Roll Roll **4-529** Can (½ pt.) **4-521** 1 Buffing Stick-4-548

\$11.95+

MULTI-BOND TIRE REPAIR **PATCHES**

"Bump Proof," light weight, rayon patch. Tacky surface compound is self-vulcanizing; has Holland

CIUCII D	acking.		
	2%" x 3¾"— Ply Patch (Nail Hole)	Price	25¢
4-536	4" x 5" — Ply Patch	Price	46¢
4-537 3	6" x 75%"— Ply Patch	Price	73¢
	51/8" x 75%"— Ply Patch (Sidewall)	Price	73¢
4-539 4	7¼" x 9¾"— Ply Patch	Price	\$1.06
	9¼" x 11%"— Ply Patch	Price	\$1.50
4-541 6	10¾" x 13¾"— Ply Patch	Price	\$2.95

MULTI-BOND PATCH ASSORTMENT 4-542

Contains:

5 4-535 Patches 5 **4-536** Patches

4-537 Patches

2 4-539 Patches PRICE

\$4.70+



A. CRISS-CROSS TYPE REPAIR PATCHES OR BOOTS

Economically priced patches constructed of light and flexible materials molded in place in a criss-cross fashion that results in an extremely tough patch.

4-610X Box of 10 3½ in. x 3½ in.—

1 ply (nail hole) Price 90¢†

4-611X Box of 10 4½ x 4½ in.—

2 ply (small) Price \$1.81†

4-612X Box of 10 6 in. x 6 in.—2 ply (medium) Price \$3.16†

4-613X Box of 10 7% in. x 7% in.—

3 ply (Med. Large) Price \$5.25†

4-614X Box of 5 8¾ in. x 8¾ in.—

5 ply (Large) Price \$3.38†

4-615X Box of 10 10½ in. x 10½ in.—

B. CHEMBOND TIRE AND TUBE REPAIR PATCHES

(Truck)

A chemical vulcanizing patch suitable for hot or cold application. Can be used immediately after application. Use with 4-604X cement.

4-605X Box of 20 large round patches
—31% in. Price \$2.00†
4-607X Box of 40 small diamond patches
—13% in. x 2 in. Price \$1.34†
4-608X Box of 30 medium diamond patches
—13% in. x 25% in. Price \$1.65†

-1¾ in. x 2¾ in. Price \$1.65†
4-603X Box of 20 large diamond patches
-2¾ in. x 4 in. Price \$2.10†

C. CHEMBOND RUBBER REPAIR KIT

A small rubber repair kit for quick repairs to any flexible rubber article. Packaged in a clear plastic box. Kit contents: 1 4-602X patch; 1 tube 4-604X

Kit contents: 1 4-602X patch; 1 tube 4-604X cement; 3 4-600X patch; 1 thumb buffer.
4-606X Price 69¢

D. CHEMBOND CEMENT

Chembond cement contains a quick acting chemical agent that vulcanizes at room temperature. The perfect cement for Chembond patches.

E. DISPENSING CABINET ASSORTMENT

Chembond patches in a convenient metal cabinet suitable for wall or shelf display.

Asst. contents: 120 4-600X patches; 20 4-603X patches; 30 4-601X patches; 1 4-604X cement; 30 4-602X patches; 1 4-550 buffer

F. STANDARD TIRE PLUGS

Seals out grit and grime

The rubber rivet for tube and tubeless tire casings

Easy and inexpensive to install in synthetic or natural rubber. Insert needle point quill through puncture hole from inside, remove metal quill point-expanded stem completely seals hole. Will not affect tire balance.

4-560 ¼ in. stem—2¼ in. patch head Price 26¢
4-561 ⅙ in. stem—2¼ in. patch head Price 30¢
4-562 ⅙ in. stem—4 in. patch head Price 47¢
4-563 Plug Assortment: contents: 12 4-560, 6 4-561 Price \$4.92

G. NYLON REINFORCED VULCANIZING TIRE PLUGS

Same type application as in the regular vulcanizing tire plugs. A special nylon constructed plug recommended for truck and tractor tires or irregular cuts and breaks in passenger tires.

4-567 % in. stem—2½ in. x 4 in.		
oval headPrice	69¢	
4-568 % in. stem—2½ in. x 4 in.		
oval headPrice	70¢	
4-566 Vulcanizing heat panPrice	18¢	

H. VULCANIZING TIRE PLUGS

A rubber rivet engineered specially for tubeless tires. Can be applied either hot or cold. For hot application use 4-551 vulcanizing clamp and 4-566 heat pan. Cold application takes 4-513 liquid vulcanizer.

All plugs have metal foil backing to protect gummed side.

I. NYLOBOND TUBELESS TIRE REPAIR PATCH (Nylon Reinforced)

A chemical vulcanizing patch suitable for hot or cold application. Cross-woven nylon reinforced 3 ply construction. $4\frac{1}{8}$ in. dia. patch designed to repair injuries up to $\frac{1}{2}$ in.

4-629X Price 50¢

J. COMPRESSION TYPE RUBBER PLUGS

for tubeless tires only

Installed from the outside. Repairs punctures up to ¼ in. without removing or demounting tire.

K SHOP SIZE DILLE DEDAID WIT

K. SHUP	21	ZE PLUG	REP	AIR K	IT
Kit contents:			1	4-557	
	25	4-555	1	4-558	
	25	4-556			
4-553				Price	\$2.70+

Price \$11.25+



A. VULCA-CORD

Rubber impregnated, self vulcanizing nylon cord for "on the wheel" repair of tubeless tires. A quick and simple way of repairing small holes without dismounting the tire.

4-593 Vulca-cord, 10 ft. lengthPrice \$2.15 4-594 Inserting needlePrice \$1.00

COMPRESSION PLUGS and TOOLS

An improved method for making quick "on the wheel" repairs to tubeless tires employing molded natural rubber plugs and repair tools.

B.	4-621X	Box of	25	3/16	in.	plugs	Price	\$3.75+
		Guide .					Price	\$1.80†
D.	4-622X	Probe						\$1.25†
E.	4-623X	Plunger					Price	95¢†

F. COMPRESSION PLUG SHOP KIT

A handy kit containing all the necessary plugs, tools and cement to make the quick, economical "on the wheel" repair.

"on the wheel" repair.

Kit contents: 25 4-621X plugs; 1 4-622X probe;
1 4-624X guide; 1 4-626X cement; 1 4-623X plunger

4-620X Price \$8.13†

G. TIRE GUN

A sturdy metal gun injects flared head rubber plugs into holes under extreme compression. Makes a safe, permanent "on the wheel" repair in less than a minute.

III 1033 tildil a miliator		
4-630X Passenger Tire Gun	Price	\$5.95+
4-492X Truck Tire Gun	Price	\$7.50+
4-631X Tire Probe	Price	\$1.00+
4-635X Replacement Nozzle for		
4-630X	Price	\$1.50+
4-497X Replacement Nozzle for		
4-492X	Price	\$2.00†

H. COMPRESSION PLUGS

Rubber tire plugs with full flared heads that won't pull out. Resilient stem conforms to hole shape. Use with 4-630X passenger tire gun and 4-492X truck tire gun.

4-632X Box of 25 % in. pass. plugs Price \$3.75†
4-633X Box of 25 % in. pass plugs Price \$3.75†
4-494X Box of 15 % in. truck plugs Price \$3.75†
4-495X Box of 15 % in. truck plugs Price \$3.75†

I. COMPRESSION TYPE RUBBER PLUGS

for tube type and tubeless tire casings!

Installed from the inside—designed for small round punctures. Rubber plug complete with wire inserter.

4-590	Punctures under 1/8 in. dia	22¢
4-591	in. dia. plugPrice 2 Punctures 1/8 in dia. to 1/4 in. dia.	
3/8	in, dia, plug	24¢

J. TIRE GUN KIT

The fastest, easiest outside tubeless tire repair yet devised!

Contains all parts necessary for complete "on the wheel" repair of tubeless tires in the shortest time possible. 4-490X kit furnished in metal box.

4-634X Passenger Tire Gun Kit

Contents: 1 4-558 can of cement 20 4-632X Tire plugs 10 4-633X Tire plugs	1 4-630X Tire gun 1 4-631X Tire probe Plastic Tips
4 COAY	Price \$11 95

4-490X Truck Tire Gun Kit

Contents: 1 4-558 can of cement 1 4-492X Tire gun 1 4-631X Tire probe	15 4-495X Tire plug 1 Metal box Plastic Tips
15 4-494X Tire plugs	

plugs

15 4-494X Tire plugs 4-490XPrice \$16.65†

C. CEMENT LUBRICANT

A lubricating and sealing cement compounded for 4-621X compression plugs.

L. TIRE GUN

A small gun filled with a natural rubber compound. Repairs small holes up to ½ in. without removing tire. Rubber compound stops air leaks and protects cords from further injury by water, dirt and foreign objects.

No refills to bother with — just use until empty, then discard! Can be used on tube or tubeless tires.

4-598 Price \$2.10

M. TIRE PUMP

Designed for Easy Action and Long Service

Electric welded steel tubing cylinder screws into base that has a built-in hose connection fitted with a ball check valve. Hose is fitted with standard screw-on type connector with valve core depressor and small hose clamp.

valve core depressor and	small hose clamp.
4-570 Tire Pump	Price \$3.70
4-571 2 ft. hose w/conner	
4-572 3 ft. hose w/conne	

N. TIRE CRAYON

Yellow

Makes bright, legible markings on all types of rubber. Use to mark injured area of tires and tubes prior to repair.

4% in. x %in. Hexagon 4-639Price 9¢†

TIRE CLEANERS **GUMS · SOLVENTS · TALC**



RECTRO-WELD

REPAIR GUM

D







LIQUID BUFFER and CLEANER

Special solvent for cleaning tubeless tires and tubes both before and after buffing. Before buffing it will remove grease and mold lube while after buffing it will eliminate buffing particles.

B. RUBBER SOLVENT

A chemically processed solvent with a quick drying action. Can be used in making all types of repairs. Available in wide mouth cans with brush top.

Price 74¢†

D. ELECTRO-WELD REPAIR GUM

A specially compounded repair gum for filling cuts and bruise breaks that are to be cured on 4-597 service station vulcanizer.

4-596 1 lb. RollPrice \$2.07+

E. QUICK CURE TUBE REPAIR GUM

Roll of 100% natural red rubber, quick cure tube gum for vulcanizing repairs. (Cannot be used with 4-597 vulcanizer.)

4-516 1 lb. roll Price \$1.99+

F. TIRE TALC

A high grade talc for use in tire repair shops, service stations, garages, etc.

4-520 1 lb. can Price 51¢†

RUBBER FLUX

B★K Kex Rub-R-Flux is a silicone-soapstone remover for tubeless tires and tubes. Completely removes all silicone and U-Conn solution from the inner liner of tubeless tires and isolated mica particles so that they may be easily removed. Dries quickly — Non-Toxic.

4-595 1 qt. can Price \$2.20

H. COMBINATION TUBE REPAIR GUM

4-617X 1 lb. roll

Use for making reinforced vulcanized repairs or as a cold patch.

Price \$2.10+

A. LIQUID VULCANIZER

Vulcanizes without heat all kinds of rubber patches in the repair of inner tubes, tubeless tires and other rubber articles. Patches are applied like ordinary cold patches but give a repair as efficient as a hot vulcanized repair. No need for investment in electric vulcanizing equipment.

4-513 ½ pt. can _____Pi

B. VULCANIZING CEMENT

A high quality cement for vulcanizing tubes and repairing tires. Positive action and results assure customer satisfaction.

C. RUBBER CEMENT and CLEANER

Compounded especially for cold patch repairing. A pure natural rubber cement and cleaner for repairing tubes, hot water bottles, rubber boats, rubber boots and other flexible articles. (Not a vulcanizing cement.)

4-518 1/4 pt. can Price 40¢†
4-519 1 qt. can Price \$1.32†

D. BOOT CEMENT

General Purpose Cement

Assures a stronger boot repair. Eliminates all slipping and friction. Ideal for attaching rubber, leather or insulation to metal. Can also be used for sealing windshields and on gaskets and for many other uses.

E. CEMENT LUBRICANT

A lubricating and sealing cement compounded for use with 4-621X compression plugs.

F. TIRE PLUG CEMENT

A cement and lubricant intended for use with B \star K plugs 4-554, 4-555, 4-556, 4-632X and 4-633X. Included in 4-533 shop kit and 4-634X tire gun repair kit.

G. CHEMBOND CEMENT

The quick acting chemical agent in Chembond cement produces vulcanization at room temperatures. The perfect bonding agent for the B \star K Chembond patches.

H. UNIVERSAL CEMENT

Eliminate Confusion! Minimize Inventory!

A revolutionary new cement. Now one cement will work for all tire and tube repairs. Use with chemical patches and cold patches, boots, plugs and vulcanizing rubber; use on tubeless tires, tubes, tires and other soft rubber items.

4-636	1/4 pt.	Price	44¢†
4-637			74¢†
4-638			\$1.75+

I. VALVE HEAT UNITS

Passenger size can of 10 3 in. diameter fast firing heat units for the application of rubber base valve stems.

J. TUBE REPAIR KIT

Shop Size

Just the right size for the shop. Contains: 100 sq. in. Rubber; ¼ pt. can cement; 50 bevel patches; 1 buffer


+ Denotes suggested dealer net price. All other prices are suggested list prices.

CEMENTS - VULCANIZERS REPAIR KITS









Consumer Size

L. MOTORIST KIT


A motorist vulcanizing kit consisting of 1 clamp and 3 patches.

4-545 Small Retail Kit Price \$1.29





CLAMPS, VULCANIZER, BUFFING EQUIPMENT







A. TUBELESS TRUCK TIRE CLAMP

A truck tire clamp fabricated of aluminum alloy and designed to handle all highway truck tires. Swinging arm eases insertion of clamp.

4-533 Price \$16.50†

B. TUBELESS TIRE VULCANIZING CLAMP

For use with B \bigstar K vulcanizing patches in the repair of tubeless tires (use with small size patches as larger sizes will not fit tires).

4-551 clamp Price \$7.20†
4-551\$ replacement spider Price 48¢†

C. CONSUMER SIZE CLAMP

A handy car owner size clamp. Enables user to do professional type job.

46Price \$1.03

D. UNIVERSAL SHOP CLAMP

A fast and simple clamp of sturdy construction. Makes a smooth, featheredge bond. Fits all size and shape patches including rubber base valve stems.

4-547 Price \$6.69+

E. STITCHERS

Stitchers especially designed for tubeless tires and our cold vulcanizing patches. Use assures a good permanent bond.

4-550 Price 40¢†
4-628X Heavy duty type Price \$1.70†

F. WIRE BUFFER

A fast cutting wire brush woven into steel handle for the best buffing results. Offset handle for easy buffing of tubeless tires.

4-549 Price 56¢+

G. BUFFING STICK

A strong, lightweight carborundum buffer for use on tubes and other articles.

H. ELECTRIC BUFFERS

These rugged heavy duty electrical hand buffers have offset shafts and wire muffing wheels or cone. Designed primarily for repairing tubeless tires but may be used on any buffing job. 115 Volt A.C. motor with 6 ft. U/L approved lead cord. Net weight—2½ lbs., Overall length—7% in.

4-534 Replacement wire buffing wheel Price 95¢†
4-574C Buffing Cone for % in.

spindle Price \$ 1.50+

I. AIR BUFFER

Compact precision engineered tool operating entirely on standard air pressure—best in the 90-150 lb. range. No electrical parts to wear out. Equipped with buffing cone. ¼ in. connection for quick change coupler or standard hose. Total weight 2 lbs. ⅓ size of electric buffers.

J. ELECTRIC VULCANIZER

A practical vulcanizer for use at service station level. Repairs cuts and bruise breaks in all types of tires with no special tools and with less curing time. Pivots easily so that operator can position the clamp to the injury. Can be used for repairs to the tread, shoulders or sidewalls.

4-597 Price \$39.95†
4-597L Lower Heat Unit Price \$8.90†
4-597U Upper Heat Unit Price \$10.50†
4-597S Replacement shoulder plate Price \$ 1.60†

K. TIRE and TUBE TESTING TANK

A heavy duty galvanized testing tank built to handle large tires and tubes.
Size 31 in. x 12 in. x 12 in.

-2338 Price \$6.90+



AUTOMOTIVE

Protects the Auto, Instrument and Radio Circuits

Tuno AG


		ype AG	
4-3010	1 amp.	AGA1	Price 9¢
4-3011	1½ amp.	AGA1½ .	Price 9¢
4-3012	2 amp.	AGA2	Price 9¢
4-3013	3 amp.	AGA3	Price 8¢
4-3014	5 amp.	AGA5	Price 61/2¢
4-3015	6 amp.	AGA6	Price 61/2¢
4-3016	7½ amp.	AGA71/2	Price 61/2¢
4-3017	10 amp.	AGA10	Price 61/2¢
4-3018	15 amp.	AGA15	Price 61/2¢
4-3019	20 amp.	AGA20	Price 61/2¢
4-3020	30 amp.	AGA30	Price 61/2¢
4-3021	1 amp.	AGC1	Price 9¢
4-3022	1½ amp.	AGC11/2	Price 9¢
4-3023	2 amp.	AGC2	Price 9¢
4-3048	2½ amp.	AGC2½	Price 9¢
4-3024	3 amp.	AGC3	Price 8¢
4-3025	4 amp.	AGC4	Price 8¢
4-3026	5 amp.	AGC5	Price 51/2¢
4-3027	6 amp.	AGC6	Price 51/2¢
4-3028	7½ amp.	AGC7½	Price 51/2¢
4-3029	10 amp.	AGC10	Price 51/2¢
4-3030	15 amp.	AGC15	Price 51/2¢

AUTOMOT AUTOMOT	ses ses
1-3035	5 4-3010 Aga
4-3036	
4-3021	

4-3037 4-3047	50 amp. 35 amp.	AGY50Price 13
4-3036	20 amp.	AGX20Price 51/2
4-3035	15 amp.	AGW15Price 61/2
4-3038	7½ amp.	AGW7½Price 5½
4-3034	4 amp.	AGW4Price 51/2
4-3046	2½ amp.	AGW21/2Price 51/2
4-3033	35 amp.	AGC35Price
4-3032	30 amp.	AGC30Price 61/2
4-3031	25 amp.	AGC25Price 61/2


FUSES Top Quality U/L Approved








4-3043



4-3044



Type	SFE	4-304	5	
4-3039	4 amp.	(SFE4)	Price	6¢
4-3040	6 amp.	(SFE6)	Price (6¢
4-3041	7½ amp.	(SFE71/2	Price	51/2¢
4-3042	9 amp.	(SFE9)	Price	51/2¢
4-3043	14 amp.	(SFE14)	Price	5¢
4-3044	20 amp.	(SFE20)	Price	5¢
4-3045	30 amp.	(SFE30)	Price	61/2¢

JUNIOR ASSORTMENT

No. 4-3000

Contains 100 Fast Moving Fuses:

5	4-3013	10	4-3032	15	4-3043
5	4-3014	5	4-3039	20	4-3044
5	4-3029	10	4-3041	10	4-3045
-		10			

5 4-3030 10 4-3042

\$3.53+ Price



FUSE PULLER

No. 4-3005

A nylon tool for use in replacing automotive fuses without breakage, arcing or damage to clips.

Price



MASTER ASSORTMENT No. 4-3002

Contains 200 Fast Moving Fuses: In Plastic Box:

5	4-3013	10	4-3030	15	4-3041
5	4-3014	15	4-3032	25	4-3042
5	4-3026	10	4-3039	35	4-3043
5	4-3029	5	4-3040	• 50	4-3044
				15	4-3045
Pr	ice				. \$6.83



B·K

HOUSEHOLD



FUSTAT TYPE

Protects against short circuits and over fusing. Has time lag for temporary overloads caused by starting motors, etc.

4-3060	15 amp. (\$15)	Price 18¢
4-3061	20 amp. (\$20)	Price 18¢
4-3062	30 amp. (\$30)	Price 18¢


STANDARD TYPE

Screws into socket.

4-3065 15 amp. (W15) Price 9¢ 4-3066 20 amp. (W20) Price 9¢ 4-3067 30 amp. (W30) Price 9¢



ELECTRICAL EQUIPMENT



A. EXTENSION LIGHTS

All rubber .300 O.D. cord with double outlet switch handle with U/L approved push through switch and swing open bulb guard.

4-1	25	ft.	Price	\$3.25
4-2	50	ft.	Price	\$4.75

B. EXTENSION LIGHTS

U/L Approved

18 gauge, all rubber, cord and plastic handle with push through switch and double outlet.

4-33	25	ft.	Price	\$3.95	
4-34	50	ft.	Price	\$5.95	

C. HEAVY DUTY INDUSTRIAL EXTENSION LIGHTS

Black rubber covered cord—3 conductor grounding type. Has U/L approved handle with push through switch and both grounded and standard outlets.

4-2630	25	ft.,	18	ga.	cord	Price	\$ 7.50
				_		Price	The state of the s
4-2632	25	ft.,	16	ga.	cord	Price	\$ 9.00
4-2633	50	ft	16	ga.	cord	Price	\$11.90

D. 4 WAY POWER BLOCK EXTENSIONS

Rubber covered 12 gauge black wire in 2 different types and 3 different lengths.

					Price	
4-2622	100	ft.,	2	conductor	Price	\$29.25
4-2625	25	ft.,	3	conductor	Price	\$16.25
4-2626	50	ft.,	3	conductor	Price	\$26.25
4-2627	100	ft.,	3	conductor	Price	\$45.00

E. POWER EXTENSION SETS

Heavy Duty Rubber covered cord sets complete with heavy duty male and female rubber connectors. For use with battery chargers, drills, grinders, polishers, sanders, house trailers, etc.

15-2 .405 O.D. cord

4-7	25	ft.	Price	\$ 4.70
4-8	50	ft.	Price	\$ 7.70
4-9	100	ft.	Price	\$13.75

174 .	TOO U.D	. coru		
4-13	25 f	t	Price	\$ 6.50
4-14	50 ft	t	Price	\$10.50
4-15	100 f	t	Price	\$19.00
12-2 .	500 O.D	. cord		
4.10	25 f		Price	¢ 7.40

.Pirce \$24.00

14-2 450 0 D cord

F. GROUNDING TYPE EXTENSIONS

4-12 100 ft.

Black rubber covered 3 conductor grounding type extensions. Equipped with heavy duty male and female cord connectors.

4-2635	25 ft.,	18 ga	. cord	Price	\$ 5.90
4-2636	50 ft.,	18 ga.	cord	Price	\$ 9.00
4-2637	25 ft.,	16 ga.	cord	Price	\$ 7.00
4-2638	50 ft.,	16 ga	cord	Price	\$10.50
4-2639	100 ft	16 g	a. cord	Price	\$16.50

G. 3 WAY OUTLET EXTENSION

16 gauge, 2 conductor, .325 O.D. rubber cord with 3 way flat rubber outlet.

4-5	25	ft.	Price	\$3.55	
4-6	50	ft.	Price	\$5.75	

H. FLOOD LIGHT CORD SET ASSEMBLY

20 ft. of .300 O.D. rubber insulated cord fitted with a 660 watt, U/L approved socket. Equipped with a swivel type, universal clamp on bracket.

4-21 Price \$2.85

I. FLOODLIGHTS

Aluminum reflectors assembled with double ball universal swivel type clamp-on brackets and 20 ft. of .300 O.D. rubber cord.

4-4	with	41/2	in.	reflector	Price	\$4.00
4-3	with	81/2	in.	reflector	Price	\$4.25

J. BULB GUARD

"Swing open" type reflector bulb guard. Fits all B★K handles.

4-17 Price 80¢









A. DROP LIGHT REEL

Underwriters Lab. approved

Equipped with chrome reflectors and phenolic pistol grip handle with toggle action switch and socket. Dust proof spring motor with lifetime lubrication—locks and releases at any desired length. Can be mounted to ceiling providing 360° swivel or to the wall where it gives 180° swivel. All mounting hardware included.

4-39	20	ft.,	2	conductor	cord	Price	\$14.95†
4-38	20	ft.,	3	conductor	cord	Price	\$19.95+
4-40	30	ft.,	2	conductor	cord	Price	\$18.95+
						Price	
4-36	40	ft.,	2	conductor	cord	Price	\$22.95†

Competitive Type

Neoprene handle with push through switch and steel reflector. Has spring motor that locks and releases at any desired length. Bracket and hardware for ceiling or wall mounting.

4-35 20 ft	Drice	\$10.95+

DROP LIGHT REEL DISPLAY PANEL

17¼ in. x 20¼" Display board with 4-40 reel. To obtain display panel order a minimum of 3 reels (1 model or assorted) at the current price. Panel is packed as a unit with 4-40 reel.

4-49	Develope 152 only	Price	519.	95+

B. ELECTRIC BALANCE REEL

U/L approved grounding type assembly. Improves tool control yet keeps tools accessible. Has special tension control easily adjusted by hand. Life-time lubricated spring motor with twist lock connector.

4-48	10 f	t. cord	Price	\$21.5	J5†	
------	------	---------	-------	--------	-----	--

C. BATTERY BOOSTER CABLES

Ideal for dead battery starting of cars with automatic transmission. Heavy duty 6 gauge copper wire flexible cable with copper clad clips. Handles have different colored plastic insulation for quick identification of positive and negative hook-up. 2 cables per set.

4-1860	8 ft. cables	Price	\$5.95	
4-1861	12 ft. cables	Price	\$7.45	
4-1857	Red handle clip only	Price	80¢	
4-1858	Black handle clip only	Price	80¢	

D. TAPE

Plastic Electrical and Friction

See page 28 for individual cataloging of entire

E. FEMALE CONNECTOR

Heavy Duty Type

An industr	ial type c	onnector	with	an	arı	nored	
grip. U/L							
4-29 2	conductor					\$1.20	
4-2644 3	conductor			Pric	e	\$1.40	

F. MALE PLUG

Heavy Duty Type

Industrial	type	with	armored	grip.	U/L app	roved.
4-28					Price	60¢
4-2643	3 con	ducto	r		Price	\$1.00

G. PLUG SET

Industrial type male and female fittings. Armored grips and U/L approved. (BK individual parts 4-28 and 4-29).

4-31 Price \$1.50

H. FEMALE CONNECTOR

Regular	duty,	2	conductor	black	rubber	con-
nector.	U/L ap	pr	oved.		Price	50¢

I. MALE PLUG

Regular U/L app	duty,	2	conductor	black	rubber	plug.
4-26	rovea.				Price	186
		••••	San San San San			

J. FLAT OUTLET

A 3 way flat rubber tool tap. Fastens to bench and wall or lies on the floor.

4-30 Price 70¢

K. SWITCH MECHANISM

. CLAMP-ON BRACKET

Universal,	double	ball	swivel	clamp-on	bra	cket
and socket	t holder.					
4-22				Pr	ice	85¢

M. REFLECTORS

Alumi	num	ren	ectors	are	screw-on	type	e anu
can b	e us	ed i	ntercha	angeat	oly.		
4-20				0		Price	\$1.10
4-19	(A) (S) (S) (S)					Price	\$1.45

N. HANDLE

•••							
A st	turdy, t	lack h and	rubber double	handle e outle	with	push	through

4-18			Price	906
	Mechanism	only	Price	

O. HANDLE

A U/L a Furnished	pproved g	roundii	ng type	plastic	handle.
Furnished	complete	with	mechan	ism.	

4-2641		-	Price	\$2.50
4-2642	Mechanism	only	Price	\$2.00

P. PLUG ADAPTER

All vinyl	15 amp	. 3	wire	to	2	wire	plug	adapter.
4-2640							Pı	rice 45¢

REEL REPLACEMENT PARTS

Fit all drop light reels except as indicated

4-41	Chrome	plated	guard	(fits		
all	except	4-35)			Price	95¢†

4-42 Handle, phenolic, w/o switch	anu	
socket U/L approved,		
standard type	Price	\$1.75


4-43 Handle, ph		switch a	nd	
socket U/L app				64 7E.
grounded type	9	r	rice	\$1.75†


4-44 Switch and Socket, U/L approved, regular and groundedPrice \$1.50†


4-46	Handle	and	Guard	Assembly,		
tvr	e (exce	pt 4	-35)		Price	\$3.95+

4-47	Handle	and	Guard	Assembly,		
gr	ounded	type			Price	\$3.95









A. GENERAL PURPOSE

For Home and Shop

4-2000 15 watt—	
Inside Frost—Medium Base	Price 23(
4-2001 25 watt— Inside Frost—Medium Base	Price 25
4-2002 40 Watt— Inside Frost—Medium Base	Price 25¢
4-2003 60 watt— Inside Frost—Medium Base	Price 25(
4-2004 75 watt— Inside Frost—Medium Base	Price 25¢
4-2005 100 watt— Inside Frost—Medium Base	Price 25¢
4-2006 150 watt— Inside Frost—Medium Base	Price 33¢
4-2007 200 watt— Inside Frost—Medium Base	Price 48¢
4-2008 200 watt— Clear—Medium Base	Price 48¢
4-2009 300 watt— Inside Frost—Medium Base	Price 55¢
4-2010 300 watt— Clear—Medium Base	Price 55¢
4-2011 300 watt— Inside Frost—Mogul Base	Price 75¢
4-2012 500 watt— Clear—Mogul Base	Price \$1.10

B. ROUGH SERVICE BULBS

Shock Resistant Filaments Short Neck

Inside Frost—Medium	Base	Price	45¢
4-2020 75 watt— Inside Frost—Medium	Base	Price	53¢
4-2021 100 watt— Inside Frost—Medium	Base	Price	45¢

C. INFRA-RED HEAT LAMP

A bulb designed especially for commercial or industrial usage. 250 watt frosted bulb with medium skirt. 115-125 volts, 7¼ in. long. Ideal for drying paints, enamels and printers' ink.

....Price \$1.50

D. BATTERY CHARGER BULB

An argon filled, quick starting rectifier bulb for all type of 6 and 12 volt battery chargers. 6
Amps D.C.-90 Volts D.C. Equivalent to GE 189049,
Westinghouse 289416, JAN 4B26, Gordos G49.
4-2050 Price \$7.00

E. FLOODLIGHT

150 watt, medium skirt, mogul base with weather resistant glass. Ideal for service stations, parking lots, amusement parks, etc.

4-2016Price \$2.30

CIRCULAR FLUORESCENT TUBE

Cool wh				
4-2034	22	Watt	Price	\$3.50
4-2035	32	Watt	Price	\$3.50

FLUORESCENT STARTERS

4-2038	15	and	20	Watt-2	Pin	Price	25¢
4-2039	30	and	40	Watt-2	Pin	Price	256

FLUORESCENT TUBES

4-2027 18	15 watt standard, in., daylight, bipinPrice \$1.20
4-2028 24	20 watt standard, in., cool white, bipinPrice \$1.10
4-2030 48	40 watt standard, in., daylight, bipinPrice \$1,35
4-2031 48	40 watt pre-heat rapid start, in., cool white, bipinPrice \$1.25
4-2032	40 watt instant start, in., cool white bipin
	73 watt slimline.

96 in., cool white, single pin Price \$2.75



FLASHLIGHTS and FLASHLIGHT BATTERIES



A. STANDARD FLASHLIGHT BATTERY Leakproof

 $1\!\!\!/\!\!\!/ 2$ volt—Size D cell-sealed in steel. The ideal cell for flashlights, toys and games.

-1820 Price 2

B. HEAVY DUTY FLASHLIGHT BATTERY

Leakproof

1½ volt—Size D cell-sealed in steel. A premium flashlight battery suitable for industrial usages.

4-1824 Price 25¢

C. "JUNIOR" FLASHLIGHT BATTERY Leakproof

1½ volt—Size C cell.

4-1821 Price 20¢

D. PENLIGHT BATTERY

1½ volt—Size AA cell. For use in penlights, transistor radios and toys.

4-1822Price 20¢

E. LANTERN BATTERY

6 volts-weatherproof metal clad jacket. 2 11/16 in. dia., 334 in. high.

4-1823 Spring type terminalsPrice \$1.19
4-1825 Screw type terminalsPrice \$1.19

F. REGULAR SPOTLIGHT

2 cell chrome finish with seamless tube. 2 in. dia. head, $7\frac{1}{4}$ in. long. 3 position Switch-Off—Flash-On. Bulb furnished.

4-1828 Price \$1.85 4-1828L Lens only Price 10¢

G. SEARCHLIGHT

5 cell with chrome finish and seamless tube. 3 in. dia. head, 15 in. long. 3 position Switch-Off—Flash-On. Bulb furnished.

4-1830 Price \$3.95 4-1829L Lens only Price 13¢

H. PLASTIC COVERED FLASHLIGHT

2 cell with plastic coated finish and seamless metal tube. 2 in. dia. head, $7\frac{1}{2}$ in. long. 2 position switch-Off-On. Bulb furnished.

4-1831 Price \$1.90

I. SEARCHLIGHT

3 cell chrome finish and seamless tube. 3 in. dia. head, 10¼ in. long. 3 position Switch-Off—Flash-On. Bulb furnished.

 4-1829
 Price \$2.95

 4-1829L Lens only
 Price 13¢

J. JUNIOR SPOTLIGHT

2 cell chrome finish with seamless tube. 134 in. dia. head, 6 in. long. 3 position Switch-Off—Flash-On. Bulb furnished.

4-1827 Price \$1.75

K. MAGNETIC FLASHLIGHT

2 cell chrome finish with seamless tube. 1¼ in. dia. head, 7¼ in. long. Adheres to any iron or steel surface with lifetime magnet. 2 position switch-Off-On. Bulb furnished.

4-1834 Price \$1.49

L. BATTERY AND FLASHLIGHT DISPLAY

Steel display rack with easel-back and holes for counter or wall mounting. Contains the following: 100 4-1820 D cell batteries; 3 4-1834 magnetic flashlights.

4-1833 Price \$24.47

M. FLASHLIGHT COUNTER DISPLAY

An attractive display containing 3 4-1827 and 3 4-1828 flashlights.

4-1832 Price \$10.80













FRICTION TAPE

The "old dependable" 34 in. wide friction tape is available in varying lengths. Safe and economical to use in garages, service stations, shops and homes. Has dielectric of 2000 volts and is abrasive resistant.

A.	4-1933	60 in. roll Price	10¢
B.	4-1934	156 in. rollPrice	20¢
C.	4-1935	30 ft. rollPrice	35¢
D.	4-1936	60 ft. rollPrice	65¢
E.	4-1937 10 roll:	Shop can of s 4-1936Price :	\$6.50

PLASTIC ELECTRICAL TAPE

Regular Type

Super thin flexible tapes stretching up to 150% and having a very high dielectric. They are not affected by water, oils, greases, acids, alkalies and are very resistant to corrosion, rot, mildew and fungus. An ideal tape for the many uses in the automotive, electrical and household fields.


F.		66 ft x ¾ in. roll stic dispenser Price	\$1.87
G.		150 in. x 1/2 in. roll Price	
H.	4-1931	20 ft. x 3/4 in. rollPrice	69¢
1.	4-1932	66 ft. x ¾ in. roll	
	in can	Price	\$1.87

PLASTIC ELECTRICAL TAPE

Cold Weather Type

Specifically manufactured to give improved performance at low temperatures while remaining serviceable under all climatic conditions. Has dielectric strength of 10,000 volts and is resistant to oils, greases, acids, alkalies, etc. Rolls are 60 ft. long and 34 in. wide.

1	4-1938	Poll	in	nlactic	hov	Price	¢1 00	
•	4-1330	KUII	111	higgric	nox	Frice	\$1.50	





TOTE-TRAY TYPE TOOL BOXES

Hip-Roof Design

Hip roof design gives maximum tool room. Tote tray holds complete set of standard socket wrenches. Sturdy steel construction with welded seams, continuous piano type hinge and enamel finish. Handles and hardware have cadmium plated, rust resistant finish.

4-1900 and 4-1902 boxes have several partitions in tote-tray, 4-1901 has 1 only.

4-1900	71/4 ir	1. X	8 in. x	20 in	Price	\$8.00	
4-1901	71/4 ir	1. X	8 in. x	16 in	Price	\$7.00	
4-1902	81/2 ir	1. X	85% in.	x 20 in.	Price	\$9.75	

Flat Roof Design

Large roomy box has convenient lift-out, bar handle tote-tray that is big enough to hold complete set of standard socket wrenches. Same construction features as boxes listed un-

4-1905 71/4 in. x 53/4 in. x 16 in. .. Price \$5.80

CANTILEVER TYPE TOOL BOXES

Sturdy steel construction with welded seams, continuous piano type hinge and enamel finish. Handles and hardware have cadmium plated, rust resistant finish.

C. SINGLE TRAY TOOL BOX

All purpose tool box has 6 small and 1 long, thin compartments.

4-1903 71/2 in. x 65% in. x 20 in. .. Price \$7.95

D. FOUR TRAY TOOL BOX

8 Partitions

2 lower trays have 4 partitions each while the two upper trays have none. Ideal box for mechanic, home handyman, plumbers and steam fitters.

4-1904 81/2 in. x 11 in. x 21 in. .. Price \$12.50 4-1906 81/2 in. x 11 in. x 17 in. .. Price \$11.25

E. FOUR TRAY TOOL BOX

Multi-Partitioned

Each tray has many compartments of varying size. The many partitions make this an ideal box for carrying small parts as well as tools.

4-1907 81/2 in. x 11 in. x 17 in. .. Price \$12.00 4-1908 81/2 in. x 11 in. x 21 in. .. Price \$13.75

F. PADLOCKS

Solid Brass

PADLOCKS

Cylinder type padlocks featuring super disc tumbler mechanism. Solid brass case with cadmium plated steel shackles. Two keys furnished

4-1942 1½ in. wide—	
K224 key blank Price	\$1.25
4-1943 1% in. wide— K230B key blankPrice	\$1.40
4-1944 2 in. wide— K230B key blankPrice	\$1.90

G. PADLOCKS

Steel Laminated

Cylinder type padlocks with super disc tumbler mechanism and a rugged multi-ply steel construction. Cadmium plated for rust resistance. 4 1040 11/ in wide

	Price \$1.20
4-1941 134 in. wide K230 key blank	

H. PADLOCK

Combination

Keyless padlock constructed with rust proof steel case and shackle. Has a 3 number combination mechanism with thousands of possible combinations.

4-1945 113/6 in. wide

PADLOCK DISPLAY ASSORTMENT

Contains the following padlocks mounted on the face of an attractive display board:

	-1940 -1943	-	4-194 4-194			-	4-1	
nd ox:	following	pa	dlocks	in	a	spe	cial	shelf

4-1942 3 4-1940 4-1941 3 4-1945 4-1943 4-1944 Price \$36.20 4-1948 ...

MECHANICS VISES

These precision made, low priced vises were designed especially for the automotive me-chanic and are an ideal tool for service stations, garages, repair shops, etc. Durably constructed of malleable iron and semi-steel castings with steel serrated jaws. The locking swivel base will rotate 160°. Jaws are removable, reversible and interchangeable.

Vise No.	Jaw width	Max. opening	Throat depth	Price
4-2670	3½ in.	4 in.	21/4 in.	\$31.30
4-2671	4 in.	5¼ in.	2¾ in.	\$42.95
4-2672	4½ in.	5¼ in.	2¾ in.	\$48.00
4-2673	5 in.	6½ in.	31/8 in.	\$63.35

K. UTILITY VISES

Heavy Duty

Vises for general repair and maintenance. Ruggedly constructed with main castings of mal-leable iron and semi-steel. Have heavy duty jaw faces of hardened steel with deep cut serrations and are also equipped with hardened steel pipe jaws. 360° swivel.

Vise No.	Jaw width inches	Max opening inches	Throat depth inches	Pipe capacity inches	Price
4-2675	4	41/2	33/8	1/8 - 2	\$27.30
4-2676	5	51/2	33/4	1/8 - 21/2	\$36.00
4-2677	6	7	41/8	1/8 - 31/2	\$52.45


VISE DISPLAY STANDS

Attractive steel display stands with enameled

L.	4-2679	Counter Star	ndPrice	\$3.00+
M.	4-2680	Floor Stand	Price	\$14.00+

- HAMMER HANDLES
- **MECHANICS WIRE**
- **RESPIRATOR MASK**
- WEATHER STRIPPING





HAMMER HANDLES

Factory Pre-Fitted

Made of the finest hickory. Simple, easy and quick to install. Has a tight fit, correct alignment and proper balance. Each handle furnished with 2 lock wedges.

A. BALL PEIN HAMMER HANDLES

	11 in. handle— 4-6 oz. hammerPrice	80¢
	13 in. handle— 8-12 oz. hammerPrice	80¢
	14 in. handle— 16-20 oz. hammer	80¢
	16 in. handle— 24-32 oz. hammer Price	90¢
	18 in. handle— 2-3 lb. hammer Price	95¢

B. SHOP HAMMER HANDLES

	12-16 oz. hammer	80¢
	14 in. handle— 24-32 oz. hammerPrice	80¢
	16 in. handle— 2-3 lb. hammer Price	90¢

SLEDGE and TIRE HAMMER HANDLE

4-2228	18	in l	handle-		
for	2-3	lb.	hammer	Price	95¢

CLAW HAMMER HANDLE

4-2229	14	in.	handle-		
for	16	oz.	hammer	Price	800

E. HANDLE DISPLAY ASSORTMENT

4-2230 4-2231	Wire rack	on	ly		Price \$17.00 Price 65¢†	
	4-2229	1	wire rack			
2	4-2226	2	4-2227	2	4-2228	
2	4-2223	2	4-2224	2	4-2225	
	4-2220					
Contains	ZU nandles	s a	na 1 wire	ais	play rack:	

MECHANICS WIRE

A soft annealed wire, just the thing for many purposes. Available on spools or in 50 ft. coils of continuous length.

F. SPOOLS

4-241	2	lb.	spool,	18	gauge	Price	\$1.45
4-242	2	lb.	spool,	19	gauge	Price	\$1.50
4-243	5	lb.	spool,	18	gauge	Price	\$2.50
4-244	5	lb.	spool,	19	gauge	Price	\$2.60
4-247	2	lb.	spool,	16	gauge	Price	\$1.40
4-248	5	lb.	spool,	16	gauge	Price	\$2.45

G. 50 FT. COILS


4-245	18	gauge	Price	300
4-246	19	gauge	Price	250

RESPIRATOR MASK

Efficient and Economical

Respirator masks are made of soft aluminum — the filters of long staple cotton, the combination weighs less than 1/2 oz. and conforms to the shape of the face. Offers adequate protection against more than 300 non-toxic dusts and sprays.

4-1290	Mask with	filter	Price 6	O¢
4-1291	Box of 25	filters	only Price 8	30¢











RUBBER SEAL WEATHERSTRIPPING

Weatherproof against water, cold, dust and fumes.

Serves many purposes - gasoline solvent cement on one surface gives super adhesive qualities. Splices perfectly. Available in 10 or 50 ft. rolls.

Width	Thickness	10 ft. roll	Price	50 ft. roll	Price
3/8 in.	5⁄3₂ in.	4-1300	.70	4-1312	\$ 3.40
3/8 in.	3/6 in.	4-1309	.80	4-1321	\$ 4.00
3/8 in.	5/6 in.	4-1301	.85	4-1313	\$ 4.00
3/8 in.	7/6 in.	4-1302	\$1.10	4-1314	\$ 5.25
½ in.	3/6 in.	4-1310	\$1.10	4-1322	\$ 5.25
½ in.	5/16 in.	4-1303	\$1.20	4-1315	\$ 5.65
½ in.	7/6 in.	4-1304	\$1.40	4-1316	\$ 6.15
3/4 in.	3/6 in.	4-1311	\$1.20	4-1323	\$ 5.65
3/4 in.	5/6 in.	4-1305	\$1.40	4-1317	\$ 6.25
3/4 in.	7/6 in.	4-1306	\$1.85	4-1318	\$ 8.25
1 in.	5/16 in.	4-1307	\$1.95	4-1319	\$ 8.85
1 in.	% in.	4-1308	\$2.55	4-1320	\$11.65

SMALL WHEELS • STARTER CORD



SMALL WHEELS

Light Duty-Semi-Pneumatic

Fast moving small steel disc wheels equipped with grease packed steel ball bearings or sintered metal oil impregnated grafoil bearings. Use for rotary power mowers, tillers, edgers, seeders, caddy carts, toys, institutional equipment and many others.

Wheel	TIRES		Load	BE	RING	HUB LENGTH		
No.	Size	Tread	Rating Ibs	Bore inches	Туре	Centered	Offset	Price
4-1700	6x1.50	Flat	50	1/2	ball	15/8		\$2.25
4-1701	8x1.75	Flat	80	1/2	ball	17/8	5 - 76	\$3.00
4-1702	10x1.75	Flat	80	1/2	ball	2		\$3.75
4-1703	12x1.75	Flat	90	1/2	ball	2		\$4.75
4-1716	6x1.50	Diamond	50	1/2	grafoil	R7,255	13/8	\$1.85
4-1717	7x1.50	Diamond	55	1/2	grafoil		13/8	\$2.30
4-1718	8x1.75	Diamond	80	1/2	grafoil		13/8	\$2.60
4-1708	½ in. x 1	⅓ in. ball	bearin		700		Pric	e 45¢

fits 4-1700, 4-1701, 4-1702, 4-1703 only

REPLACEMENT WHEELS

Service stations, Garages, Shops, Factories, Farms, Homes represent markets for the high quality, small wheels.

Medium and Heavy Duty Semi-Pneumatic

Steel disc wheels equipped with grease packed steel ball bearings. Use on rotary power mowers, garden tractors, tillers, hand trucks, wheelbarrows, miniature autos and others.

Wheel	TIR	ES	Load	BEAR	RING	HUB	
No.	Size	Tread	Rating Ibs	Bore inches	Туре	LENGTH	Price
4-1704	6x2.00	Flat	250	5/8	ball	21/4	\$8.95
4-1705	8x2.00	Flat	250	5/8	ball	21/4	\$9.20
4-1706	10x2.75	Rib	150	5/8	ball	21/2	\$8.10
4-1709 5%	in v 13/6	n hall h	paring o	nlv	1010	Dr	ico 604

Pneumatic Type

Equipped for low speed with grease packed steel ball bearing. Use on rotary power mowers, garden tractors, feed grinders, feed carts, wheelbarrows, golf buggies and many others.

Wheel	TIRES			BEARING		HUB	
No.	Size	Tread	Rating Lbs.	Bore inches		LENGTH inches	Price
4-1707 4	4.80/4.00x8	Flat	2 ply	5/8	ball	6	\$15.75

SMALL WHEEL DISPLAY ASSORTMENT

An attractive wire display rack mounting the following 5 wheels:

Contains: 1 4-1700 1 4-1702 2 4-1701 1 4-1706

4-1710 Price \$20.10

ACCESSORIES

4-1711	Reducer Bushing* 1/2 in. to 7/16 in	Price	10¢
4-1712	Reducer Bushing* 1/2 in. to 3/8 in.	Price	10¢
4-1713	Axle ½ in. x 24 in	Price \$	1.50
4-1714	Hub Cap, snap on type-1/2 in.	Price	12¢
4-1715	Reducer Bushing* 5/8 in. to 1/2 in.	Price	40¢
	Bushing are 2¼ in. long — cut to size needed.		

STARTER CORD

Braided Nylon

A high quality nylon cord with red wooden handle. Use on power lawn mowers, outboard motors and other small gasoline engines. 46 in. long, 5/32 in. dia. Packaged in individual plastic bags with 6 cords attached to a colorful display board.

4-1835	Pric	e 45¢	
--------	------	-------	--

SEALING AND MENDING COMPOUNDS















ALUMINUM









A. PLASTIC ALUMINUM

"Metal In Putty Form"

Has hundreds of uses in sealing, soldering and repairing around the service station, garage, home and shop. Applied cold it dries metal hard in 3 to 4 hours and is not affected by water or petroleum products. Adheres to most surfaces and can be drilled or tapped. An attractive 5½ oz. tube is packaged in a display type plastic bubble or individual cartons.

B. PLASTIC RUBBER

"Latex Rubber In Putty Form"

Waterproof, chemically vulcanizing compound repairs most everything made of rubber. Expands and contracts with temperature changes. Waterproofs, rustproofs, insulates and caulks. 4 oz. tubes of white or black rubber packaged in display type plastic bubble or individual carton.

4-1841 Tube of black rubber in carton	Price	\$1.00
4-1841D Tube of black rubber in bubble pack	Price	\$1.00
4-1843D Tube of white rubber in bubble pack	Price	\$1.00

C. PLASTIC CHROME

Repairs and refinishes worn and rusted chrome. No liquids or polishing—just apply. Won't wear off, wipe off or bump off. 48 sq. in. roll attractively packaged on bubble display card. Sold only as unit of 12 in attractive display box.

-2506 Price \$1.00

D. LIQUID STEEL

Repairs Anything Made of Metal

A non-shrinking, non-rusting compound that makes an ideal filler and sealant. Use to repair holes and dents in car bodies, seal leaks in pipes, radiators and containers; also seals and solders gutters and downspouts. Dries in 3 to 4 hours. 61/2 oz. tube in a plastic display bubble.

4-1838D Price \$1.00

E. PLASTIC PORCELAIN

A white compound that repairs cracked, chipped or worn porcelain. Use on all types of appliances. Dries to a beautiful hard finish. Attractive 1¾ oz. tube packaged in plastic display bubble.

4-1839D Price \$1.00

F. EPOXY GLUE

"E-POX-E"

The strongest adhesive known. Bonds most materials. One drop holds tons. Non-toxic, transparent, waterproof, non-shrinking. Epoxy glues consist of 2 parts; the resin and the hardening agent. When mixed together at a 1 to 1 ratio chemical action does the work. 2 tubes, one of resin and one the hardening agent, packaged in attractive display bubbles.

4-2500 Price \$1.00

G. PLASTIC MENDER

Transparent—Waterproof—Flexible

Ideal for vinyl plastic, also adheres to wood, metal, leather, chinaware, rubber, paper and cloth. Not affected by water or petroleum derivatives. Attractive 134 oz. tube packaged in plastic display bubble.

4-2504 Price 696

H. TRIM CEMENT

Transparent

Ideal weatherstrip trim cement bonds fabric and rubber to metal. Use around service stations, garages, homes and shops for sealing leaks and drafts around windows, applying weatherstrip, cementing gaskets and hoses and patching convertible tops. Has many other uses. 4 oz. tube packaged in plastic display bubble.

4-1844DPrice 75¢

A. WINDSHIELD AND WINDOW SEALER

"Keeps Wind And Water Out"

A clear transparent quick drying sealer adheres to glass, metal, wood or rubber making a tight permanent seal around car windows and windshield. Attractive 134 oz. tube packaged in plastic display bubble.

4-1845D Price 75¢

B. PLASTIC LOCK WASHER AND NUT, BOLT AND SCREW SEALER

Seals and locks all wood and metal fasteners. One drop forms a tough plastic bond, securing and locking any new or worn threaded connection. Not affected by stress, strain or vibrations. Thousands of uses in service stations, garages, homes and industry. Attractive 134 oz. tube packaged in plastic display bubble.

4-2503 Price 69¢

C. FABRIC MENDER

"DARN"

Mends wool, cotton, canvas, leather and most other fabrics. Water and weather resistant. Nontoxic and fireproof. Can be washed, boiled or ironed without losing bonding qualities. Attractive 1½ oz. tube packaged in plastic display bubble.

4-2505 Price 69¢

D. DISPLAY ASSORTMENTS

"Major Assortment"

4-2510

An attractive wire rack display assortment holding 72 tubes in varied quantities of most of the B*K sealing and mending compounds. Measures 22 in. x 30 in. and can be used on your pegboard or counter. Rack furnished free.

CONTENTS:

- 4-1838D Steel
- 4-1839D Porcelain 6
- 4-1840D Aluminum 12
- 6 4-1841D Black Rubber
- 6 4-1843D White Rubber
- 6 4-1844D Trim Cement
- 6 4-1845D Window Sealer
- 6 4-2500 Epoxy Glue
- 6 4-2503 Screw Sealer
- 6 4-2504 Mender
- 6 4-2505 Darn
- 1 Wire Rack

...Price \$63.42 4-2510

"Fast-Moving Assortment"

4-2511

CONTENTS:

4-1838D Steel 6 4-1844D Trim Cement 6 4-1840D Aluminum 7 4-1845D Window Sealer

4-2511

B

.. Price \$21.00

SEALING AND MENDING COMPOUNDS



SOLDERING EQUIPMENT

A. HEAVY DUTY SOLDERING GUN-2.0 AMP-NO. 4-222

INSTANT HEAT-only 21/2 seconds for tip heat. Due to the fast soldering qualities of this gun the tip life is greatly increased.

RIGID SINGLE POLE—the only transformer type gun with a single pole construction and a long thin reach that permits "deep-in" work with ease.

HIGH IMPACT HOUSING—has a high impact, heat resistant and shock absorbing, jet black thermosetting plastic housing. This protects component parts as well as giving a lightweight attractive housing. Dimensions: 11½" long, 5¾" high. Weighs only 2¾ lbs.

PRE-FOCUSED SPOTLIGHT—instantly locates even the deepest work. Regardless of light conditions the pre-focused light provides adequate illumination of work.

SOFT TRIGGER ACTION.

4-222	Price	e \$12.95
4-223	LEFT housing onlyPri	ce \$2.25†
4-224	RIGHT housing onlyPri	ce \$2.25†

DEDI ACEMENT DADTS

	REFLACEMENT PART	9	
4-230	35% in. barrel assy. for 4-222 F	rice	\$1.50
4-231	Conical Tip for 4-222	rice	50¢
4-232	Chisel Point tip for 4-222F	rice	50¢
4-233	Smoothing Tip for 4-222	rice	\$1.00
4-234	3½ in. tip for 4-225X	rice	50¢
4-236	6 in. tip for 4-225	rice	50¢
4-237	5/8 in. tip for 4-226	rice	85¢
4-238	3/4 in. tip for 4-227	rice	95¢
4-239	1½ in. tip for 4-228	rice	\$3.00
4-205	Element only for 4-226F	rice	42¢1
4-209	Tip and Electro for 4-222F		7 18 18 18 18 18 18 18 18 18 18 18 18 18

B. TORCH FUEL

Self-pressurized petroleum base fuel. Non-poison-



D

ous, non-toxic. Packaged in seamless steel disposable tanks. Tested and shipped in compliance with ICC regulations.

4-1620 Net Weight-178 gramsPrice 69¢

C. "TINS-TYTER" TINNING FLUID

Instantly produces a perfect bond between solder and metal with minimum heat. Surface needs only to be wet. 1 oz. of fluid tins over 1000 sq. ins. B★K Tins-tyter is effective on all metals except aluminum.

D. HAND TORCH SET

The safest automatic gas hand torches

Simple and rugged tools fed by pressurized petroleum based fuel. Performs all heating and soldering jobs, either precision or general pur-pose, around garages, service stations, shops and homes. Available with various types of burners and soldering tips.

4-1601 Standard Torch KitPr contains: 4-1600 Torch Base 4-1604 Utility BurnerPrice \$5.95

4-1620 Fuel

TORCH ACCESSORIES & PARTS

2.95
2.00
500

4-1613 Filter Adapter and unit for

† Denotes suggested dealer net price. All other prices are suggested list prices.



















DOOR-EASE

Stainless Stick Lubricant

Stops sticking—prevents squeaks, wear and rust. Clean and easy to apply—use like a crayon. Lubricates door fittings, hood lacings and other rubber parts and points of friction. Won't stain clothes or upholstery—won't dry up or wash off. Shop size stick packaged in metal container—Consumer size has a cardboard sleeve.

lai	1161-60	lisuille	517	e IIa	Sa	Caruboaru	216	eve.
A.	4-575	Const	ımer	size		P	rice	19¢
B.	4-576	Shop	size			P	rice	49¢

C. LOCK-EASE

Graphite Lock Fluid

Makes locks work easier. Prevents sticking, rust and freezing. Helps free frozen and stuck locks. Contains microscopic size graphite suspended in fluid carrier. Will not gum or harden. Packaged in 4 oz. can.

4-578 4	OZ.	can		Price	49	¢
---------	-----	-----	--	-------	----	---

D. DRIPLESS OIL

Enters as a penetrant then converts to a long wearing lubricant. Use for body squeaks, hinges, cables, door handles, generators, starters, etc. Won't gum or harden at temperature extremes. Can be used as a home lubricant or penetrating oil

4-582	4	OZ.	can	Price	39¢
4-586	1	qt.	can	Price	\$1.40
				nPrice	\$4.45

E. LUB-A-CABLE

Speedometer Cable Lubricant

A graphitic lubricant that penetrates all types of speedometer cables and eliminates noises and needle vibration. Unaffected by heat or cold. Attractive plastic dispensing tube.

4-252						Price	69¢	
4-252D	Display	card	of	12	4-252	Price	\$8.28	

LUB-A-SPRAY

Dry Lubricant

An oil-less, greaseless, dripless all purpose dry powdered graphitic lubricant. Lubricates and preserves metal, wood, leather, rubber and plastic. Will not stain and is unaffected by heat, cold or moisture. Packaged in a consumer size plastic pencil type tube and a shop size plastic bottle type container.

4-250 ½ oz. Consumer size .	Price 29¢
4-250A Display carton of	
24 4-250	Price \$6.96
12 4-250	Price \$3.48
4-251 3 oz. Shop size	Price \$1.49
4-251A Counter Card of 6 4-2	51 Price \$8.94
4-258 ½ lb. can	Price \$1.48
4-259 1 lb. can	Price \$1.85
	24 4-250

H. LUB-A-GRAPH


Liquid Graphitic Lubricant

A weatherproof, highly penetrating long lasting lubricant. Helps prevent rust and corrosion. Has many uses around service stations, garages, shops, homes and farms. Packaged in pencil type plastic tubes.

4-263						Price	496
4-263D	Display	card	of	12	4-263	Price	\$5.88



















A. PENETRANT

Loosens rusted nuts, bolts, screws and frozen parts. Dissolves gum, rust and corrosion and provides proper lubrication. Has many uses around the home, service station, garage, shop and farm.

4-1690	16	OZ.	spray	can	Price	\$1.75	
4-1691	4	oz.	can		Price	49¢	
4-1692	1	pt.	can		Price	\$1.32	
4-1693	1	gal	. can		Price	\$7.50	

B. PART-EASE

Heat Control Valve Loosener and Lubricant!

Frees and lubricates manifold heat control valves and carburetor air duct valves. Protects against slow warm up, carbuerator icing, poor acceleration and burnt spark plugs. Can be used as a penetrating oil for loosening frozen parts.

4-588	8	oz.	can	Price	\$1.25
4-589	12	oz.	spray	canPrice	\$1.98

C. PENETRATING OIL and RUST SOLVENT

A specially formulated, fast acting penetrating oil and rust solvent. Unlocks frozen nuts and

bolts, loosens rust and corrosion and lubricates metal parts. Clean and convenient to use. 1.6 oz. packaged in clear plastic tube.

4-267 Price 39¢ **4-267D** Display card of 12—4-267 Price \$4.68

D. INSECTICIDE

Kills mosquitoes, roaches, ants, lice, bed bugs and other insects frequently found around homes, garages, shops, gardens and orchards. Safe to use indoors or out. Ideal for use around camps and summer homes. 15 oz. packaged in spray can.

4-1983 Price \$1.89

E. LUBRICATING OIL

All Purpose

Lubricates faster and better; protects and preserves metal; prevents rust and corrosion. The handy pencil top drop oiler dispenses a squirt or drop. Clean and convenient to use. Ideal for use in homes, offices and by sportsmen. 1½ oz. in clear plastic tube.

4-254 Price 39¢
4-254D Display card of 12—4-254 Price \$4.68

F. GENERAL PURPOSE GREASE Clean, white grease

This clean, safe and sure lubricating grease has

many uses around garages, service stations, homes, workshops, etc. Stops rust, reduces wear, resists heat and moisture. Dispenser tip reaches into small openings. Contents .9 oz.

4-264 Price **39¢ 4-264D** Display card of 12—4-264 Price **\$4.68**

G. GENERAL PURPOSE GREASE

Heavy Duty Lithium Type

This type of long lasting, white grease is compounded of lithium and gives the highest film strength for the toughest jobs for the longest time. Lubricates in all weather and temperatures. Use on all greasing jobs, except rubber, around the shop, home, workshop, garage, etc.

4-262	2	oz.	plastic	tube	Price	98¢
4-268	1	lb.	can	,	Price	\$1.75
4-269	5	lb.	can .		Price	\$6.58

H. DISPLAY ASSORTMENT

An attractive display of 6 of the most popular lubricants mounted on a wire rack.

Assortment	12-4-250	12-4-263
contains:	12-4-252	12-4-264
	12-4-254	12-4-267
	1 wir	e rack

† Denotes suggested dealer net price. All other prices are suggested list prices.

4-265

GASKET & SEALING COMPOUNDS —















STARTING FLUID

327 cc of a special formula designed to provide fast and easy starts for diesel and gasoline engines. Gives quick starts down to -65° . Contains upper cylinder lubricant and corrosion in-hibitor. Packaged in spray cans.

4-1695 Price \$1.75

STARTING CAPSULES B.

An aluminum capsule containing 16 cc of starting fluid. Not affected by humidity or temperature. Can be used in all makes and types of capsule primers. One capsule good for 3 or 4

4-1696 Price 43¢

STARTING FLUID SPRAY CAN PRIMER

Push button operated primer delivers sufficient fluid to start engine with one press. Should be installed within easy reach of operator. All units shipped with push-pull control cable which permits installation on engine side of fire wall. Fits B K 4-1695 and most other brands and sizes of starting fluids (not included). Includes all necessary fittings.

4-1699 Price \$19.50

STARTING CAPSULE ENGINE PRIMER

Operation of pump handle releases a mixture of air and starting fluid into engine intake manifold. Should be installed within easy reach of operator. Takes B * K 4-1696 capsules or most other brands (not included). Includes all necessary fittings.

4-1698 Price \$29.80

E. **HUDSON CLUTCH FLUID**

Special compound for cork insert clutch used in Hudson cars. Mixes with original equipment fluid. Contents of one can are correct for one

4-260 Price 40¢

F. GASKET and RIM CEMENT

Unexcelled for use on gaskets and hose connections. Makes unions leakproof to gas, gasoline, oil, water, grease, anti-freeze and steam. Made of finest gums. 2 fluid ozs.

Price 30¢

GASKET SEALERS

G. NUMBER 1

Quick drying . . . Sets up hard

For permanent assemblies which must withstand pressure and heat during continuous service. Repairs gaskets and fittings. Packaged in various

4-2160	1½ oz.	Price	55¢
4-2161	3 oz	Price	80ċ
4-2162	11 oz.	Price	\$1.80

H. NUMBER 2

Slow drying . . . Remains pliable

Forms a perfect pliable seal which permits con-nections to be taken apart without damage even after being subjected to pressure, heat and long use. Use where disassemblies and adjustments are likely. Ideal for cover plates and hose connections. Packaged in various size tubes.

4-2165	1½ oz	Price	55¢
4-2166	3 oz	Price	
4-2167	11 oz	Price	\$1.80

I. NUMBER 3-AVIATION

Brushable Liquid . . . Sets to a tacky Paste

Lubricate close fitting parts for every assembly. Keeps pressure tight and corrosion free seal which is easily disassembled. Won't run at high temperatures or become brittle at low. Packaged in cans.

4-2170 ¼ pt. Price 90¢ 4-2171 1 pt. Price \$2.25

J. SUPER GASKET SEALER

Brushable liquid . . . Slow setting

A heavy bodied, diester resistant sealer. Ideal for assembly work on high compression engines and milled heads. Has greater resistance to chemicals than other sealants. Packaged in cans.

....Price \$1.10Price \$2.50

K. CEMENT AND SEALANT

A synthetic rubber cement and adhesive in a liquid form. Tacky on application sets quickly. Unaffected by gasoline or other lubricants and will not wash out or leak. Withstands temperature ranges of $-40\,^{\circ}\text{F}$ to $200\,^{\circ}\text{F}$. Furnished in cans with applicators.

4-2181	1/4	pt. car	1Pr	ice	656
4-2180	1 [ot. can	Pr	ice !	\$1.69

VALVE GRINDING COMPOUNDS

GREASE MIXED

4-1897	1½ oz. tube	Price 45
	3 oz. tube	Price 70
The rig	ht compound for hand or	machine grind

steel valves and seats or cast blocks. Won't form rings on valves or seats.

M. WATER MIXED

4-1895	1½ oz. tube	Price	45¢
4-1896		Price	

CHEMICALS—COPPER TUBING



A. TINS-TYTER TINNING FLUID

Instantly produces a perfect bond between solder and metal with minimum heat. Surface needs only to be wet. 1 oz. of fluid tins over 1000 sq. ins. B*K Tins-Tyter is effective on all metals except aluminum.

 4-1295
 8 oz. plastic spray bottlePrice \$1.25†

 4-1296
 1 qt. refillable plastic bottle Price \$2.75‡

 4-1297
 1 gal. JarPrice \$6.25†

B. REFRIGERANT

Freon based formula for use in passenger car air conditioners. 15 oz. spray can.

4-2520 Price \$1.50

C. CHARGING HOSE

 $\frac{1}{2}$ in. O.D. white, lightweight hose. Working pressure of 500 p.s.i. $\frac{1}{4}$ in. female flare quick coupler at each end. 36 in. long.

4-2525Price \$2.45†

D. DISPENSING VALVE

Refrigerant dispensing valve with ¼ in. flare for containers. Includes valve sleeve and clamp.

2524 Price \$1.85

E. CHARGING HOSE PACK

Package of three 36 in. charging hoses; one for the high side, low side and charge. Each hose is a different color.

4-2526 Price \$7.60†

F. GAUGE MANIFOLDS

4-2527Price \$12.35+

G. MULTIPLE REFRIGERANT CAN OPENER

A handy service tool that opens 4 cans of refrigerant individually or simultaneously. Eliminates transporting unnecessarily the large, heavy cylinders. Brass cross-type manifold is capped with metering valves. Can clips and spacer rings included.

4-2528 Price \$15.45†



H. COPPER TUBING

For automotive, home, farm or industrial uses.

Description	25 ft. coils	Price	50 ft. coils	Price
⅓" Coil—.030 Ga.	4-1950	\$1.85†	4-1959	\$3.45†
%6" Coil—.030 Ga.	4-1951	\$2.45†	4-1960	\$4.55†
¼" Coil—.030 Ga.	4-1952	\$3.05†	4-1961	\$5.55+
‱" Coil—.032 Ga.	4-1953	\$3.75+	4-1962	\$6.80+
3/8" Coil—.032 Ga.	4-1954	\$4.35†	4-1963	\$8.00+
%6" Coil—.032 Ga.	4-1955	\$5.20+	4-1964	\$9.40+
1/2" Coil—.032 Ga.	4-1956	\$5.80+	4-1965	\$10.55+
%" Coil—.035 Ga.	4-1957	\$7.60+	4-1966	\$13.85+
34" Coil—.035 Ga.	4-1958	\$9.05+	4-1967	\$16.50+
¼" Coil—.049 Ga.	Heavy Duty	ELECTION STATE	4-1970	\$8.00+
3/8" Coil—.049 Ga.	Heavy Duty	Espain All	4-1971	\$11.90+
½" Coil—.049 Ga.	Heavy Duty		4-1972	\$15.70+
%" Coil—.058 Ga.	Heavy Duty		4-1973	\$22.70+
34" Coil—.058 Ga.	Heavy Duty		4-1974	\$26.20+

BELT DRESSING RUBBER LUBRICANT ENGINE DEGREASER IGNITION & BATTERY SEALER BATTERY TERMINAL CLEANER SILICONE COMPOUND



A. BELT DRESSING

For Fan and V Belts

A few drops of belt dressing will give belts a better grip on pulleys and reduce slippage and noise. Can be used on belts on cars, trucks, tractors, power tools, refrigerators, lawn mowers, washers, driers, furnace blowers, water pumps, etc.

4-255	4 oz.	can	Price	50¢
4-256	16 oz.	spray can	Price	\$1.85
4-257	1 pt.	can	Price	\$1.25

B. RUGLYDE

Rubber Lubricant

A clear, graphitic lubricant ideal for use in mounting and dismounting tires and cleaning and lubricating other rubber parts. Removes squeaks from rubber parts and fittings. Harmless to natural and synthetic rubber. Recommended by leading oil companies and car manufacturers.

4-580	8 oz. can Price	69¢
4-577	1 gal. canPrice	\$3.85
	5 gal. canPrice S	
4-583	ApplicatorPrice	40¢
4-584	Brush Price	60¢
4-579	DispenserPrice	\$8.00

C. ENGINE CLEANER and DEGREASER

Removes oil and grease deposits from auto, marine, aircraft and diesel engines, outboard motors, material handling equipment, machinery, power mowers, fans and barbecue grills. Spray on greasy deposit and wash off with clear water. 16 oz. spray can.

4-1982 Price \$1.89

D. IGNITION and BATTERY SEALER

A clear plastic acrylic spray for weatherproofing and protecting the ignition system and battery top. Forms a tough, pliable, permanent preservative coating. Prevents tarnish, rust and corrosion. Can be used on wood, metal, paper, leather without harm. Packaged in 16 oz. spray can.

E. BATTERY TERMINAL CLEANER

A clean battery extends battery and cable life. Removes corrosion—helps restore battery output. Packaged in 16 oz. spray can.

4-2535 Price \$1.95

SILICONE COMPOUND

Ideal as an ignition cam lubricant and brake cam lubricant. Seals and insulates, prevents corrosion and oxidation. Eliminates squeaks and preserves rubber. Can be used to prevent doors and windows from sticking and to make drawers slide easily. Has hundreds of home and sports uses.

r.	K2	
4-1755	2 oz. tube	Price \$1.15
4-1756	8 oz. tube	Price \$3.95
4-1757	16 oz. spray can	Price \$2.95
G. S	IL-GLYDE	
4-2593	2 oz. tube	Price \$1.15
4-2592	4 oz. tube	Price \$1.98
4-2591	6 oz. spray can	Price \$1.49
	16 oz. spray can	



Individually designed for all cars — Quickly and easily installed — All exposed parts are chrome plated — packaged individually with mounting instructions and all small parts — Fits into, around, and becomes part of the chassis.

CAR and YEAR

CHRYSLER

CAR and Y	EAR MODELS	PART NO.	PRICE
AUSTIN			
1960	Cambridge	4-2377*	\$13.95
1960	A40	4-2376*	\$13.95
1956-59	A35 and A55	4-2375*	\$13.95
AUSTIN-H			
1957-63	All (Ex. Sprite)	4-2379*	\$19.95
AUTO UN			
1957-60	All Deluxe Coupe. All Dkw (Ex. Sta. Wgn.)	4.2381*	\$15.95
	All Ditt (Lx. Ota. 11811.)	7 2001	\$10.00
BORGWA			
1954-61	Isabella	4-2382*	\$13.95
BUICK			
1963	All Pass.		
	(Ex. Riviera & Spec. & S/	N) 4-2367	\$12.95
1963	Rivera Only	4-2368	\$12.95
1963	Sta. Wgn.	4-2369	\$12.95
1962	All (Ex. Sta. Wgn. & Spe	C.) 4-235U	
1961-62	Sta. Wgn. All (Ex. Sta. Wgn. & Spe	4-2351	\$12.95
1961	All (Ex. Sta. Wgn. & Spe	C.) 4-1330	\$12.95
1050	All	4-130/ 4 1250	\$13.95 \$12.95
1056 50	All (Ex. Sta. Wgii.)	4 1250	\$12.95
	All		\$12.95
		4-1427	\$12.33
BUICK SI			
1963	All (Ex. Sta. Wgn.)	4-2370	\$16.95
1961-63	All (Ex. '63 Pass.)	4-1332	\$19.95
CADILLA			
	All	1.2271	\$13.95
	All		
1961-62	All	4-1333	\$14.95 \$14.95

161-62	\$12.95 \$13.95 \$12.95 \$12.95 \$12.95	1960-62 Imperial 4-1370 1960-62 Sta. Wgn. 4-1371 1960-61 All (Ex. Sta. Wgn. & Imp'l) 4-1369 1957-59 Sta. Wgn. 4-1474 1957-58 Imperial 4-1358 1957-58 All (Ex. Sta. Wgn. & Imp'l) 4-1472
ICK SPECIAL 963All (Ex. Sta. Wgn.)4-2370 961-63All (Ex. '63 Pass.)4-1332	\$16.95 \$19.95	1955 Imperial 4-1476 1953-55 All (Ex. Imperial) 4-1479 CITROEN 4-2383
DILLAC 963 All 4-2371 961-62 All 4-1333 959-60 All 4-1351	\$13.95 \$14.95 \$14.95	1955-63SD19-DS19 Pass
*Gross weight load capacity on these hitches is 1	500 pounds.	

MODELS

Sta. Wgn. & Corvette)4-2372

CHEVROLET (also see Corvair, Corvette)

1963All Sta. Wgn. (Ex. Chevy II) ..4-2373

1962-63......Chevy II (Ex. Sta. Wgn.)4-2353

1962 Sta. Wgn. (Ex. Chevy II S.W.) 4-2352

1962All (Ex. S.W., Chevy II, Corv.) 4-1493

1961All (Ex. Sta. Wgn, Corvette) 4-1334

1961Sta. Wgn.4-1335

1960All (Ex. Corvette)4-1368

1955All (Ex. Sta. Wgn.)4-1434

1949-54......All (Ex. 53 & 54 Sta. Wgn.) 4-1431

1962-63......All Chevy II

PRICE

\$12.95

\$12.95

\$12.95

\$14.95

\$12.95

\$12.95

\$12.95

\$12.95

\$12.95

\$12.95 \$12.95

\$12.95 \$12.95

\$12.95

\$12.95

\$15.95

\$13.95

\$15.95 \$26.95

\$17.95

\$15.95

\$14.95

\$12.95

\$12.95

\$12.95

\$12.95

\$19.95

\$22.95

\$12.95

PART NO.

CUSTOM TRAILER CONNECTORS

For Gross Weights up to 2000 lbs.

CAR and	YEAR	MODELS	PART NO.	PRICE
CORVAII	2			
		. 95 Series)	4-1496	\$12.95
1961-63	95 Ser	ries	4-1336	\$19.95
CORVET	TF.			
1963	All		4-2374	\$29.95
1961-62	AII		4-1349	\$14.95
DESOTO		407		
1960-61	All Adv	enturer & Fire F	lite 4-1373	\$15.95
1957-59	Sta. W	/gn	4-1474	\$14.95
1957-58	All (Ex.	Sta. Wgn.) /gn	4-1473	\$12.95
1953	All	gii	4-1479	\$12.95
DODGE (also se	e Lancer)		
1303	Custom	880 & Sta. Wgn:	3) 4-2451	\$12.95
1963	All Dar	t	4-2452*	\$14.95
1963	All Sta.	Wgns.		
1062.62	(Ex. Dai	rt & 880)	4-2356	\$15.95
1902-03	(Fx Sta	a. Wgn.)	4-1382	\$15.95
1962-63	880 Sta	a. Wgn.	4-1371	\$17.95
1962	Passen	ger	4-2355	\$12.95
1962	Sta. Wg	gn	4-2356	\$15.95
1961	All (EX.	Sta. Wgn.)gn.	4-1382	\$15.95 \$17.95
1960	All (Fx.	Sta. Wgn.)	4-1375	\$15.95
1050	All /Ev	Cto Wan 1	1 1252	¢12 05
1957-59	Sta. Wg	sta. Wgn.) Sta. Wgn.)	4-1474	\$14.95
195/-58	All (Ex.	Sta. Wgn.)	4-1473	\$12.95
ENGLISH	FORD			
1960-61	Anglia .		4-2385*	\$13.95
1954-61	Consul	& Zephyr	4-2386	\$13.95 \$13.95
1934-01	Zoulac		4-2301	\$10.55
F-85				
1963	All	And the second	4-2370	\$16.95
1961-62	AII		4-1332	\$19.95
FALCON				
1960-63	All	Sta. Wgn. & Con	4-13//	\$22.95 \$12.95
1900-03	AII (EX.	Sta. Wgn. & Con	V.) 4-2304	\$12.53
FIAT	000 0		11 4 0000+	640.05
		600 Multpla (Ex. J 0, 1200, 1500, 21		\$13.95 \$13.95
				\$10.00
		Falcon and		
		xie		\$12.95
1962-63	Fairlane	Sta. Wgn (Ex. Sta. Wgn.)	4-2441	\$12.95 \$12.95
1961-62	All Mode	ole		Ψ12.00
	(Ex. 196	52 Fairlane)	4-2358	\$12.95
1960	All		4-1378	\$12.95
1959	All	Sta. Wgn. &	4-1355	\$12.95
1938	Sed De	Sta. wgn. & l.)	4-1355	\$12.95
1958	Sta Wg	n		
	Rancher	o, Courier	4-1476	\$12.95

CAR and YEAR	MODELS	PART NO.	PRICE
FORD (Continu	ued)		
1957 All		4-1476	\$12.95
1952-56All (Ex. Sta. Wgn.)	4-1444	\$12.95
1952-56Sta.	Wgn	4-1443	\$12.95
FORD TRUCK			
FORD TRUCK 1961-63Ecor	nolina		
1301-03EUI	actory Bumper	4 2205	¢12.05
1961-63Ecor	actory bulliper	4-2303	\$12.95
W /n	Factory Bumper	4.2366	\$22.95
11/0	ractory bumper	4-2300	\$22.55
HILLMAN			
1958-62All	Husky Sta. Wgn	4-2393*	\$14.95
1957-62All (Ex. Husky Sta. Wgn)	4-2394*	\$13.95
INTERNATION	AL HARVESTER		
1961-63All S			
w/o	Factory Bumper	4-2363	\$15.95
JAGUAR ·			
	3.8	4.2398*	\$17.95
1957-61 All	KK 150	4-2396*	\$22.95
1957-61 All M	Mark VIII & IX	4-2397	\$17.95
1957-59 All 3	3.4	4-2398*	\$17.95
			717100
LANCER			
1961-62All	Models	4-1337	\$15.95
LARK			
	Wgn.	4-2447	\$14.95
1962-63All (Ex. '63 Sta. Wgn.)	4-2362	\$12.95
1959-61All (Ex. '63 Sta. Wgn.) Ex. Sta. Wgn.)	4-1362	\$12.95
1959-62All	Sta. Wgn	4-2362	\$12.95
LINCOLN			
	Models	1.13/0	\$12.95
1301-03All II	10ucis	4-1040	\$12.33
MERCEDES BEI			
1963All 3	00 SE	4-2406*	\$19.95
1962-63All 1	90D	4-2406*	\$19.95
1960-63All 2	20, 220S, 220SE	4-2406*	\$19.95
1953-61All 1	80, 180D, 190, 190D	4-2407*	\$24.95
	800D		\$19.95
1960-63All 1	90SL	4-2405*	\$24.95
1954-59All 2	219	4-2409*	\$19.95
1954-59All 2	220\$	4-2410*	\$19.95
MERCURY (als	o see Comet)		
1963 All N	Monterey	4-2442	\$12.95
1963 Mete	or Sta. Wgn.	4-2441	\$12.95
1962-63 Mete	or (Ex. Sta. Wgn.)	4-1495	\$12.95
1960-62 All (Ex. Meteor)	4-1379	\$13.95
1959 All		4-1356	\$12.95
1957-58All		4-1479	\$12.95
1955-56All (E	x. Sta. Wgn.)	4-1479	\$12.95
(-	3,		Mary San San
1050.00		100	445.55
1956-62MGA	et Mark III	4-2401	\$13.95
1960Magn	et Mark III	4-2311*	\$13.95
MORRIS MINO	R		
1060.61 All 0	xford	4.2377*	\$13.95
1.700-01 All 11			


For Gross Weights up to 2000 lbs.


CUSTOM TRAILER CONNECTORS

CAR and Y	EAR	MODELS	PART NO.	PRICE
NASH MI				
1954-63	All		4-2415	\$13.95
OLDSMOE	ILE (als	o see F-85	5)	
1963	All (Ex.	F-85 & Sta. W	gn.) 4-2443	\$12.95
1963	Sta. Wgi	n. (Ex. F85)	4-2369	\$12.95
1961-62	Passeng	n. (Ex. F85) er (Ex. F85)	4-2359	\$12.95
1961-62	Sta. Wa	gon (Ex. F85)	4-2351	\$12.59
1960	All		4-1380	\$16.95
1959	All		4-1358	\$12.95
1958	All		4-1353	\$12.95
1957	All		4-1481	\$12.95
1955-56	All		4-1462	\$12.95
1954	All		4-1453	\$12.95
OPEL				
1958-60	All		4-2416*	\$14.95
PEUGEOT				
1959-61	All 403	Sedan	4-2417	\$13.95
1959-61	All 403	Sta. Wgn	4-2418	\$13.95
PLYMOUT	H (also	see Valia	int)	
1963	All (Ex. S	Sta. Wgn.)	4-2451	\$12.95
1962-63	Sta. Wgi	1	4-2356	\$15.95
1962	Passenge	er	4-2357	\$12.95
1961	All (Fx.	Sta. Wgn.)	4-1344	\$14.95
1960-61	Sta. Wg	n	4-1371	\$17.95
1960	All (Ex. S	Sta. Wgn.)	4-1381	\$15.95
1959	All (Ex. S	Sta. Wgn.)	4-1359	\$14.95
1957-59	Sta. Wg	n Sta. Wgn.)	4-1474	\$14.95
1957-58	All (Ex. S	Sta. Wgn.)	4-1490	\$12.95
1955-56	All		4-1456	\$12.95
1953-54	All (Ex. S	Sta. Wgn.)	4-1476	\$12.95
1953-54	Sta. Wg	n	4-1479	\$12.95
PONTIAC	(also s	ee Tempes	it)	
1963	All (Ex.	Tempest)	4-2444	\$12.95
1961-62	All (Ex. S	Sta. Wgn.)	4-1345	\$12.95
1961-62	Sta. Wg	n		\$12.95
1960	All	7 a- 8	4-1383	\$12.95
1959	All		4-1360	\$12.95
1958	All		4-1491	\$12.95
1957	All		4-1484	\$14.95
1955-56	All (Ex. :	Sta. Wgn.)	4-1458	\$14.95
1953-54	All (Ex. :	Sta. Wgn.)	4-1476	\$12.95
PORSCHE				
1960	All 1600	(Ex. Carrera)	4-2420*	\$19.95
1958-59	All 1600	(Ex. Carrera)	4-2421*	\$19.95
RAMBLER		Table 2 19 av		
1963	All (Ex.	American)	4-2446	\$12.95
1961-63	America	n	4-1342	\$14.95
1960-62	All Mode	ols (Fx & Pass		
	Sta. Wg	n. & Amer.)	4-1384	\$12.95
1960-62	8 Pass.	Sta. Wgn	4-1341	\$19.95
4050 50	All /F.	A	. Kit) 4-1357	\$12.95

CAR and YEAR	MODELS	PART NO.	PRICE
RENAULT			
1960-63All Car	ravelle	4-2423*	\$18.95
1957-63All Dau	iphine 4 Dr. Sed	an4-2424*	\$15.95
SIMCA			
1959-62All Ara	ine & a Beaulieu	4 2420	\$13.95
1956-62All Ard			\$15.95
SINGER			
1957-60All Gaz	zelle		
(Ex. St	ta. Wgn.)	4-2394*	\$13.95
STUDEBAKER (a	lso see Larl	k)	
1963Avanti		4-2448	\$19.95
1959-62Sta. V	Vgn	4-2362	\$12.95
SUNBEAM			
1960-62All All	pine	4-2428*	\$17.95
1957-61All Ra	pier	4-2394*	\$13.95
TAUNUS			
1959-60All (Ex.	. Sta. Wgn.)	4-2429	\$14.95
TEMPEST			
1963Sta. W	gn	4-2445	\$19.95
1961-63All (Ex	. '63 Sta. Wgn.)	4-1332	\$19.95
THUNDERBIRD			
1961-63All			\$13.95
1958-60All		4-1366	\$14.95
TOYOPET			
1959-60All Cro	own Custom ta. Wgn.)	4-2430	\$17.95
	.u. 11gii./	7 2730	417.30
TRIUMPH 1958-61All Sec	dan & Sta Wan	4.2432*	\$13.95
1954-62All TR	3 Sports Car	4-2431	\$14.95
VALIANT			
1963All		4-2452*	\$14.95
1960-62All			\$16.95
VAUXHALL			
1958-60All 4	Dr. Sedan	4-2433	\$13.95
VOLKSWAGEN &	& KARMANI	GHIA	
1957-63Sta. V	Vgn	4-2436	\$21.95
1950-63All (Ex	. Sta. Wgn.)	4-2435	\$21.95
VOLVO			O Plant
1960-62All 12	228	4-2438*	\$13.95
1960-62All PV:			\$14.95

^{*}Gross weight load capacity on these hitches is 1500 pounds.





UNIVERSAL HITCHES

Sturdy all steel hitches with chrome finish and raised ball platform. Tested to 2800 lbs. vertical thrust. Easily installed.

E. 4-1387 Deluxe hitch with 8000 lbs. horizontal pull and

extra steel reinforcing bar Price \$11.
4-1492 Regular hitch with 6000 lbs. horizontal pull Price \$ 7.

G. UNIVERSAL DETACHABLE HITCH

Sturdy all steel hitch with chrome finish and raised ball platform. Tow bar is easily detached when not in use — nothing extends beyond the bumper. Tested to 2800 lbs. vertical thrust and 8000 lbs. horizontal pull.

4-1363 Price \$10.9

H. UNIVERSAL RETRACTABLE CONNECTOR

Retracts without tools — out of the way and out of sight

A sturdy all steel hitch with a chrome finish and raised ball platform. Tow bar retracts under the bumper in seconds. Designed for safe service with a positive lock position. Tested to 2800 lbs. vertical thrust and 8000 lbs. horizontal pull. Fully adjustable to fit 95% of all cars.

1-1386 Price \$13.95

I. UNIVERSAL HITCH

Special hitch for compacts and some standard size cars that present problems in mounting a hitch. Recommended for gross loads to 1500 lbs.

4-1392 Price \$14.95


UNIVERSAL TRAILER HITCHES UNIVERSAL CONNECTORS APPLICATION CHART

PART NO.	4-1492	4-1363	4-1387	4-1386	4-1392
BUICK SPECIAL			100		1961-63
BUICK (EX. 62-63 SPECIAL)	1961-63*		1946-63	1946-63	
	1946-59	1946-58			
CADILLAC	1959-62*	10/0.54	10/0/0	10.40.40	
	1949-58	1949-56	1949-63	1949-63	10/0/0
CHEVY II	1962-63*		1962-63	1962-63	1962-63
CHEVROLET (EX. S/W)	1961-63*	10/0.50	1948-63	1948-63	
	1948-59	1949-58	1040 (0	10/0/0	
CHEVROLET STA. WGN.	1961-63*	1949-58	1949-63	1949-63	
(EX. CHEVY II)	1949-59	1747-30	1960-63	1960-63	
CHRYSLER	1960-63* 1959		1946-59	1946-59	
	1946-56	1946-56	1740-07	17-10-07	
COMET	1740 00				1960-63
DESOTO	1960-61*		1960-61	1960-61	
DESCIO	1949-59	1949-59	1949-59	1949-59	
DODGE (EX. S/W) (See Lancer)	1954-63*	1946-59	1946-63	1946-63	
DODGE (EX. 3/ W) (See Luncer)	1946-59	1946 53	1740 00		
DODGE STA. WGN.	1960-63*	1957-59	1946-63	1946-63	
EDSEL	1958-60	1958-60	1958-60	1958-60	
F-85	1700-00	1700 00	A Market State		1961-63
FALCON					1960-63
FORD (EX. S/W & FAIRLANE)	1947-63*	1947-62	1947-63	1947-63	1700 00
	1962-63*	1747-02	1962-63	1962-63	1962-63
FORD FAIRLANE		1050 (0	1952-63	1952-63	1702-00
FORD STA. WGN.	1952-63	1952-62			
HUDSON	1948-57	1948-57	1948-57	1948-57	
KAISER	1947-55	1947-55	1947-57	1947-57	
LANCER			1960-62	1960-62	
LARK	1960-63*	1960-63	1960-63	1960-63	
LINCOLN	1963	1051 57	1963	1963 1951-57	
	1951-57	1951-57	1951-57		
MERCURY (See Comet)	1960-63	1960-63 1947-57	1947-63	1947-63	
MEDGURY METEOR	1947-57		10/2	1963	1962-63
MERCURY METEOR	1963*	1963	1963		1902-03
NASH (Ex. American)	1952-59	1952-59	1952-59	1952-59	
OLDSMOBILE (EX. F85)	1961-63*	1946-58	1946-63	1946-63	
DACKARR	1946-59		1047.54	1947-56	
PACKARD	1947-56	1947-56	1947-56		
PLYMOUTH (EX. S/W) (See Valiant)	1960-63*	1946-59	1960-63 1946-59	1960-63 1946-59	
PLYMOUTH STA. WGN.	1946-59	1949-59		1949-63	
	1949-63*	1949-39	1949-63	1949-03	
PONTIAC (EX. S/W & TEMPEST)	1961-63 1957-59	1957-59	1957-63	1957-63	
	1946-54	1946-54	1946-54	1946-54	
PONTIAC STA. WGN.	1961-63*	1740 04	1961-63	1961-63	
	1949-59	1949-59	1949-60	1949-60	
RAMBLER	1963*	1952-59	1962-63	1962-63	1960-63
(EX. 8 CYL. S/W & AMER.)	1952-59		1952-59	1952-59	
RAMBLER AMERICAN	1958-60	1958-60	1958-60	1958-60	
STUDEBAKER (See Lark)	1957-63	1957-62	1957-63	1957-63	10000
	1950-52	1950-52	1950-52	1950-52	
TEMPEST		22			1961-63
THUNDERBIRD	1958-63*		1958-63	1958-63	
VALIANT			1960-62	1960-62	1963

CAUTION: *For Loads to 2000 Lbs. Use Kit No. 4-1388 For Loads to 1500 Lbs. Use Kit No. 4-1389 Reduce Recommended Loads to 1000 Lbs. on Years Marked with Asterisk if B★K Adapter Kits are Not Used.

TRAILER CLAMPS, BALLS, BARS, SAFETY CHAINS







UNIVERSAL BUMPER CLAMP

Adjustable to all shapes and widths of bumpers. Rubber lined for bumper protection. For 5% in. bolts only.

Price \$3.75 4-1405

ELECTRICAL CONNECTION BRACKET-UNIVERSAL

Heavy gauge, rust proof bracket designed for installation on any type trailer pulling bar.

4-1390 Price \$1.00

C. CONNECTION BAR

Heavy metal bar to be used with 2 No. 4-1405 clamps on cars where center mounting of clamps is not possible. Complete with small parts.

D. SAFETY CHAIN

A heavy duty chain 84 in. long with a breaking strength of 2520 lbs. Zinc plated for rust resistance.

4-1395Price \$4.25

E. SAFETY CHAIN

A regular duty chain 32 in. long with a breaking strength of 1800 lbs. Zinc plated for rust

4-1408 Price \$2.25

F. "LO-BALL" TRAILER BALL

Sturdy two piece casting with various diameter balls available in chrome or painted finish.

4-2484 Chrome ball—134 in.

dia. x 5% in. bolt—1500 lbs. cap. Price \$2.75
4-1413 Chrome ball—17% in.
dia x 5% in. bolt—2000 lbs. cap. Price \$2.75
4-1414 Chrome ball—2 in.

dia. x % in. bolt-2000 lbs. cap. Price \$2.85

4-2481 Chrome ball—2⅓ in. dia. x ¾ in. bolt—2500 lbs. cap. ..Price \$3.85 4-2483 Painted ball—1¾ in.

dia. x % in. bolt—1500 lbs. cap. ..**Price \$1.35**4-1415 Painted ball—17% in.

4-1415 rainted ball—2% lit.
dia. x 5% in. bolt—2000 lbs. cap. ...Price \$1.35
4-1416 Painted ball—2 in.
dia. x 5% in. bolt—2000 lbs. cap. ...Price \$1.40
4-2480 Painted ball—2% in.

dia. x 34 in. bolt-2500 lbs. cap. .. Price \$2.25

G. "HI-BALL" TRAILER BALL

A Sturdy two piece casting with ¾ in. bolt 1 in. higher than "Lo-Ball" trailer ball. Various diameter balls available in chrome or painted finish. For 3000 lb. load.

H. HEAVY DUTY TRAILER BALL

Two piece forged steel balls with a 3 in. height from shoulder. Available in stainless steel or with painted finish.

4-1410 Painted ball—1% in.

dia .x ¾ in. shank—3500 lb. cap. Price \$3.50

4-1411 Painted ball—2 in.

dia .x ¾ in. shank—3500 lb. cap. Price \$3.75

4-1412 Painted ball—2 in.

dia .x 1 in. shank—5000 lb. cap. Price \$3.95

4-1421 Stainless steel ball—1% in.

dia .x ¾ in. shank—3500 lb. cap. Price \$5.25

4-1422 Stainless steel hall—2 in.

4-1422 Stainless steel ball—2 in.
dia. x 34 in. shank—3500 lb. cap. Price \$5.50
4-1423 Stainless steel ball—2 in.


dia. x 1 in. shank-5000 lb. cap. Price \$5.75

I. TRAILER BALL COVER

Chrome plated ball cover is quickly installed and easily removed.

4-1409







FLOOR DISPLAY-No. 4-1365

32 in. x 48 in.

Stands on the floor — Hangs on the wall!

An attractive peg board display of popular trailer pulling equipment.

CONTENTS:

1	No. 4	-1414	Chrome	Ball
1	No. 4	-1420	Chrome	Ball
4	No 4	1422	Ctainland	

Ball

1 No. 4-1401 Coupler 1 No. 4-1399 Coupler 1 No. 4-1390 Bracket

4-1365

1 No. 4-1492 Universal Connector

1 No. 4-1386 Retractable

Connector 1 No. 4-2358 Custom Connector

25 Descriptive Folders 1 Display Board

Price \$66.20





SINGLE HITCH DISPLAY-No. 4-1397

6 in. x 16 in.

Shipped complete with attractive wooden display board and your choice of any custom or universal trailer hitch. Trailer ball No. 4-1413 included with all hitches.

4-1397 Price—Use a combination of the individual hitch and 4-1413

COUNTER or WINDOW DISPLAY-No. 4-1396

14 in. x 18 in.

No. 4-1420 Chrome Ball CONTENTS:

-No. 4-1386 Retractable -No. 4-1413 Chrome Ball -No. 4-1414 Chrome Ball -No. 4-1334 Custom Hitch

No. 4-1492 Universal

Hitch 1—No. 4-1401 Coupler 25—Descriptive Folders

Connector

4-1396 Price \$49.60

UNIVERSAL TRAILER HITCH DISPLAY ASSORTMENT-No. 1394

An attractive self-selling counter display assortment of popular universal hitches and trailer balls. Display items packaged with back-up stock.

CONTENTS:

Retractable hitch Regular Universal Hitch 1% in. Chrome Ball 4-1386 4-1492

4-1415 1% in. Painted Ball

4-1394 Price \$57.00

D

Utilitarian convenience and quick repair items for the modern motorist

COMPASSES

Precision direction finders for autos, boats or planes. Beautifully styled instruments with a high degree of accuracy. Equipped with built in compensators. Available in illuminated and standard models. Illuminated model is penlight battery powered and push button operated. Battery and bulb included.

A. 4-640 Standard modelPrice \$5.50
B. 4-642 Illuminated modelPrice \$6.95

COMPASS and THERMOMETER

Deluxe-Illuminated

A combination precision direction finder and thermometer. Ideal for installation in autos, boats or planes. Equipped with built in compensators. Penlight battery powered and push button operated. Thermometer has temperature range of -40° to 140° F. Battery and bulb included.

D. WIND SILENCERS

Polished chrome silencers reduce wind roar and road noises. Easy to install—just snap on front door lip. Does not interfere with vision. Packaged 1 pair per box.

BUG SCREENS

Galvanized wire screens prevent insects and debris from clogging the radiator core. Insures proper engine cooling and best performance of air conditioner. Two sizes fit all cars.

E. 4-1917 18½ in. x 22 in. Price 89¢ 4-1918 22 in. x 24 in. Price \$1.15

F. 4-1919 Display Assortment: Price \$11.72 contains: 8 4-1917 & 4 4-1918

G. WINDOW-TITE

A self locking permanent window anti-rattler for passenger cars and station wagons. Quick and easy to install, gives support to loose and ill-fitting window glass, up or down. Felt padded spring steel construction. Does not fit hard tops or convertibles.

4-1784Price \$1.25

H. CHAN'L-TITE

A self locking window anti-rattler for most hard tops, convertibles, trucks and buses with wide type, cased glass window channels. Relines worn channels, gives support to loose glass. Heavy felt padded spring steel construction.

4-1785Price \$1.50

I. COUNTER DISPLAY ASSORTMENT

An attractive board suitable for counter or wall display. Contains 6 4-1784 and 2 4-1785.

4-1783 Price \$10.50

CURB SIGNAL

AUTOMOTIVE ACCESSORIES

Automatic Type

Chrome finished signal opens and closes automatically. Has locking device that prevents slippage. Fits all makes and models—all fender lips. No tools required for installation.

J. 4-1720 Price \$1.85

Spring Type

Flexible, coil spring design with a positive lock. Rust resistant chrome finish. Fits all fender lips. Fully adjustable.

K. 4-1721 Price 80¢

L. ARM REST COVERS

Universal—Self Adhesive

Sturdy, stretchable vinyl plastic covers available in 6 car harmonizing colors. Fit most cars from 1949 on. Can also be used for patching convertible tops and repairing upholstery and door panels. Packaged 1 pair per envelope.

-1922	black, pair	Price	\$1.80
	green, pair		\$1.80
	blue, pair		\$1.80

M. TRACTOR STEERING WHEEL SPINNERS

Rust proof, weatherproof spinners with wooden knobs and heavy steel base plates.

4-855 For conventional steering wheels Price \$1.00
4-856 For recessed steering wheels Price \$1.00



FIRST LINE

Plastic coated fabric with front and back in matching colors and patterns. Matching, double stitched binding. Rust resistant continuous coil springs.

A. The Regular

Seat 18 in. wide, Back 1934 in wide.

TWEED PATTERN

Part	Color				Price
4-1801R	Red				\$4.40
4-1801B	Blue				\$4.40
4-1801G	Green				\$4.40
4-1801K	Black				\$4.40
4-1810	Assortment				\$26.40
	contents:	2	4-1801K	1	4-1801G
		2	4-1801B	1	4-1801R

STRIPE PATTERN

Part	Color				Price
4-1800R	Red				\$4.30
4-1800B	Blue				\$4.30
4-1800G	Green				\$4.30
4-1800K	Black				\$4.30
4-1809	Assortment				\$25.80
	contents:	2	4-1800K	1	4-1800G
		2	4-1800B	1	4-1800R

The King Size

Seat 22 in. wide, Back 1934 in. wide.

TWEED PATTERN

Color				Price
Red				\$4.80
Blue				\$4.80
Green				\$4.80
Black				\$4.80
Assortment				\$28.80
contents:	2	4-1803K	1	4-1803G
	2	4-1803B	1	4-1803R
	Red	Red	Red	Red

STRIPE PATTERN

Part	Color				Price
4-1802R	Red				\$4.70
4-1802B	Blue				\$4.70
4-1802G	Green				\$4.70
4-1802K	Black				\$4.70
4-1811	Assortment				\$28.20
	contents:	2	4-1802K	1	4-18026
		2	4-1802B	1	4-1802R

The Full Across B.

56 in. wide

Provides fullest comfort for 3 passengers. Fits front and rear seats. Slotted for the use of seat belts.

TWEED PATTERN

Part	Color				Price
4-1807R	Red				\$12.70
4-1807B	Blue				\$12.70
4-1807G	Green				\$12.70
4-1807K	Black				\$12.70
4-1816	Assortment				\$76.20
	contents:	2	4-1807K	1	4-1807G
		2	4-1807B	1	4-1807R

STRIPE PATTERN

Part	Color				Price
4-1806R	Red				\$12.00
4-1806B	Blue				\$12.00
4-1806G	Green				\$12.00
4-1806K	Black				\$12.00
4-1815	Assortment				\$72.00
	contents:	2	4-1806K	1	4-1806G
		2	4-1806B	1	4-1806R

SEAT CUSHIONS

"Ventilated Air Cushions"

C. BUCKET SEAT CUSHION

Tweed Pattern

Specially constructed from luxurious ravenna tweed to fit all bucket seats. Contour shape with tapered back.

4-1796R	RedPri	ce \$4.95
4-1796B	Blue Pri	ce \$4.95
4-1796G	GreenPri	ce \$4.95
4-1796K	BlackPri	ce \$4.95
4-1798	AssortmentPric	e \$29.70
	Contents: 2 4-1796B 1	4-1796R
	2 4-1796K 1	4-1796G

The Display

No. 4-1808

Attractive wire rack for display on driveways or in showrooms. Will hold 6 cushions of any size. Shipped complete with 1 No. 4-1801B cushion.

4-1808 Price \$4.40+



SEAT CUSHIONS

"Ventilated Air Cushions"







ECONOMY LINE

Vinyl plastic fabric bound with double stitched matching colored plastic strips. Interlocking spring wire construction.

A. The Regular

Seat 18 in. wide, back 1934 in. wide.

STRIPE PATTERN

Part	Color				Price	
4-1790R	Red				\$3.30	
4-1790B	Blue			\$3.3		
4-1790G	Green				\$3.30	
4-1790K	Black				\$3.30	
4-1817	Assortment				\$19.80	
	contents:	2	4-1790K	1	4-1790G	
		2	4-1790B	1	4-1790R	

A. The King Size

Seat 22 in. wide, Back 1934 in. wide.

STRIPE PATTERN

Part	Color				Price
4-1791R	Red				\$3.80
4-1791B	Blue				\$3.80
4-1791G	Green				\$3.80
4-1791K	Black				\$3.80
4-1818	Assortment				\$22.80
	contents:	2	4-1791K	1	4-1791G
		2	4-1791B	1	4-1791R

B. The Full Across

Seat 56 in. wide, back 56 in. wide. Fullest comfort for 3 persons. Fits front and rear seats.

STRIPE PATTERN

4-1792R	Red				\$11.25
4-1792B	Blue				\$11.25
4-1792G	Green				\$11.25
4-1792K	Black				\$11.25
4-1819	Assortment				\$67.50
	contents:	2	4-1792K	1	4-1792G
		2	4-1792B	1	4-1792R

C. Compact Special

Especially designed for the compact cars. Also fits many imports. Same construction features as found in the Economy line. Available in stripe pattern only.

4-1795R	Red			Price	\$11.15
4-1795B	Blue			Price	\$11.15
4-1795G	Green			Price	\$11.15
4-1795K	Black			Price	\$11.15
4-1799	Assortment			Price	\$66.90
	contents:	2	4-1795K	1	4-1795G
		2	4-1795R	1	A_1705D

A. SUPER DUTY CUSHION

A cushion with heavier fabric construction for longer service in trucks, taxis, buses, autos, boats and off-the-road equipment. Available in a neutral black and gray color only and in one size and pattern. Approximately 21 in. wide.

4-1788 Price \$4.50

B. CONTOUR CUSHION

A special designed cushion for tractors and riding lawnmowers. Available in one pattern, color and size.

4-1789 Price \$3.80

TRACTOR SEAT CUSHIONS

C. Universal Type


Foam rubber cushion has plastic coated fabric cover. Designed to fit most tractor seats. Built to take hard wear.

D. Replacement Type for John Deere Tractors

Foam rubber cushion 4½ in. thick covered with durable black vinyl coated plastic.



AUTO SEAT BELTS





All Nylon Webbing

INSURE YOUR SAFETY - INSTALL BAK AUTO SEAT BELTS

Seat belts fabricated of the highest quality materials to meet or exceed F.A.A., S.A.E. and federal specifications. Material is 100% nylon webbing with chrome plated metal-to-metal or cam type buckles and testing over 5000 lbs. tensile strength. Furnished complete with anchoring hardware and installation instructions.

E. Metal-to-metal buckles

B.K. No.	COLOR	
4-2554	White	
4-2555	Flame	
4-2556	Turquoise	
4-2557	Tan	
4-2558	Beige	
4-2559	Navy Blue	
4-2560	Black	
4-2561	Blue	
4-2562	Red	
4-2563	Green	
4-2564	Gray	
4-2565	Brown .	

Belts with metal-to-metal type bucklesPrice \$9.95

F. Cam type buckles

B.K. No.	COLOR	
4-2570	Black	
4-2571	Blue	1
4-2572	Red	
4-2573	Green	
4-2574	Gray	
4-2575	Brown	
4-2576	White	
4-2577	Flame	5
4-2578	Turquoise	
4-2579	Tan	
4-2580	Beige	
4-2581	Navy Blue	

Belts with cam type buckles Price \$ 9.50

4-2552 Special eye bolt and hook assembly..Price \$ 1.87

contents: 2 hooks, 2 eye bolts, 2 washers, 2 nuts

G. 4-2588 Display Asst. of metal-to-metal buckle belts Price \$ 79.60 contents: 2 4-2560 2 4-2561 2 4-2562

2 4-2564

4-2589 Display Asst. of cam type buckle belts Price \$ 76.00

contents: 2 4-2570 2 4-2571 2 4-2572 2 4-2574

4-2553 Standard hardware assembly Price \$ 1.20





STAINLESS STEEL

Stainless steel head with chrome base construction. Glare-proof. Adjustable to any angle. Furnished with mounting gaskets and hardware.

A. BODY and FENDER MOUNT

Round 4½ in. dia. Replaceable head.
4-2104 Price \$4.67
4-2121 Replacement head Price \$2.27

B. BODY and FENDER MOUNT

Round 4 in. dia. "Ring Type" mirror. Distinctive ring protects face. Base rotates giving greater adjustment range. Replaceable head.

4-2103 Price \$8.20
4-2120 Replacement head Price \$2.07

C. BODY and FENDER MOUNT

Round 4 in. dia. mirror. Designed especially for compact and imported cars. Replaceable head.

 4-2112
 Price \$5.60

 4-2125
 Replacement head
 Price \$2.27

D. DOOR MOUNT

Round $4\frac{1}{2}$ in. dia. clamp-on type mirror. Fits on either side of car.

4-2100 Price \$3.60

E. BODY and FENDER MOUNT

Round 4½ in. dia. mirror.

4-2107 Price \$3.75

F. BODY, FENDER and DOOR MOUNT

"Three Way" type, round 4½ in. dia. mirror. Has universal mounting that clamps on forward edge of door or on top of door edge. Remove clamp and it can be mounted on body or fender. Mounts on right or left side. Replaceable head.

4-2109 Price \$5.60
4-2121 Replacement head Price \$2.27

G. DOOR MOUNT

Round 4 in. dia. clamp-on type mirror. Mounts on either side.

4-2102 Price \$2.57

H. EXTENSION TYPE

All chrome construction with arm that extends to 18 in. Round head $4\frac{1}{2}$ in. dia. Designed for clamp-on or direct body mounting. Ideal for trailers.

4-2101 Price \$8.70

ALL CHROME

All chrome, glare-proof construction. Adjust securely at any angle. Furnished with mounting gasket and hardware.

A. FENDER and BODY MOUNT

Round 4½ in. dia. mirror. Universal bracket and replaceable head.

4-2110			Price	\$5.75
4-2123	Replacement	head	Price	\$3.02

B. FENDER and BODY MOUNT

Rectang	ular 3	in.	x 4	in.	Replaceable	head	i.
4-2113					F	rice	\$8.50
4-2126	Replai	ceme	nt	head	jP	rice	\$4.55

C. FENDER and BODY MOUNT

Rectangular 3¼ in. x 5¾ in. Universal bracket and replaceable head.

4-2111			Price	\$6.95
4-2124	Replacement	head	Price	\$3.60

D. FENDER and BODY MOUNT

Round 4½ in. dia. mirror. Deep recessed glass. 4-2108 Price \$4.75

E. FENDER and BODY MOUNT

Rectangular $5\frac{1}{2}$ in. x $2\frac{3}{4}$ in. mirror mounts on either side of car. Replaceable head.

4-2105		Price	\$6.70
4-2122	Replacement head	Price	\$3.35

F. DOOR MOUNT

4½ in. square shape, clamp-on mirror mounts on left or right side.

4-2106 Price \$5.25

G. FENDER and BODY MOUNT

Round 4	1/2 111			
4-2115		Price	\$4.	55

H. DOOR and FENDER MOUNT

Round	41/2 i	n.	dia.	mirror.	Replaceable	hea	id.
4-2114					Pr	ice	\$6.60
4-2127	Rep	lac	emen	t head	Pr	ice	\$3.60

I. INSIDE REAR VIEW

Prismatic Type

Chrome-Mirror gives sharp daytime view on comfortable glare proof image at night with handy "push-button" operation. Shipped complete with all necessary mounting hardware.


INSIDE REAR VIEW APPLICATION

CAR	YEARS	PART NO.	PRICE
BUICK	1954-63	4-2130	\$4.95
CADILLAC	1953-63	4-2130	\$4.95
CHEVROLET	1958-63	4-2130	\$4.95
HRYSLER	1962-63	4-2133	\$4.95
	1958-61	4-2134	\$4.95
	1955-56	4-2130	\$4.95
OMET	1961-63	4-2131	\$4.95
ORVAIR	1960-63	4-2130	\$4.95
DESOTO	1958-61	4-2134	\$4.95
ESUIO	1955-56	4-2130	\$4.95
ODGE	1962-63	4-2133	\$4.95
JUDGE		4-2134	\$4.95
	1958-61		
	1955-56	4-2130	\$4.95
DSEL	1958-60	4-2131	\$4.95
ALCON	1000	4.0400	64.05
(Ex. s/w & Conv.)	1963	4-2132	\$4.95
Conv.	1963	4-2135	\$4.95
(Ex. s/w)	1961-63	4-2132	\$4.95
ORD			
(Ex. Conv. & Fairlane)	1962-63	4-2131	\$4.95
Conv.	1963	4-2135	\$4.95
Fairlane	1962-63*	4-2132	\$4.95
Econoline	1961-63	4-2132	\$4.95
All	1953-59	4-2131	\$4.95
ANCER	1962	4-2133	\$4.95
	1961	4-2134	\$4.95
MERCURY	1001		
(Ex. Conv. & Meteor)	1963	4-2131	\$4.95
Conv.	1963	4-2135	\$4.95
Meteor (Ex. H. T.)	1963	4-2132	\$4.95
Meteor H. T.	1963	4-2135	\$4.95
A'I (Ex. Meteor)	1962	4-2131	\$4.95
	1962	4-2132	\$4.95
Meteor		4-2130	\$4.95
All	1960		
AL BAMADILE	1952-59	4-2131	\$4.95
OLDSMOBILE	1953-63	4-2130	\$4.95
PLYMOUTH	1962-63	4-2133	\$4.95
	1958-61	4-2134	\$4.95
	1955-56	4-2130	\$4.95
PONTIAC	1958-63	4-2130	\$4.95
RAMBLER	1962-63	4-2131	\$4.95
VALIANT	1962-63	4-2133	\$4.95
	1961	4-2134	\$4.95

4-2130	Price \$4.95	4-2133	Price	\$4.95
4-2131	Price \$4.95	4-2134	Price	\$4.95
4-2132	Price \$4.95	4-2135	Price	\$4.95

MIRRORS Outside and Inside Rear View





A. ANTENNA

"Magic Mount" Mounting Base

Chrome finished mast. Fits top cowl, rear deck or fenders. Mounts from the outside. 3 sections, 35 in. mast extension, 30° sweep back and 54 in. polyethylene cable.

4-1760 Price \$4.00

B. ANTENNA

Ball and Rocker Mounting Base

Chrome finish from base to tip. Fits top cowl, rear deck or fenders. Mounting incorporates positive grounding teeth. 3 sections, 57 in mast extension, 40° sweep back and 54 in. polyethylene cable.

4-1761 Price \$5.90

C. UNIVERSAL REPLACEMENT MAST

Fits over stump of broken masts

Chrome plated mast has tapered base that fits over broken portion of damaged mast. Set screws make a firm and rattle proof joint. 3 sections, 57 in. extension—collapses to 23 in.

4-1764 Price \$2.95 4-1779 Replacement Allen wrench Price 5¢

D. SIDE COWL ANTENNA

A chrome plated antenna that fits most American and foreign cars. Equipped with screw-on connectors and bakelite insulators. Mast extends to 56 in. and collapses to 23 in. 3 sections, 48 in. polyethylene cable.

4-1774 Price \$5.

E. ANTENNA

"Magic Mount" Mounting Base

Chrome finished mast fits top cowl, rear deck or fenders. Has 2 sections but gives appearance of 3. Mast extends to 39 in. and collapses to 20 in. 54 in. polyethylene cable.

4-1775 Price \$3.50

. ANTENNA

360° ball mounting

Chrome plated antenna has 360° rotating ball base permitting mounting any place on the car. Mounts from the outside. 3 sections, 57 in. mast extension and 48 in. polyethylene cable.

4-1773 Price \$4.25

G. FIN TYPE ANTENNA

Chrome plated rear fin type antenna is set at a 33° angle. Extends to 27 in. and collapses to 10 in. Furnished complete with 15 ft. cable, 75 mmf condenser and special mounting adapters. 3 sections.

H. CONCEALED ANTENNA

Chrome finished mast completely disappears when lowered. Extend to 50 in.—collapses to 1 in. 3 sections, 40° sweep back, 48 in. polyethylene cable.

4-1762 Price \$5.75

I. ANTENNA DISPLAY ASSORTMENT 4-1777

Sets on counter or hangs on the wall. Contains: 1-4-1773, 1-4-1764, 1-4-1761 and an attractive metal display stand.

4-1777 Price \$13.00

J. FLEXIBLE ANTENNA

A chrome plated antenna that swings back when hit. Swing back spring reduces breakage and bending when antenna strikes an overhead barrier. 3 sections, extend to 57 in. and collapses to 23 in. 48 in. polyethylene cable.

4-1778 Price \$5.80

K. ANTENNA CABLES

Radar Type

Ultra "Q" coaxial cables with polyethylene insulation. All cables except 4-1770 are equipped with male and female plug fittings. 4-1770 cable is regularly furnished with 4-1762, 4-1773 and

1 4// 1.					
4-1766	12	in.	length	Price	\$1.15
4-1767	18	in.	length	Price	\$1.20
4-1768	36	in.	length	Price	\$1.80
4-1769	48	in.	length	Price	\$2.00
4-1770	48	in.	length	Price	\$2.00


. ANTENNA T CONNECTOR

4-1771

Fits cables Nos. 4-1766, 4-1767, 4-1768 and 4-1769.

4-1771 Price \$1.25





CAN SPOUT

For 4 Oz. to 1 Qt. Cans

High quality nickel plated steel with sharp long wearing cutting blade and spout cap. Straight

4-1662

CAN SPOUT

Quality Type

Fit both 1 qt. and 5 qt. cans. Curved designed spouts are constructed of nickel plated steel with sharpest and hardest cutting blades. Works on fibre, tin or aluminum cans.

4-1661	7% in.	length		Price	\$1.35+
4-1671 4-1660		leakproof	gasket for	Price	20¢†
4-1672 4-1661		leakproof	gasket for	Price	20¢†

CAN SPOUT

Economy Type

Fit both 1 qt. and 5 qt. cans. Curved designed spouts are constructed of zinc coated steel with a sharp and durable cutting blade. A rugged and durable spout at a popular price.

4-1667	71/2	in.	length	Price	\$1.05+
4-1668	81/2	in.	length	Price	\$1.20+

ADDITIVE SPOUT

An extra long nickel plated spout with a sharp cutting blade designed especially for additives and small engines.

E. TRANSMISSION FILLER

Automatic Type

Nickel plated steel construction throughout with a push button control valve and 23½ in. flexible spout.

4-1665Price \$4.50†



F. TRANSMISSION FILLER

Funnel Type

Copper lacquer finish with 80 mesh protective wire screen and 18 in. flexible spout. Has cutting blade in funnel mouth.

G. OIL DISPENSER

Standard Type

A steel and plastic opening and dispensing spout that does away with spilling and the inconvenience of transferring oil from one can to another — makes the original oil can your filler can also. Steel frame has durable cutting blades and clear vinyl plastic tube with neoprene gaskets. Fits all regular size quart oil cans.

4-1648 Price \$3.25

OIL DISPENSER

Self-measuring Type

Same construction and advantages as 4-1648 and in addition has a unique bubble gauge measuring device calibrated in $\frac{1}{2}$ and $\frac{1}{3}$ pint quantities showing the amount dispensed and the quantity left in can. Fits regular size quart cans.

4-1649 Price \$3.75

I. TRANSMISSION FILLER

For use in opening and pouring automatic transmission fluid. Constructed of nickel plated steel with 15 in. neoprene filler hose with brass tip and a pinch valve.

4-1663 27 in. lengthPrice \$3.26†



RADIATOR FILLER

Galvanized

A heavy duty 3 gallon can with swing ball handle. Designed for reaching underhood intakes.

RADIATOR FILLER

Plastic

An attractive 3 gallon polyethylene filler. Seamless and unbreakable.

4-2343

L. BATTERY FILLERS

Plastic

Unbreakable polyethylene fillers have shut-offs that open to allow water to flow until cell is filled and then automatically close. Not affected by acid, cold or heat.

4-218 2 Qt.Price \$3.50† 4-2865 Replacement spout Price \$1.75+

M. BRAKE FLUID PUMP


Sturdy liquid pump has all metal construction and is furnished with 36 inches of neoprene tubing with a check valve nozzle. Universal cap fits any one gallon can. Dispenses 1 oz. per stroke. This pump is a measuring pump and not a pressure pump.

Price \$4.45+

FUNNELS, PAILS and PANS











A. GALVANIZED FUNNELS

C. SIDE TUBE FUNNEL

A heavy duty galvanized funnel of offset design. Has removable brass cloth strainer. 6 qt. capacity.

4-2337 Price \$2.95†

D. TIN FUNNEL

An ideal funnel for use in many places: homes, service stations, garages, farms, shops, etc.

SCINICO	Statit	no, garagos, rarino, onopo, oco	Company of the	
4-1883	1/2 Pt.	Price	20¢†	
4-1884	1 Pt.	Price	23¢†	
4-1885	1 Qt.	Price	24¢†	
4-1886	2 Qt.	Price	29¢†	

E. ANTI-FREEZE FUNNEL

Heavy gauge galvanized steel funnel specially designed to pierce and hold any round or oblong, quart or gallon size can of anti-freeze.

4-2335 Price \$2.22†

DRAIN PANS

Heavy duty galvanized steel construction. 4-1880 is equipped with baffle.

F.	4-1879	31/4 Gal.	Price	\$1.74+
G.	4-1880	7 Gal.	Price	\$3.75+

FUNNEL MEASURES

H. RIGID SPOUT TYPE

Heavy duty galvanized steel construction.

4-1876	1 Qt.		Price \$1.23†	
4-1877	2 Qt.		Price \$1.62†	
4-1878	4 Qt.		Price \$1.95†	
I. FLE	XIBLE	SPOUT TYPE		
4-2330	1 Qt.	No. of helps (e	Price \$1.95+	
4-2331	2 Qt.		Price \$2.15†	

... Price \$2.64+

J. GARAGE PAIL

Heavy duty galvanized construction with wire handle. 3 gallon capacity.

4-1888 Price \$1.22†

K. MOP WRINGER PAIL

4-2332 4 Qt.

Extra heavy duty galvanized oval pail equipped with three hardwood maple wringer rollers 9 in. long x 1% in. dia. Has casters for greater mobility. 26 qt. capacity.

4-2329 Price \$16.50



A. TIRE and TUBE TESTING TANK

A heavy duty galvanized testing tank built to handle large tires and tubes. Equipped with carrying handles and gliders.
Size 31 in. x 12 in. x 12 in.

4-2338 Price \$6.90+

B. AUTO PARTS CLEANING TANK

A safe sturdy, fireproof cleaning tank constructed of galvanized sheet steel supported on three legs. Equipped with lift out metal parts basket and a metal cover. Petcock permits complete drainage of fluids and sludges. Measures 34½ in. high, 14% in. dia. weighs 14 lbs. and holds 10 gals.

4-2320 Price \$15.95+

C. LIFT DRAIN

Constructed of 24 gauge seamless, drawn steel welded throughout. Telescoping tube is equipped with large removable funnel and is adjustable to any height. Equipped with a four roller dolly permitting easy movement in all directions. 5 gallon capacity.

4-1887 Price \$20.00† 4-2312 Funnel & Screen only Price \$ 1.70†

D. GASOLINE CAN

"Tip-Proof"

A 2½ gal. can of heavy duty metal construction that is leakproof and rust resistant, inside and out. Equipped with 8 in. reversible spout, air vent, seal and filter screen. The low center of gravity makes this can ideal for use in boats where a "tip-proof" can is essential. Has direction for mixing outboard fuel printed right on the can. 13 in. long x 8½ in. high x 5½ in. wide.

4-1873 Price \$3.00

E. GASOLINE CAN

Heavy duty, metal construction; leakproof and rust resistant inside and out. Equipped with 8 in. reversible spout, air vent, dust cap and seal and filter screen.

F. GASOLINE CAN 5 Gallon

A large, round can of sealed steel construction and a leakproof body; double seamed bottom. Rust resistant inside and out. Equipped with reversible spout and fitted wood and wire bail handle

4-18/2	Price	\$4.55
4-2315	Spout only for 4-1872Price	50¢
4-2316	Double cap for 4-1872Price	30¢
4-2317	21/2 in. filler cap for 4-1872 Price	30¢

G. GAS CAN SPOUT

Rust resistant galvanized tin with ¾ in. O.D. and 9 in. long. Flexible spout with cork washer.

4-1868 Price 45¢

H. GAS CAN SPOUT

Rust resistant galvanized tin with 34 in. O.D. and $7\frac{1}{2}$ in. long. Has reversible pouring spout with separate can seal and double cork washers. Dust cap serves as 1 oz. measure. Fits most cans with 134 in. opening.

4-1869Price 70¢

I. GAS CAN SPOUT

Rust resistant, galvanized tin flexible spout with 1 in. O.D. and 8 in. length. Screw type double hex shank with screw type dust cap.

4-1867 Price 65¢

J. GASOLINE CAN

A deep drawn galvanized steel can has no seams on top or sides and a double seam at the bottom for greater assurances against leaks. Overall height is only 8½ in. giving a low center of gravity making this an ideal can for boats, galley stoves, cabin and trailer heaters — wherever a "tip-proof" can is needed. Equipped with 6 in. flexible pour spout with strainer screen that fits in filler neck when not in use. Has combination vent-clip cap. 2½ gallon capacity.

4-1874 Price \$2.10+

SAFETY CANS

TYPE I

U. L. and Factory Mutual approved

Heavy coated deep drawn steel with leakproof welded construction and reinforced bottoms and large brass nozzles.

2½ gal. and 5 gal. sizes have a combination carry-operating handle designed for ease in carrying and operating the spout valve. A protective cam connecting arm and guard cap prevents leakage and spillage.

1 gallon unit has trigger type grip handle designed for easy carrying and operating. Has same protective features as the two larger-size

K.	4-1862	1 gal. Price	\$4.85†
L.	4-1863	2½ galPrice	\$6.30+
	4-1864	5 galPrice	\$7.30+

M. UTILITY CANS

Unbreakable, dent proof plastic can with built-in and reversible flexible pour pout and air vent. Can be used for carrying most types of liquids.

4-2340	1	gal.	Price	\$2.00
4-2341	3	gal.	Price	\$3.50



SERVICE STATION AND GARAGE EQUIPMENT



A. PORTABLE AIR TANK High Capacity Tank

Heavy duty welded steel construction with handle and legs. 12 in. dia. x 20 in. long. Has a capacity of 1.2 cubic feet at 150 lbs. pressure—enough air to inflate 4 standard tires. Furnished complete with pressure gauge, filler valve and 4 ft. heavy duty hose with tire chuck.

4-2250	Pr	ice	\$2	25.50+
4-2251	Replacement gaugePr	ice	\$	2.75+
4-2252	Replacement hosePr	ice	\$	2.75+
4-2257	Replacement plug fittingPri	ice	\$	1.50+
4-2258	Replacement valve & cap Pr	ice	100	27¢†
	Light Tank			

Heavy duty welded steel construction with handle and legs. 8 in. dia. x 16 in. long. Has capacity of 4/10 cubic feet at 200 lbs. pressure. Furnished complete with pressure gauge, filler valve and 4 ft. heavy duty hose with tire chuck.

4-2253	it. Houry duty	Price	\$15.50+
4-2251	Replacement	gaugePrice	\$ 2.75+
4-2252	Replacement		\$ 2.75+
4-2257	Replacement	plug fitting Price	\$ 1.50+
4-2258		valve & cap Price	

B. GAUGES

4-2251	Gauge w/⅓ in fitting for B★K tanks	Price	\$2.75†
4-2254	Gauge w/1/4 in. fitting		
	for Acme tanks	Price	\$2.75†

C. HOSE

A 4 ft. length of hose for replacement on B★K or Acme tanks. (Tire chuck not included.) 4-2252 Price \$2.75†

D. DRIVEWAY SIGNAL Ringing Bell Alerts Attendants

A high quality signal working directly from 110 volt current. Has no transformer to burn out or use a constant current supply. Signal switch and 6 in. bell mounted on gray metal panel 7 in. x $10\frac{1}{2}$ in. Has $5\frac{1}{2}$ ft. U.L. approved lead cord and plug. Works with hoses up to 300 ft. long.

4-1865		Price	\$14.95+
	Control switch for 4	-1865 Price	\$ 5.70+
4-1853	Plunger coil assy.		
	for 4-1865	Price	\$ 2.30+

MECHANICS' PROTECTIVE COVERS

E. FENDER COVER

Sturdy rubber cover with net backing that will give fenders and body protection from dirt, grease and grime. Will not slip or slide. Dimensions: ½2 in. x 27 in. x 48 in.

4.940 Price \$5.00†

F. SEAT COVERS

Fabricated of flannel with a nap back. Keeps dirt, oil and grease off of the upholstery. Dimensions: 54 in. x 71 in.

4-941 Price \$6.25†

G. NOZZLE REPAIR KITS

Repair those leaky and worn gas pump hose nozzles with top quality parts.

Both kits contain enough parts for a complete repair job. Complete instructions included. Two kits cover 90% of the market.

4-2346	For	0.P.W. n	ozzles	Price	\$2.50+
4-2345	For	Buckeye	nozzles	Price	\$2.50†

H. WASHROOM SANITATION SUPPLIES

"Sani-Kitt" No. 4-2940

A small, neat self-service kit containing everything necessary for cleaning, deodorizing, sanitizing and disinfecting your washrooms and lavatories.

Remember—Clean restroom facilities encourage customers to return and maintain employee

4-2940 Sani-Kitt contains the following

Sponge Hand Mop Sprayer Pair of Gloves Steel Wool Instructions Can of Scouring Powder 2 lbs. KLENZINE Drain Pipe Cleaner 1/2 gal. SANOFORM "CS2" Deodorant, Disinfectant and Fungicide 1/2 gal.-PC150 Liquid Cleanser ½ gal.-RENOVENE Solvent Cleaner and Polish Price \$13.20+ 4-2940 REPLACEMENT SUPPLIES Price 29¢+ 4-2943 Sprayer for 4-2947 4-2945 PC150-Liquid cleanser for urinals and toilets, 1/2 gal. Price \$2.62+ plastic bottle RENOVENE-Liquid solvent for RENOVENE—Liquid solutions with said enamel fixtures, ½ Price \$3.41† 4-2946

SANOFORM "CS2" combination deodorant, disinfectant and fungicide, ½ gal. plastic

bottle ..









Price \$3.41+

CREEPERS AND SEATS

A. "HEADS UP" CREEPER

Top quality hardwood frame with plywood platform, comfortable headrest and 3 in. Swirl rollers. Simple ratchet mechanism makes it quick and easy to adjust head and shoulders to 6 different positions. 42 in. long x 15 in. wide.

4-903 Price \$12.95†

ROLLER CREEPER

Top quality hardwood frame with plywood platform, comfortable headrest and 3 in. swirl rollers or 134 in. casters. 36 in. long x 15 in. wide.

B. 4-902 with 1¾ in. castersPrice \$8.50†
 C. 4-901 with 3 in. swirl rollers Price \$9.85†

D. ROLLER SEAT

Time saving seat has welded steel construction and 3 in. swirl rollers. Sturdily built to take hard usage. Equipped with handy tool tray 14 in square x 12 in. high. 4-909 brake may be installed on this seat also.

4-904 Price \$9.25† **4-909** Brake only Price \$2.45†

E. ROLLER SEAT

Brake Equipped

Sturdily constructed seat with 3 in. swirl rollers. Brake makes it safe to stand on for over engine work. Has handy tool tray.

F. CASTERS

Best grade of 1% in. casters. Packaged in sets of 4.

G. OVER ENGINE BODY REST

A sturdy, adjustable seat permits faster and more comfortable work with both hands. This rest will fit from fender to fender on any car—adjusts from 39 in. to 70 in. width. Seat moves to any position on frame. Neoprene rubber tips protect body from damage.


4-908 Price \$11.95†

SWIRL ROLLERS


Cast iron 3 in. rollers with factory sealed lubrication. Use for replacement on creepers with flat top brackets or recessed for lug. Packaged in sets of 4.

H. 4-905 Set of 4 for flat top bracketsPrice \$3.60†

I. 4-906 Set of 4 for recessed bracketsPrice \$3.60†







A. SPEED COUPLER

For Air-Water and Steam Lines

High quality coupler justs snaps on or off any connector listed under B. C. or D. Makes a positive airtight connection permitting hose to swivel freely — no twisting or kinking. Use with ¼ in. hose.

4-820	Price	\$3.00
4-826	Repair kit for 4-820Price	\$1.07+
4-827	Rubber washer for 4-820 Price	15¢+

SPEED CONNECTORS

For Air-Water and Steam Lines

Speed connectors for use with $B \star K$ 4-820 coupler. Have same construction and advantages as 4-820.

B.	4-821	1/4	in.	male	P.T.	Price	64¢
C.	4-822	1/4	in.	female	P.T.	Price	64¢
						Price	

E. SPEED COUPLER AND CONNECTOR DISPLAY MERCHANDIZER

Contains 12 No. 4-820 couplers and 12 No. 4-821 connectors mounted on an attractive display board.

4-819	Price	\$25.80+
4-013	Price	\$23.0UT

F. HEAVY DUTY COUPLERS

4-674	Male,	1/4	in.	N.P.T.	Price	\$1.50+
4-675	Female,	1/4	in.	N.P.J.	Price	\$1.50
4-677	Female,	3/8	in.	N.P.T.	Price	\$3.20+
4-679	Female.	1/2	in	NPT	Price	\$3 854

G. INTERCHANGE COUPLERS

For Lincoln Products

	2	leeve Style -	- Type /	
4-681	Male,	1/4 in. N.P.T.	Price	\$1.85+
4-683	Female,	1/4 in. N.P.T.		
	(Lincoln	No. 815)	Price	\$1.85+

H. HEAVY DUTY NIPPLES

4-685	Male,	1/4 in. N.P.T.	Price	40¢
4-686	Female,	1/4 in. N.P.T.	Price	40¢
4-687	Male,	3/8 in. N.P.T.	Price	75¢+
4-688	Female.	3/8 in. N.P.T.	Price	80¢+

I. INTERCHANGE NIPPLES

For Lincoln Products

4-	691	Male,	⅓ in. N.P.T.		
		(Lincoln	No. 11660)	Price	50¢-
4-	693	Male,	1/4 in. N.P.T.		
		(Lincoln	No. 11659)	Price	50¢-
4-	694	Male,	3/8 in. N.P.T.	Price	60¢-
4-	695	Female,	1/4 in. N.P.T.		
		(Lincoln	No. 11661)	Price	55¢

A. WHIP HOSE

Single braid % in. I.D. hose with $\frac{1}{8}$ in. male P.T. fittings on both ends. Tests to 12,000 lb. with a working pressure of 4,000 lbs. p.s.i.

4-824	12	in.	length	Price	\$2.35
4-825	18	in.	length	Price.	\$2.75

B. AIR HOSE FITTINGS

Have knurled sleeve which screws over air hose and stud which bottoms into it. ¼ in. male P.T. For use with hoses with ¼ in. I.D. and % and % in. O.D.

4-796	for	%6	in.	0.D.	hose	Price	60¢†
4-797	for	5/8	in.	0.D.	hose	Price	60¢†

C. AIR HOSE SPLICERS

Quick convenient, airtight connection for splicing air hose. For $\frac{1}{4}$ in. I.D. and $\frac{8}{6}$ in. and $\frac{8}{6}$ in. O.D. hoses.

4-798	for	%6	in.	0.D.	hose	Price	95¢†
4-799	for	5/8	in.	0.D.	hose	Price	95¢†

D. OIL SUCTION GUN

An all purpose filling and draining unit. Use anywhere a fluid lubricant is required. Durable steel construction with a 15 in. flexible metal hose. Holds 20 ozs. or 1½ pints.

4-811			Price	\$4.30
4-813	Replacement	metal hose	Price	\$1.85+
4-814	Replacement	plunger	Price	70¢†
4-848	Replacement	THE RESERVE OF THE PARTY OF THE	Price	13¢†
4-849	Replacement	washer	Price	7¢†
4-853	Replacement	gasket	Price	18¢†

LITTLE LUBE GUNS

4 oz. Capacity

Small push type grease guns for use where standard lubrication equipment is not practical or available. Ideal for power mowers hobby equipment, chain saws, garden equipment, etc.

E.	4-806	Spring	primed	 Price	\$3.00
				Price	

LITTLE LUBE GUN PARTS


Adapters and Couplers

Fit 4-806 and 4-840 guns. G. 4-807 4 in. extension Price \$1.43 w/coupler 4-808 81/4 in. hose adapter Price \$3.96 w/coupler 1. 4-803 61/4 in. extension adapter Price \$1.40 4-782 Needle AdapterPrice \$1.69

I FIDOW PODIES

J. [FROM BODIES		
4-747	90° angle fitting, ½ in. PT Male x ½ in. PT Female	Price	240
4-748	45° angle fitting, 1/8 in. PT		
	Male v 1/2 in PT Female	Price	240





GREASING ADAPTER

An adapter that can be screwed into your present control valve as a permanent attachment. Has a flexible neoprene covered steel braided hose withstanding 12,000 lbs. pressure. Steel locking sleeve slides back and forth giving a rigid or 360° flexible tool. Length 14 in. with 30° angle fitting and grease coupling. Furnished with special control bushing necessary on some control valves.

A.	4-818		Price	\$8.95+
B.	4-841	Replacement hose for 4-818		\$2.75+
C.	4-842	Grease Coupling for 4-818	Price	
D.	4-843	Needle Point Adapter for 4-818	Price	\$1.65+
E.	4-844	Jaw Repair Set		23¢†

LUBRI-DAPTER

A complete tool for the greasing of vehicles with removable plugs in place of zerk fittings. Combines all special adapters into one unit. Adapts to all hand guns and control valves for special or all purpose grease. 12,000 p.s.i. Overall length—12 in. Combines a threaded plug adapter, needle point adapter and seal-off adapter into one tool. Furnished with a standard coupler.

F.	4-828		Price	\$8.95+
G.	4-828P	Replacement threaded plug adapter	Price	\$2.60+
H.	4-828N	Replacement needle point adapter	Price	\$1.40+
I.	4-828\$	Replacement Seal-Off adapter	Price	\$1.25†

4-845	Grease Connector- Reversible	Price	\$1.75+
4-846	Converter nipple—1/8" x 1/8" MPT	Price	30¢+
4-847	Extension Nipple	Price	50¢+

J. GREASE GUN

A 12,000 lb. pressure gun furnished without coupler. Use as a regular control valve. Inlet has 1/2 in. female pipe thread.

4-805				Price	\$18.38+
4-804	Repair	Kit for	4-805	Price	

K. HAND GREASE GUNS Hand Lever Type

All steel, spring fed lever action hand guns developing up to 8000 lbs. pressure. Equipped with 11 in. curved tube with hydraulic coupler. 4-817 is bulk loaded only.

4-852 is a cartridge type gun that can also be loaded by dispensers or hand methods. Will accommodate any type of cartridge.

4-817	Standard I	oulk	loading	type	Price	\$5.75
4-852	Multi-load	(cal	rtridge)	type	Price	\$6.00

Replacement Parts for 4-817

		and the second	
1-2850	Grease pipe	Price	29¢+
1-2851	Head and Handle Assy	Price	\$4.00+
1-2852	Top Cap	Price	43¢+
1-2853	Check valve Assy	Price	70¢+
-2854	Ball check spring	Price	10¢+
-2855	Washer and bearing		10¢+
-2856	Plunger Rod		29¢+

4-2857	Spring	Price	40¢+
4-2858	Compression washer	Price	6¢+
4-2859	Plunger handle	Price	19¢+
4-2860	¼ in. Steel ball	Price	12¢+
4-2861	Check valve body	Price	43¢+

.. BOOSTER CONTROL HANDLE 6 tons at your fingertips

Gives standard line pressure for normal use.

Trigger action builds pressure for normal use.

Trigger action builds pressure to 12,000 lbs. for tough fittings. Has manual pressure vent for disconnecting. Curved nozzle has coupler that services all standard fitting. Inlet is 1/8 in.

M.P.T.

4-892					Price	\$18.50+
4-894	Repair	Kit	for	4-892	Price	\$ 3.65+

M. GREASE GUN MOUNT

An ideal mount for tractors and implements. Puts your grease gun within easy reach when you want it. Will hold B★K gun 4-817 and most similar guns.

4-809		Pr	ice	\$1	.0	7
-------	--	----	-----	-----	----	---

N. BEARING PACKER

Heavy Duty Type


Use for ball or roller type wheel bearings having a maximum O.D. of 6½ in. and minimum I.D. of ½ in. Can be mounted on board or bench or unmounted and used with any lubricator or hand gun having a hydraulic coupler.

4-851		Pri	-0	\$12	15.	4
T 001	***************************************			DIL	.43	۲

O. BEARING PACKER

A low cost packer for ball or roller type bearings having a maximum 0.D. of 3½ in. and minimum I.D. of % in. Forces lubricant in around the ball or roller bearings from inside.

4-850		Price	\$6.15+	
-------	--	-------	---------	--



GREASE FITTINGS



1/8 PT 13/6" Overall Price-22¢



25/32" Overall Price-18¢



1/8 PT 29/32" Overall Price-26¢



4-753 1/4 PT 27/32" Overall Price-25¢



BUTTON HEAD FITTINGS Standard Type—

For industrial applications and machinery requiring pressures up to

4-754 3/8 PT 1" Overall Price-32¢



4-755 ½ PT 1" Overall · Price-37¢

BALL SWIVEL

"Z" SWIVEL



4-832 1/8 PT 11/8" Overall Price-54¢



BUTTON HEAD FITTINGS Giant Type-

4-836 3/8 PT 13/8" Overall Price-56¢



For industrial applications and machinery requiring pressure up to 15,000 psi.

3/8 PT 21/32" Overall Price-78¢



4-837 3/8 PT 11/32" Overall Price-61¢



4-834 1/4 PT 13/6" Overall Price-54¢



4-838 ½ PT 13/32" Overall Price-61¢



4-835 3/8 PT 13/8" Overall Price-56¢



4-839 5%"-18N.F. 1%6" Overall Price-61¢



4-760 360° Swivel 1/2-27 Thread Price-\$6.13+



No. 4-893 1/8" MPT x 1/8" FPT 360° Swivel Price-\$7.60+


OVERSIZE ZERK BUSHING Self-Threading

A quick repair for stripped fitting holes. Cuts new threads. Small size fitting screws into bushing.



_	7-773
Price	

COUPLERS



A. All purpose couplers; will stand 12,000 lbs. pressure. 1/8 in. FPT.

4-764	1% in. lengthPrice	\$1.26
4-765	125/32 in .length—	
	w/ball check	\$1.39
4-770	Replacement jaws for	

		4-764	&	4-765	set		Price	33¢
B.	Heavy	duty	COL	plers;	will	stand	20,000	lbs.

proosu	10. 70 111			
4-766	21/6 in.	length	Price	\$1.53
4-767	25/32 in.			
	w/hall	abaale	Deina	64 64

	W/Dall Check		Price	\$1.04
4-769	Replacement i	aws for		
	1.766 8 1.76	7 cot	Drice	20

C.	An economy	coupler for	ordinary	working	pres-
	sures only.	1/8 in. FPT.			

13/4 in. length	Price	\$1.14
Replacement jaws for		
4-768, set	Price	36¢

D.	Grease	Coupling	for	4-818	greasing	adap	ter.
	4-842				Р	rice	95¢

E. All steel swivel with thin nose all purpose coupler and ball check. Inlet tapped with 1/8

4-763	 Price	\$5.9

All steel	swivel	coupler	with	inlet	tapped
4-761 wi	thout ba	II check		Price	\$5.86

4-762 with ball check Price \$6.11 A reversible coupler connector that gives a rigid fit with large or small grease couplers. Gives maximum flexibility to attachments.

Price \$1.75

FOR THIN NOSE COUPLERS Used on 4-764 and 4-765 couplers



4-770

Price Set of 3 .33¢

BUTTON HEAD COUPLERS



4-830 7/6"-27 Female thread Price-\$6.26

Rubber Seat and Washer for 4-830. 4-854-Price 28¢†



4-831 Price-\$8.25

SPECIAL JAWS

Used on 4-818 and 4-842

nnn 4-844

Price Set of 3

REPLACEMENT JAWS

FOR STANDARD COUPLERS

Used on 4-766, 4-767 and 4-768 couplers


4-769

Price Set of 3

36¢







SERVICE STATION ASSORTMENT 4-800

Economical balanced stock of the faster moving fittings. Total 100 fittings in box.

- 30 No. 4-720 1/4"-28 Taper Ball Check
- 5 No. 4-723 1/4"-28 Taper 45° Angle Ball Check
- 5 No. 4-721 1/4"-28 Taper Ball Check
- 45 No. 4-700 1/8" PT Straight Ball Check
- 5 No. 4-703 1/8" PT 30° Angle Ball Check
- 5 No. 4-705 1/8" PT 671/2° Angle Ball Check
- 5 No. 4-706 1/8" PT 90° Angle Ball Check

4-800 Price \$8.71

DELUXE ASSORTMENT

4-801

Packed in crystal-clear plastic box. Total 100 fittings in box.

- 25 No. 4-720 1/4"-28 Taper, Ball Check
- 10 No. 4-723 1/4"-28 Taper, 45° Angle, Ball Check
- 8 No. 4-721 1/4"-28 Taper Ball Check
- 7 No. 4-726 1/4" P.T. Straight, Ball Check
- 35 No. 4-700 1/8" P.T. Straight, Ball Check
- 2 No. 4-703 1/8" P.T., 30° Angle, Ball Check
- 5 No. 4-704 1/8" P.T., 45° Angle, Ball Check
- 5 No. 4-705 1/8" P.T., 671/2° Angle, Ball Check
- 3 No. 4-706 1/8" P.T., 90° Angle Ball Check







A. NEEDLE TYPE ADAPTER

An adapter designed for close places, particularly the universal joint fitting. Ideal for water pumps and metal covered springs where ordinary large-end couplers can't be used. Equipped with locking sleeve and removable needle guard. 3% in. overall length.

4-780		Price	\$2.54
4-790	Extra needle	Price	33¢

B. NEEDLE TYPE ADAPTER

Same as 4-780 adapter except that it has a $\frac{1}{8}$ in. PT female fitting and may be used with nozzle pipes nos. 4-791 and 4-792. $1\frac{11}{6}$ in. overall length.

			 	Price	
A-708	Evtra	needle		Price	336

C. PUSH TYPE ADAPTER

Designed for universal joints and bearings located in positions where lateral movement necessary for release of couplers is impossible. Delivers a large volume of grease. Equipped with locking sleeve. 5½ in. overall length.

4-783 Pric	

D. NEEDLE TYPE ADAPTER

Same as 4-780 but has no needle guard. $1\frac{1}{6}$ in. overall length.

4-782			Price	1.69
4-790	Extra	needle	Price	33¢

E. SPRING LUBRICATOR ADAPTER

Designed for metal covered spring. Needle is strong enough and long enough to penetrate spring covers. Equipped with locking sleeve. 3 in. overall length.

4-784 Price \$2.40

F. HYPO-ADAPTER

overall length.

Designed for greasing through leather boots on many universal joints. Equipped with locking sleeve. 75% in. overall length.

4-785 Price \$3.97

G. NEEDLE TYPE ADAPTER

Economy Type Intended as a permanent coupler where excessive pressures are not encountered. 1% in.

4-786 Price 76¢

I. NOZZLE PIPES

Steel tubing pipes with 30° angle and $\frac{1}{8}$ in. P.T. on each end.

I. FLEXIBLE ADAPTER

Has $\frac{1}{2}$ in. O.D. wire-braid hose with no. 4-764 thin nose coupler and locking sleeve. Hose has $\frac{1}{8}$ in. male connections at each end. 12 in. overall length.

4-787 Price \$7.26

J. CHISEL TYPE SPRING LUBRICATOR

Lubricator has a hollow chisel point % in. thick. May be inserted between the spring leaves and grease inserted in this direct manner. $6\frac{1}{8}$ in. overall length.

4-789 Price \$2.29

K. EXTENSION ADAPTER

Designed to reach the far away fittings. Equipped with no. 4-766 high pressure coupler and locking sleeve. 171/4 in. overall length.

4-788 Price \$4.69

GREASING **EQUIPMENT**



ADAPTER BUSHING

HOSE ADAPTERS


No. 4-771 1/2"-27 Male x 1/8" PT Male

No. 4-775 1/2"-27 Female x 1/8" PT Male ... Price 71¢

No. 4-776 1/2"-27 Female x 1/4" PT Female .Price 71¢

15/6" overall; 3/6"-27 male x 1/8" P.T. Female. Price 71¢


DRIVE-IN TOOLS



Sec. 20	255 C			
58888	2008 Marian	والمالية المالية المالية	and the last of the last	
200	200			
1993	9998	المراسلين والمراسي		E E E
C0000000000000000000000000000000000000	Control of the Control			700

-1	

4-777	For	Straig	ht Fitting	SPrice	\$1.36	
4-758	For	Angle	Fittings	Price	\$1.86	



EASY-OUT TOOLS


A. Removes 1/6 in. and 3/8 in. hex angle or straight fittings. Retaps 1/8 in. P.T. holes. Removes broken 1/8 in. P.T. fittings.

4-778 Price \$2.00

Removes % in. and % in. hex. Retaps 1/4 in. x 28 std. th. holes. Removes 1/4 in. Std. Th. fittings.

4-779 Price \$1.81





Easy to operate transfer pump eliminates waste and heavy lifting. Will fit any 15,30 or 55 gal. drum or barrel. Easy to adjust or change. Re-moves all contents from container. Equipped with adjustable bung bushing to fit all 1½ in. to 2 in. openings and has ¾ in. steel spout threaded to ¾ in. garden hose coupling on head. Overall length 42 in.

4-2322 Price \$7.70

D. FARM LUBE KIT

A handy farm lubricating kit containing a portable lubricator and a separate filler. Lubricator is fully portable with adjustable shoulder strap and weighs less than 15 lbs. when fully loaded with 5 lbs. of grease. Has permanent air supply requires no pump. Handles a 2½ days supply of grease and reloads in less than 90 seconds. Trigger control handle gives volume delivery. Loads back through hose. Must be refilled with 4-869

4-868	Price \$47.80
4-869	Filler only
4-880	Filler valve for old 4-870Price 65¢+
4-890	Filler valve assembly for old 4-870Price \$ 2.10+
4-895	Lubricator Mounting Bracket Price \$ 2.30
	4-868 filler adapterPrice \$1.20+

E. UNIVERSAL TOP OILER


Top cylinder lubrication will increase power and gas mileage and reduce engine wear, especially high compression engines or those with hydraulic valve lifters. One model fits all cars, trucks and tractors. Can be quickly and easily installed and is adjustable by means of a thumb screw.

4-815

Designed to work with tube or tubeless tires.

B*K wheel weights are made of antimonial lead, tin and other elements blended into an alloy that gives an excellent appearance and a hard and durable product. The clips are made of the best spring steel and give the maximum elasticity and toughness. They are bright plated to prevent rust and corrosion.





SPECIAL WEIGHTS FOR...

Cadillac 1958-63; DeSoto, Dodge & Plymouth 1959-60; Lincoln 1959-63 with full wheel covers and straight rims.




SIZE	PART NO.	PRICE
½ oz.	4-3491	30¢
1 oz.	4-3492	30¢
1½ oz.	4-3493	35¢
2 oz.	4-3494	40¢
2½ oz.	4-3495	45¢
3 oz.	4-3496	50¢



FOR OUTSIDE FLANGES 1948-54 CADILLACS

May be used on outside flanges of other wheels except those with close fitting trim rings and caps. Can be used on inside flange of all wheels.



Cross section view showing weight in position under full wheel cover which snaps into place on underside of straight rim flange.

SIZE	PART NO.	PRICE
½ oz.	4-3340	20¢
1 oz.	4-3341	20¢
1½ oz.	4-3342	20¢
2 oz.	4-3343	20¢
2½ oz.	4-3344	20¢

SIZE	PART NO.	PRICE
½ oz.	4-3300	20¢
¾ oz.	4-3301	20¢
1 oz.	4-3302	20¢
1¼ oz.	4-3303	20¢
1½ oz.	4-3304	20¢
1¾ oz.	4-3305	20¢
2 oz.	4-3306	20¢
2¼ oz.	4-3307	20¢
2½ oz.	4-3308	20¢
2¾ oz.	4-3309	20¢
3 oz.	4-3310	20¢
3¼ oz.	4-3311	25¢
3½ oz.	4-3312	25¢
4 oz.	4-3313	25¢
4½ oz.	4-3314	25¢
5 oz.	4-3315	25¢
5½ oz.	4-3316	35¢
6 oz.	4-3317	35¢
1⁄4 oz.	4-3325	20¢
3¾ oz.	4-3338	25¢

SPECIAL WEIGHTS FOR . . . **ALUMINUM WHEELS**



SIZE	PART NO.	PRICE
½ oz.	4-3330	30¢
1 oz.	4-3331	30¢
1½ oz.	4-3332	35¢
2 oz.	4-3333	40¢
2½ oz.	4-3334	45¢
3 oz.	4-3335	50¢

67



			Price
4-3348	1	OZ.	22¢
4-3349	2	OZ.	27¢
4-3350	3	07.	320
4-3351	4	07.	37¢
4-3353	5	07.	42¢
4-3352	6	OZ.	47¢
4-3351 4-3353	4 5	0Z. 0Z.	32¢ 37¢ 42¢ 47¢



			Price
4-3440	2	OZ.	24¢
4-3441	4	OZ.	42¢
4-3442	6	OZ.	50¢
4-3443	8	OZ.	60¢
4-3439	10	OZ.	
4-3444	12	OZ.	77¢






			Price
4-3505	2	OZ.	
4-3480	4	OZ.	42¢
4-3481	6		
4-3482	8		60¢
4-3506	10		69¢
4-3483	12	OZ.	77¢
4-3484	16		95¢



			Price
4-3490	2	OZ.	24¢
4-3485	4	OZ.	42¢
4-3486	6		50¢
4-3487	8	OZ.	60ċ
4-3503	10	OZ.	69ċ
4-3488	12	OZ.	77¢
4-3489	16		95¢



			Price
4-3515	4	OZ.	47¢
			57¢
4-3517	8	OZ.	69¢
			79¢



				Price
4-3508	2	OZ.		
4-3509	4	OZ.	200.40 mm	And the second of the second o
4-3445	6	OZ.		
4-3446	8	OZ.		
4-3510	10	OZ.		
4-3447	12	oz.		
4-3448	C.E.	OZ.		




				Price
4-3460	2	OZ.		24¢
4-3461	4	OZ.	4-	42¢
4-3462	6	OZ.		50¢
4-3463	8	OZ.		60¢
4-3468	10	OZ.		

SPECIAL TRUCK WEIGHTS FOR TUBELESS TYPE RIMS



				riice
	4-3449	2	OZ.	
	4-3450	4	OZ.	47¢
	4-3451	6	OZ.	57¢
1	4-3452	8	OZ.	69¢
	4-3438	10	OZ.	79ċ
	4-3453	12	OZ.	86ċ
	4-3454	14	OZ.	94¢
				The state of the s



SPECIAL TRUCK WEIGHTS FOR KELSEY-HAYES ROLL FLANGE RIMS



fits rim sizes 15x5.50

			Price
4-3520	2	OZ.	36¢
4-3521	3	OZ.	41¢
4-3522	4	OZ.	47¢
4-3523	5	OZ.	53¢
4-3524	6	OZ.	57¢



fits rim sizes 17.5 thru 20.65


1			Price
4-3464	4	OZ.	47¢
4-3465	6	OZ.	
4-3466	8	OZ.	69¢
4-3467	12	OZ.	86¢



WHEEL WEIGHT TOOL

A low priced, cadmium plated tool. Claw design permits removal without damage to clip or weight.

4-3499Price \$3.50†



Price ...36¢

47¢

.69¢ .79¢ .86¢

\$1.02

WHEEL WEIGHT TOOL

Made of drop forged chrome steel. The most universal tool, installs, removes and trims wheel weights.

4-3497Price \$5.50†



TRUCK RIM GAUGE

Contoured end of templates gauges correct rim flange. Gauge markings indicate the correct weight style.

4-3498Price 85¢†

Steel shims for coil and torsion bar suspension CASTER and CAMBER SHIMS

	Thick- ness	Degree Change	Part No.	Price Ea.	
BUICK (see	Buick	Spec.)			
1957-63	1/32"	1/8°	4-412	9¢	Som
UPPER	1/6"	1/40	4-413	13¢	
CONTROL	1/8"	1/20	4-414	17¢	
1957-62	70	12		.,,	
LOWER	1/6"	1/40	4-372	16¢	50/0
CONTROL	1/8"	1/2°	4-373	23¢	
ARM	78	72	4-3/3	234	
BUICK SPEC	IAL				Agreement of the state of the
	1/32"	1/8°	4-385	9¢	
	1/6"	1/4 °	4-386	10¢	
1961-63	1/8"	1/2°	4-387	12¢	NI
	3/6"	3/4°	4-388	15¢	
CADILLAC					
	64"	1/60	4-406	7¢	
1057.00	1/32"	1/8°	4-407	9¢	
1957-60	1/1	1/4°	4-408	10¢	
	1/8"	1/2°	4-409	12¢	
	3/6"	3/4°	4-410	15¢	
CHEVROLET	(see	Corvain	1)		
472 10 10 10	1/32"	1/8°	4-385	9¢	
1055.00	1/15"	1/4°	4-386	10¢	_) _
1955-63	1/8"	1/2°	4-387	12¢	
	3/.4"	3/4 °	4-388	15¢	
CHEVROLET	TRUCI	(S—LIC	HT		
	1/32"	1/8°	4-436	7¢	
1000.00	1/6"	1/4 °	4-437	15¢	
1960-63	1/8"	1/2°	4-438	20¢	P
	3/6"	3/4 °	4-439	25¢	
CHEVROLET	TRUCI	(S-2	TON		
AND	OVER				
1960-62	1/6"	1/4 °	4-431	75¢	0
Torsion	1/32"	1/8°	4-430	55¢	
Bar Shims	1/8"	1/2°	4-432	85¢	
CHRYSLER A	AND IN	PERIA	L		
1057.50	1/32"	1/8°	4-390	18¢	
1957-58	1/6"	1/40	4-391	23¢	
	1/32"	1/8°	4-396	21¢	
1955-56	1/16"	1/4°	4-397	25¢	61 6
	1/8"	1/2°	4-398	31¢	0
COMET					
	1 64"	1/6°	4-381	7¢	
	1/32"	1/8°	4-382	9¢	
1960-63	1/16"	1/4°	4-383	10¢	
	1/8"	1/2°	4-384	12¢	
	3/6"	3/4°	4-389	15¢	
CORVAIR					
	64"	1/160	4-415	6¢	
1960-63	1/32"	1/8°	4-416	8¢	
(Front	1/6"	1/4°	4-417	9¢	
Wheels)	1/8"	1/2°	4-418	11¢	0 5
	3/6"	3/4°	4-419	14¢	2 (
1960-63 (Rear	1/32"	1/8°	4-404	30¢	
Wheels)	1/6"	1/4°	4-405	45¢	
		1.			
DE SOTO	1 110	1 44	1.000	1	7/// 3
1957-58	1/32"	1/8°	4-390	18¢	
	1/6"	1/4°	4-391	23¢	
1955-56	1/16"	1/4°	4-396	21¢	611
1000-00	1/8"	1/20	4-397	25¢	
	1 /8	1 74	TOJO	1 016	The state of the s

4-398 31¢

	Thick- ness	Degree Change	Part No.	Price Ea.
DGE	1150		5	
1057.50	1/32"	1/8°	4-393	15¢
1957-58	1/6"	1/4°	4-394	18¢
	1/32"	1/8°	4-396	21¢
1955-56	1/6"	1/4°	4-397	25¢
	1/8"	½°	4-398	31¢
OSEL	1 "	1/ 0	4 201	74
	1/32"	1/8°	4-381	7¢ 9¢
1958-60	1/16"	1/4 °	4-383	10¢
1930-00	1/8"	1/2°	4-384	12¢
	3/6"	3/4°	4-389	15¢
85	1000			
	1/32"	½°	4-385	9¢
1001 02	1/16"	1/4°	4-386	10¢
1961-63	1/8"	½°	4-387	12¢
	3/6"	3/4°	4-388	15¢
ALCON				
	64"	1/6°	4-381	7¢
1000.00	1/32"	1/8°	4-382	9¢
1960-63	1/8"	1/4°	4-383	10¢
	3/6"	3/4 °	4-389	15¢
ORD (see F			. 550	
OKD (See L	1 1 1	1/16°	4-381	7¢
	1/32"	1/8°	4-382	9¢
1954-63	1/16"	1/4°	4-383	10¢
1934-03	1/8"	1/2°	4-384	12¢
	3/6"	3/4°	4-389	15¢
MC TRUCK	S—LIG	HT		
THE WAY	1/32"	1/8°	4-436	7¢
1960-63	1/6"	1/4°	4-437	15¢
1300-03	1/8"	1/2°	4-438	20¢
	3/6"	3/4°	4-439	25¢
MC TRUCK		R8000	_	
(Upper Control	1/6"	1000	4-428	15¢
Arm)	1/8"		4-429	23¢
INCOLN			1	
	64"	1/60	4-406	7¢
	1/32"	1/8°	4-407	9¢
1952-61	1/8"	1/4°	4-408	10¢
	3/6"	3/4°	4-409	12¢
MERCURY (-	-	14410	104
	1 "	1/6°	4-381	7¢
	1/32"	1/8°	4-382	9¢
1954-63	1/6"	1/4 °	4-383	10¢
2001 00	1/8"	1/2°	4-384	12¢
	3/6"	3/4°	4-389	15¢
IASH (see I	Rambl	er)		
ALL	1 "	1/6°	4-381	7¢
EXCEPT	1/32"	1/8°	4-382	9¢
AMBASSADOR (1957 AMB.	1/6"	1/4°	4-383	10¢
OLDS.)	1/8"	1/2°	4-384	12¢
SAME AS	3/6"	3/4°	4-389	15¢
LDSMOBILI	_	F85)	CA-	
	64"	1/60	4-406	7¢
	1/32"	1/8°	4-407	9¢ 10¢
1957-63	39	74	4-400	
1337-03	1/8"	1/20	4-409	12¢

4-410 15¢

CASTER and CAMBER SHIMS (continued)

	Thick- ness	Degree Change	Part No.	Price Ea.		
YMOUTH			100			
1057.50	1/32"	1/8°	4-393	15¢	П	
1957-58	1/6"	1/40	4-394	18¢		~
	1/32"	1/8°	4-396	21¢		
1955-56	16"	1/40	4-397	25¢	/	
1300-00	1/8"	1/2°	4-398	31¢)
	36"	3/4°	4-399	50¢	2	
ONTIAC (see Ten	npest)				
1958-61	1/32"	1/8°	4-412	9¢		
UPPER	1/6"	1/4°	4-413	13¢		
ARM	1/8"	½°	4-414	17¢		
	1/6"	1/4°	4-400	20¢		
1956-57	1/8"	½°	4-401	26¢		
1300 07	3/6"	3/4°	4-402	32¢		
	1/4"	1°	4-403	45¢		
					-	-
MBLER		4	with the			
MBLER	1 "	1/6°	4-406	7¢	1	
MBLER	1 " 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1/8°	4-406 4-407	7¢ 9¢	1	
MBLER 1951-57			the latest the same of the sam			
	1/32"	1/8°	4-407	9¢	1	

	Thick- ness	Degree Change	Part No.	Price Ea.	
TEMPEST					
	1/32"	1/8°	4-412	9¢	
1961-62	1/16"	1/4°	4-413	13¢	
	1/8"	½°	4-414	17¢	
THUNDERBII	RD		1		
	1/32"	1/8°	4-433	40¢	
1961-62	1/6"	1/40	4-434	43¢	
	1/8"	½°	4-435	50¢	
WILLYS					
	1 "	1/6°	4-381	7¢	
	1/32"	1/8°	4-382	9¢	
ALL	1/6"	1/4°	4-383	10¢	
	1/8"	½°	4-384	12¢	
	3/6"	3/4°	4-389	15¢	
UNIVERSAL					
ALL WITH	1/32"	1/8°	4-375	17¢	
	1/6"	1/4°	4-376	20¢	
	1/8"	1/2°	4-377	24¢	
COIL SPRING	3/6"	3/4°	4-378	34¢	
KNEE ACTION	1/4"	10	4-379	42¢	

ASSORTMENTS



No. 4-380

 No. 4-374

6—4-376 6—4-377 6—4-378 6—4-379

4-374Price \$7,20



COIL SPRING SPACERS • For Front Coils



Breaks out with tap of hammer

COMBINATION TYPE

5/16 in - 3/8 in thicknesses Fits top or bottom of coil springs with flat ends.



CLOSED FLANGE TYPE

1/2 in. thickness

Fits the flat end of coil springs, either top or bottom.



OPEN OFF-SET TYPE

3/8 in., 1/2 in., 5/8 in., 3/4 in. thicknesses

This type of spacer is designed to fit only the bottom (pigtail end) of the coil spring.

COIL SPRING SPACERS

APPLICATION CHART FOR FRONT COILS

			Т-Тор			1000			
010	VPAD		OUT TYPE	CLOSED			OPEN OFF-		
CAR	YEAR Combination Spacer %" - %" Thickness		TYPE 1/2" Thickness		½" Thick	38" Thick	5%" Thick	34" Thick	
		No.	Location	No.	Location	No.		No.	
BUICK (Ex. Spec. 62-63)	54-63			4-292	T	Gentler's		THE SE	
BUICK SPEC.	61-63		6-1-5-18 - 2-1			4-281	4-293		
BUICK	39-60	4-277	В			4-283	4-290	4-288	4-286
CADILLAC	50-60	4-277	В	4-292	В	4-283	4-290	4-288	4-286
CADILLAC	39-49	4-276	T or B	4-291	В				
COMET	60-63			4-291	T				
CHEVROLET	58-63	4-276	T or B	国籍 国特赛		4-282	4-298	4-287	4-285
CHEVROLET	55-57		CONTRACTOR	March 1		4-280**	4-279**		Section 1
CHEVROLET	39-54			Park Section		4-281**	4-293**		
CHRYSLER	40-56	4-277	T or B	4-292	T	4-283	4-290	4-288	4-286
CORVAIR	60-63	4-276	San San			4-281*	4-293*		
DESOTO	37-56	4-277	T or B	4-292	T	4-283	4-290	4-288	4-286
DODGE	39-56	4-277	T or B	4-292	T	4-283	4-290	4-288	4-286
EDSEL	58-60	4-277	T or B	4-292	T	4-283	4-290	4-288	4-286
F85	61-63					4-281	4-293		三 生
FALCON	60-63			4-291	T		Salar at 1		
FORD (Ex. 62-63 Fairlane)	49-63	4-277	T or B	4-292	T	4-283	4-290	4-288	4-286
FRAZER	47-52	4-276	T or B	Fig. 19		4-282	4-298	4-287	4-285
HENRY J	51-54					4-280	4-279		
HUDSON	40-54	4-277	T or B		100	4-283	4-290	4-288	4-286
HUDSON JET	52-54					4-280	4-279		
KAISER	47-54	4-276	T or B			4-282	4-298	4-287	
MERCURY (Ex. 62-63 Meteo	r) 52-63	4-277	В	4-292	T	4-283	4-290	4-288	4-286
NASH AMB. & 600	49-51	4-276	T or B	4-291	T or B				
OLDSMOBILE (Ex. F85)	55-63	4-277	В	2000	T	4-283	4-290	4-288	4-280
OLDSMOBILE			Company of the Compan			1			
ALL (Ex. 98 & Conv.)	39-54	4-276	T or B	4-291	T	4-282	4-298	4-287	4-28
(98 & Conv.)	50-54	4-277	T	4-292	T	4-282		4-287	
PLYMOUTH	40-56	4-277	T or B	4-292	T	4-283	4-290	4-288	4-28
PONTIAC (Ex. Tempest)	58-63	4-277	T or B	4-292	T	4-283	4-290	4-288	4-28
PONTIAC	39-57	4-276	T or B	4-291	T	4-282	4-298	4-287	4-28
STUDEBAKER	49-62	4-277	T or B						
TEMPEST	61-63		The district			4-282	4-298	4-287	4-28
THUNDERBIRD	58-63			4-292	T	4-283	4-290	4-288	4-28

4-276	Price \$1.40
4-277	Price \$1.40
4-279	Price \$1.40
4-280	Price \$1.60
4-281	Price \$1.60
4-282	Price \$1.60
4-283	Price \$1.60
4-285	Price \$1.95

4-286	Price	\$1.95
4-287	Price	\$1.80
4-288	Price	\$1.80
	Price	\$1.40
		\$1.60
4-292	•	\$1.60
4-293	Price	\$1.40
4-298		\$1.40

FOR REAR COILS

BUICK	39-63	4-294	Top or Bottom
CHEV. ½-TON TRK.	60-62	4-294	Top or Bottom
GMC 1/2-TON TRK.	60-62	4-294	Top or Bottom
OLDS (Ex. F85)	61-62	4-294	Top or Bottom
	39-51	4-294	Тор
PONTIAC (Ex. Tempest)	58-63	4-294	Top or Bottom

4-294 Price \$2.35

1 in. Thick





COMBINATION AXLE SHIMS

Combination shims are economical to stock, can quickly be made to conform to width of springs by merely breaking off grooved side.

Degree	1/2	1	11/2	2	21/2	3	31/2	4	5	
Part No.	4-360	4-361	4-362	4-363	4-364	4-365	4-366	4-367	4-368	
Price	70¢	77¢	84¢	87¢	91¢	95¢	97¢	\$1.00	\$1.05	
	21/4".	21/2" HEA	VY DUTY	BUS AN	D TRUCK	SHIMS-	21/2 TON	S AND O	VER	
Degree	1/2	1	11/2	2	2	21/2	3		4	
Part No.	4-420	4-421	4-42	2	4-423	4-424	4-42	25 4	-427	
Price	\$1.12	\$1.17	\$1.1	9	\$1.22	\$1.23	\$1.3	80 \$	1.55	
	3"-3	½" HEAV	Y DUTY I	BUS AND	TRUCK	SHIMS—2	½ TONS	AND OV	ER	
Degree	1/2	1	11/2	2	2	21/2	3		31/2	4
Part No.	4-355	4-356	4-35	7	4-358	4-359	4-37	10	4-371	4-395
Price	\$1.63	\$1.68	\$1.8	2	\$1.91	\$2.05	\$2.1	10	\$2.25	\$2.35

COIL SPRING BOOSTERS

For cars, trucks, trailers, mobile homes

- CORRECT ALIGNMENT!
- REDUCE TIRE WEAR!
- IMPROVE FAULTY SPRING TENSION!



A. DRIVE IN TYPE


Aluminum block spacer made to conform to the curvature of the spring. Can be installed to affect three different heights by changing the angle. Use 2 per spring.



I-296Price 40¢

B. ADJUSTABLE TYPE

Front coil spring booster is 100% adjustable from the smallest spring opening to the largest, spreads coils from 34 in. to $1\frac{1}{2}$ in. 2 boosters per set.






ALIGNMENT GAUGES



Handy adjustable bar type gauge with calibrated scale. Reads "toe-in" or "toe-out" in 1/16 in. calibrations.

Passenger cars	and light trucks 48 i	n. to 65 in 4-273
Joeps and fore	ign cars 38 in. to 52	in4-299
Large Trucks	59 in. to 76 in	4-274



FIRE EXTINGUISHERS

A. SODA-ACID TYPE EXTINGUISHER

Use on fires of wood, paper, textiles, and other carbonaceous materials. Acid and soda-water solution forms gas that will spray 30 to 40 ft. One piece stainless steel corrosion resistant shell with welded bottom. Requires annual discharge and recharge. 23¾ in. high—7 in. dia. U/L, Factory Mutual Lab., U.S. Coast Guard approved.

B. PRESSURIZED WATER TYPE EXTINGUISHER

Ideal for fires of wood, paper, textile, and other carbonaceous material. 2½ gallons of water pressurized with air or nitrogen shoots stream a distance of 45 ft. Lightweight and centrally balanced construction of non-corrosive stainless steel. Equipped with pressure gauge for easy vision. Has convenient push button operation. Fits into standard wall cabinets. 26% in. high x 7½ in dia.

U/L and Factory Mutual Lab. approved.

C. PRESSURIZED LOADED STREAM EXTINGUISHER

The only type anti-freeze extinguisher approved for fires in wood, paper, textiles and flammable liquids. Especially useful for tire fires. Discharges 45 ft. stream over temperature ranges of -40° to $160^\circ F$. Lightweight and centrally balanced construction of non-corrosive stainless steel. Pressurized to 125 lbs. 26% in. high x $71\!\!/_2$ in. dia.

U/L and Factory Mutual Lab. approved.

4-2712 21/2 gal. capacityPrice \$60.85

D. 2½ LB. COMPACT DRY CHEMICAL EXTINGUISHER

The ideal small extinguisher for homes, boats, workshops, trucks, autos, camps, etc. Most effective against fires involving flammable liquids, LP gas or electrical equipment.

Has steel bodied, enamel finished cylinder with brass valve.

Simple 2-step operation with automatic trigger

guard. Easily recharged by replacement of the expended

disposable cylinder.
U/L, U.S. Coast Guard and ICC approved.

21/2 lbs. Op. Press. 175 lbs. Capacity 10-12 ft. 3 in. Range Diameter 10 secs. Height 14 in. Dis. Time Filled Wgt. 5 lb. U/L rating 4-B:CPrice \$11.95

4-2700 Price \$11.95
4-2720 Disposable Recharge Cylinder Price \$ 3.95

E. PRESSURIZED DRY CHEMICAL EXTINGUISHERS

For use on fires involving flammable liquids, electrical equipment, LP gas and others. Has same operating features as 4-2701 and 4-2702. U/L, Factory Mutual Lab., U.S. Coast Guard and ICC approved.

	4-2704
Capacity	20 lbs.
Diameter	7 in.
Height	21 in.
Filled Weight	36 lbs.
Pressure	225-250 lbs.
Range	10-20 ft.
U/L rating	20-B:C
4-2704 20 lb. extinguisher	Price \$75.50
4-2721 5 lb. (two 2½ lb. bags)	
recharge unit	Price \$ 2.00

PRESSURIZED DRY CHEMICAL EXTINGUISHER

For use on fires involving flammable liquids, electrical equipment, LP gas and others. Sturdy steel cylinder with brass valve. Equipped with dust proof pressure gauge. Simple two-step operation with automatic trigger lock. Can be recharged on the spot. Nitrogen or dry air pressurized.

U/L, Factory Mutual Lab., U.S. Coast Guard and ICC approved.

	4-2702
Capacity	5 lbs.
Diameter	4½ in.
Height	16 in.
Filled Wgt.	10 lbs.
Pressure	140-160 lbs.
Range	12-14 ft.
Discharge Time	12 sec.
U/L Rating	8-B:C

CARBON DIOXIDE EXTINGUISHERS

Carry on autos, trucks, buses, boats, trailers, etc. Most effective in extinguishing fires of burning liquids, cooking fats, electrical equipment and appliances.

Harmless to food, fabric and finishes. Cannot damage machinery or contaminate chemical compounds.

Constructed of the best workmanship and materials. Correctly balanced with carrying handle and squeeze action. Equipped with a horn type diffuser.

U/L, Factory Mutual Lab., U.S. Coast Guard approved.

				4-2708		4-2709	
Ca	pacity			5 lbs.		15 lbs.	
Fil	led Weigh	nt		151/2 lbs.		41 lbs.	
	meter			51/4 in.		63/4 in.	
	ight			1615/6 in.		26 in.	
Ho	se Length	1				33 in.	
	L rating			4-B:C		12-B:C	
G.	4-2708	5	lb.	extinguisher	Price	\$40.60	
H.	4-2709	15	lb.	extinguisher	Price	\$72.90	

I. VAPORIZING LIQUID EXTINGUISHERS

Carbon Tetrachloride

Finest double action pump type extinguishers. Discharge stream 20 to 30 ft. Special corrosion resistant interiors with polished brass exteriors. For use on liquid or electrical fires. Mounting bracket included. U/L and Factory Mutual Lab. approved.

4-2705	1 qt. capacity	Price	\$16.60
	1½ qt. capacity		
	1 qt. recharge unit		
4-2724	1 gal, recharge unit	Price	\$ 6.00

J. SPRAY CAN TYPE

Will extinguish most small fires up to 10 ft. Delivers 26 grams in 18 seconds. An excellent safety measure for service stations, garages, homes, etc. Can be used on electrical, gasoline and other type fires. Can also be used as a vapor lock eliminator.

4-1981 Price \$1.89

RECHARGE UNIT

4-2725

Foam Type

A 2½ gallon recharge unit for foam type extinguishers.


Price \$2.00





INNER TUBES

High quality synthetic butyl rubber inner tubes for passenger car, truck and bus tires.



Combination Group Size	Part No.	Price*
5.20/5.60/6.00-13	4-2905	\$4.17
5.90/6.40/6.50-13	4-2906	\$4.23
7.00/7.50-14	4-2900	\$4.61
8.00/8.50-14	4-2901	\$4.96
9.00/9.50-14	4-2907	\$5.41
5.50/5.90/6.00/6.40/6.50-15	4-2908	\$4.20
6.70/7.10-15	4-2903	\$4.52
7.00/7.50/7.60/8.00/8.20-15	4-2904	\$5.25
5.50/6.00-16	4-2902	\$4.05
6.50/6.70/7.00/7.60-16	4-2909	\$4.60

^{*}All Prices Listed Include the Federal Excise Tax.



TRUCK and BUS TUBES

Combination Group Size	Part No.	Price*
7.50x20	4-2910	\$9.99
8.25x20	4-2911	\$12.66
900x20	4-2912	\$14.85
10.00x20	4-2913	\$16.55
10.22x22	4-2914	\$16.89

^{*}All Prices Listed Include the Federal Excise Tax.



A. MILEAGE MINDER Automatic Variable Control

Rations gas for every driving condition. Automatically varies fuel pressure from 1 lb. psi to full pressure capacity as engine load varies. Has standard glass bowl and micron paper filter. See application chart for the proper fittings to use in installation.

4-1753 Price \$8.95

B. MILEAGE MINDER Minimizes fuel starvation and vapor locks

A multi-purpose engine accessory combining in



one unit the proven principles of a self-flushing, non-clogging fuel filter-carburetor protector-pulsation damper and fuel pressure stabilizer. Has bright dichromate body and bail with a chrome plated cover plate. Includes a magnetic trouble trap mounted inside of the glass body bowl. No moving parts. Overall height 3¾ in., diameter 2¾ in. See application chart for the proper fittings to use in installation.

4-1750		Price	\$6.95
4-1745	Filter only	Price	\$1.50
4-1746	Glass bowl	only Price	60¢
4-1747	Gasket only	Price	15¢



C. MILEAGE MINDER

Metal Bowl Model

Has same operation advantages and principles as 4-1750. One piece compact all metal construction with dichromate body and chrome plated cover plate. Includes magnetic trouble trap. Overall height 2½ in., diameter 2% in. See application chart for the proper fittings to use in installation.

4-1751	Price	\$7.95
4-1745	Filter only Price	\$1.50
4-1747	Gasket only Price	15¢

MILEAGE MINDERS-FUEL LINE FITTING CHART

Packaged with one universal type fitting (3325x2) which fits many cars. Installation on other cars made by using the Weatherhead Fittings shown below.

he car is equipped with a fuel filter, replace with Years Models *Weatherhead Fitting	Years Models *Weatherhead Fitting	Years Models *Weatherhead Fitting
BUICK	DODGE (Cont.) 1956 V-8—3325x2	MERCURY (Cont.) 1952-54 AII—3325x2, 3400x2, 3400x2
1963 AII—3325x2 1962-63 V6—3325x2	1955 V-8—200x5, 1533	1946 AII—1513, 1532
1961-62 All (Ex. V6)—200x5, 200x5	1955-56 6 Cyl. 200x5, 1533, 400x5	NASH (See Rambler)
1959-60 All—Replace Filter	1949-54 AII—1533, 400x5	1954 60 Twin Carb. 3325x2
1957-58 AII—3400x2, 3329x2† 1956 V-8 Bar. Carb. 3325x2, 350x5, 3350x2	1946-48 AII—200x5, 1533	1952-54 Ambassador 3325x2, 3400x2, 350x 1951 Ambassador 3325x2, 2400x5
1956 V-8 Bar. Carb. 3325x2, 350x5, 3350x2 1956 40—Replace Filter	EDSEL	1950-53 Statesman 3325x2
1955 50, 60, 70—3328x2, 3400x2, 400x5	1959-60 AII—200x5, 1514 1958 AII—Replaces Filter	
1953-54 60, 70, Stromberg—3328x2, 3400x2,		OLDSMOBILE (See F85) 1963 AII—3325x2
400x5	F85 1963 AII—3325x2	1962 All—Replace Filter
1953-54 60, 70 Carter—1533 400x5, 400x5	1962 Replace Filter	1961 All Except F-85, 3325x2, 3325x2
1954 50—400x5 1953 50—1533, 3400x2, 400x5	1961 AII—3325x2	1958-60 AII—6100x5, 6200x5‡
1953-55 40—3325x2	FALCON	1956-57 AII—1514, 350x5 1955 AII—200x5, 1514
1946-62 AII—3325x2	1963 AII—3325x2 1962 AII—3325x2 & Special Fitting	1951-54 AII—3325x2
CADILLAC	1962 AII—3325x2 & Special Fitting 1961 AII—Special Fitting	1950 6 Cyl. 3325x2, 3400x2, 400x5
1954-63 All—Replace Filter	1960 All—Replace Filter Using 200x5, 1514	1949 6 Cyl. 3325x2, 3400x2, 350x5
1952-53 AII—3328x2	FORD (See Falcon and T'bird)	1946-48 All Models 3325x2
1951 All—Replace Filter 1950 All—1533, 3400x2, 350x5	All 6 Cyl.	PACKARD
CHEVROLET (See Corvair-Corvette)	1963 AII—3325x2	1946-58 All—Replace Filter
All 4 Cyl.	1961-62 Special Fitting	PLYMOUTH (See Valiant)
1961-63 AII—3325x2	1960 200x5 and Special Fitting, Replace Filter	All 6 Cyl. 1962-63 All—Special Fittings
All 6 Cyl.	1957-59 3329x2, 3400x2, 3400x2, 350x5	1955-61 200x5, 1533
1958-63 200x5, 1514 1955-57 3325x2	000F 0 400 F	1054 F 1 DDO 0 - L 200 F 1522
1953-57 3325XZ 1953-54 3325, 400x5	1954 3325x2, 3400x2, 3400x2	1954 BBS Carb. 1533, 3400x2, 400x5
1952 Powerglide—3325x2, 400x5	1952-53 3325x2	1937-53 200x5, 1533
1937-52 Ex. 52 P.G.—3325x2	1955-56 3325x2, 400x5 1954 3325x2, 3400x2, 3400x2 1952-53 3325x2 1941-51 1513, 1532 All V-8 1963 All—3325x2 1961-62 Special Fitting 1960 200x5 and Special Fitting 1959 3325x2†	All V-8 1962-63 All—Special Fittings
All V-8	1963 AII—3325x2	1960-61 3325x2, 3400x2
1959-63 200x5, 1514 1958 Replace Filter	1961-62 Special Fitting	1959 200x5, 1514
1957 3328x2	1960 200x5 and Special Fitting	1957-58 3325x2, or Replace Filter
1956 Rochester 200x4, 3350x2, 68x4		1955-56 Quad. Carb. 3325x2 1955-56 Dual Carb. 200x5, 1533
1955 3329x2, 3400x2, 3400x2	1958 W/O Power Steering 3325x2† 1958 Power Steering 6100x5 6200x5‡	
CHRYSLER	1958 Carter Quad Carb. 200x5, 1514	PONTIAC (See Tempest) 1963 AII—3325x2
1963 AII—3325x2 1962 AII—Special Fitting	1957 Carter Carb. 200x5, 1514, 3400x2,	1958-62 With 5/16 Hose Line, Special Fi
1960-61 AII—3325x2, 3400x2	1957 Holley Carb. 200x5, 1514, 3400x2,	1958-60 With 36" Pipe Line, Special Fitt
1959 AII—200x5, 1514	1957 Ford—200x5, 1533 1956 (2 Bar.) 1513, 3400x2, 3400x2, 1532	1958-59 All—Replaces Filter
1958 All—Replace Filter	1956 (2 Bar.) 1513, 3400x2, 3400x2, 1532 1956 (4 Bar.) 3325x2, 400x5	1957 With 3%" Fuel Line, Replaces
1957 AII—3325x2	1955 200x5, 1533, 3400x2, 3400x2	Filter 1955-57 AII—Ex. 57 W/%" Line, 3325x2
1955-56 Windsor N.Y. 1533, 400x5 1951-54 V-8 (Dual Carb.) 3325x2, 3400x2, 400x5	1954 1533, 3400x2, 3400x2, 1532	400x5
1953-54 6 Cyl.—200x5, 1533	1951-53 1533, 350x5	1953-54 8 Cyl. 3325x2
1952 6 Cvl.—1533, 350x5	1941-50 1513, 1532	1953-54 6 Cyl. 1513, 1532
1946-51 6 Cyl.—200x5, 1533	HUDSON	1946-52 All Models—3325x2
1946-48 8 Cyl.—1533	1955-57 AII—3325x2, 1533, 3400x2, 400x5 1953-54 Jet W/2 Carbs. 1533, 400x5	RAMBLER
COMET	1953-54 All W/2 Carbs. Ex. Jet, 200x5, 1533	1962-63 AII—3325x2
1962 All—3325x2 & Special Fitting	1953-54 All W/1 Carb. 3325x2	1960-61 All (Ex. American)—3325x2, 335
1961 All—Special Fitting 1960 All—Replace Filter, Using 3325x2,	1946-52 All Models 3325x2	1959-61 All American—3325x2
200x5	KAISER	1958-59 AII—3325x2† 1950-57 AII—3325x2
CORVAIR	1954 Manhattan with Supercharger	
1960-63 AII—200x4, 68x4	3325x2, 350x5 1953-54 All Models 3325x2	STUDEBAKER (See Lark) 1959-63 V-8—3325x2, 3400x2
CORVETTE	1953-54 All Models 5323X2 1951-52 K-511, 512, 521, 522, 200x5, 1533,	1959-63 6 Cyl.—200x4, 68x4
1958-62 V-8—200x5, 1514	400x5	1959-63 6 Cyl.—200x4, 68x4 1955-58 AII—3325x2, 200x5, 3400x2
1955-57 V-8—3325x2	1951-52 Henry J. 332x2	1953-54 V-8—200x5, 3328x2
1953-54 6 Cyl.—3325, 400x5	1947-50 All Models 3325x2	1953-54 Champion—3325x2 1946-52 All Models—3325x2
DESOTO	LANCER 1961 All 200x5, 1533	TEMPEST
1960-61 AII—3325x2, 3400x2		1962-63 AII—3325x2
1959 AII—200x5, 1514 1958 AII—3325x2†	LARK 1959-63 6 Cyl. 200x4, 68x4	THUNDERBIRD
1957 AII—3325x2	1959-63 V-8—3325x2, 3400x2, 3400x2	1961 All—Special Fitting
1956 Fireflight 3325x2, 400x5 or Replace	LINCOLN	1960 200x5 and Special Fitting
Filter	1963 AII—3325x2 1961-62 AII—Special Fitting	1959 3325x2
1956 Firedome—3325x2, 3400x2, 400x5	1961-62 All—Special Fitting	1958 No Power Steering, 3325x2 6100x5, 6200x5†
1955 AII—1533, 400x5 1953-54 AII Ex. BBD Carb. 1533	1960 All—3325x2, 1514 1958-59 All—Replace Filter	1958 Power Steering, 6100x5, 6200x5
1952 V-8, WCD Carb. 3325x2, 3400x2, 400x5	1956-57 AII—68x5, 68x5	1958 Carter Quad Carb. 200x5, 1514
1952 Early 53 6 Cyl. 1533, 350x5	1955 All—Replace Filter	1957 Carter Quad. Carb. 200x5, 1514,
1946-51 All Models 200x5, 1533	1950-54 AII—3325x2	3400x2, 3400x2
DODGE (See Lancer)	MERCURY (See Comet)	1955-56 Replace Filter
1962-63 All—Special Fittings	1963 AII—3325x2 1961-62 AII—Special Fitting	VALIANT 1962-63 All—Special Fittings
1961 AII—200x5, 1533	1961-62 All—Special Fitting 1960 All—3325x2, 1514, Replace Filter	1960-61 AII—200x5, 1533
1960 AII—3325x2, 3400x2	1959 All—3325x2† or Replace Filter	WILLYS (JEEP)
1959 AIL_200y5, 1514	1333 AII JULIANE I OI REDIGOO I III OI	
1959 AII—200x5, 1514 1958 AII—3325x2†	1958 All—Replace Filter 1957 All—200x5, 1514, 3400x2, 3400x2	1955-63 All Models—3325x2, 200x5 1946-54 All Models—3325x2

^{*} Requires one of each shown. Fitting number repeated if more required.

THREAD INSERTS, TOOLS, TAPS

Stainless Steel


STANDARD TYPE KIT

SPARK PLUG KIT

Use in: . . . Cars Trucks **Tractors** Marine Engines Lawn Mowers

Machinery Farm Emplements Appliances Equipment

TYPICAL INSTALLATIONS



4-3202-5"-18Price \$10.00 CONTENTS: 15 4-3221 1 4-3241 1 4-3251

4-3203—½"-13 Price \$10.00 CONTENTS: 10 4-3224

1 4-3244 1 4-3254

4-3204-3%"-16 Price \$11.35


CONTENTS: 10 4-3222 1 4-3242 1 4-3252

CONTENTS: 10 4-3225 1 4-3245 1 4-3255



THREAD INSERTS	
12/3 (14/1) A	
SPARK PLUG TOOL	
TAPS	
STANDARD TOOL	

SIZES	THREAD INSERTS	PRICE	TAPS	PRICE	TOOLS	PRICE
1/4-20	4-3220	23¢	4-3250	\$3.35	4-3240	\$3.20
5/6-18	4-3221	28¢	4-3251	\$3.35	4-3241	\$3.20
3%-16	4-3222	33¢	4-3252	\$4.65	4-3242	\$3.20
7/6-14	4-3223	40¢	4-3253	\$5.35	4-3243	\$3.20
1/2-13	4-3224	52¢	4-3254	\$6.00	4-3244	\$3.20
14 mm 1.25 Spark Plug	4-3225	45¢	4-3255	\$8.55	4-3345	\$20.85



WHAT B*K INSERTS ARE AND DO

B★K Standard free-running Inserts provide threads so strong that even in light metals excessive torque will shear off the screw before the female threads will strip. They eliminate thread failure due to stripping, vibration, fatigue, corrosion, galling and seizing. They are so durable they permit practically unlimited disassembly and reassembly in maintenance and repair. Standard inserts conform to the new fully coordinated Military Standards. B*K Inserts are precision formed coils of stainless steel wire which provide permanent armor-clad internal screw threads in any material

B★K Spark Plug Inserts—These Stainless Steel Inserts provide high strength threads which exceed in surface smoothness, hardness and accuracy any threads that can be tapped in any ma-

B★K Spark Plug Inserts offer the same permanent thread protection afforded by all B★K stainless steel inserts . . . assure freedom from thread wear even after repeated disassembly and reassembly . . . permit speedy and economical repair of damaged

The versatile "Klik-Fast" rivet for quicker metal fastening at lower cost

Just Slip Rivet in hole-Squeeze-break rivet-

Advanced design "pull-type" rivets

> **Ideal** For **Body Repairs**

> > Access necessary to only one side of work!

No. 4-3100

Body Rivet & Riveter Kit

Answers the fastening problems in general auto body shops in fleet, truck and bus garages and also are useful in other industrial and home operations. Eliminates the fire hazards presented by hot rivets around gas tanks, windows, upholstery, etc. Sets all rivets by changing nosepiece only.


Contains:

4-3137 Gun 4-3135 Drill 50 **4-3105** Rivets 50 **4-3106** Rivets 4-3106 Rivets 4-3107 Rivets 4-3108 Rivets

4-3109 Rivets

4-3100 Price \$24.95+






RIVETS STEEL RIVETS - STEEL MANDREL - CADMIUM PLATED

Туре	Handles Work Thickness	Part No.
1/8" Buttonhead	up to 1/8"	4-3105
1/8" Buttonhead	½" to ¼"	4-3106
½" Countersunk	up to ½"	4-3107
1/8" Countersunk	½" to ¼"	4-3108

ALUMINUM RIVET - ALUMINUM MANDREL

		ALUMINOM M	TEI MEGILINI	•		
	Туре			V	Handles Vork Thickness	Part No.
3/6 3/6	" Buttonhead" " Large Flange Hea " Buttonhead" " Buttonhead	d			14" to 38" 14" to 38" up to 1/8" 1/8" to 1/4"	4-3111 4-3112 4-3109 4-3110
4-3106 4-3107		Price \$3	3.25† 4-3110 3.02† 4-3111	Box of Box of	250 250	Price \$5.31†Price \$5.43†






HAND RIVETER

No. 4-3137

Handles all rivet sizes, one-hand operationone squeeze breaks most rivets. Spring opening.

rice		\$22.95†
	REPLACEMENT PARTS	

	ILLI	LAULINLINI	THITTO		
4-3140	Thumblock	Assey		Price	40¢†
4-3141	Jaws			Price	\$2.50+
4-3142	Nosepiece	Nut-1/8"	Rivet	Price	95¢†
4-3143	Nosepiece	Nut-3/6"	Rivet	Price	95¢†
4-3144	Nosepiece	Nut-3/32"	Rivet	Price	95¢†
4-3145	Nosepiece	Nut-5/32"	Rivet	Price	95¢†



DRILL

No. 4-3135

120° — Countersunk

\$1.85+ Price ...





OVERSIZE DRAIN PLUGS


Eliminate Costly Repair Jobs When Threads are stripped on Original Drain Plugs.

		SIX SIZES WIII S	ervice most	Cars		
4-1271	1/2"	Price 40¢	4-1274	11/16"	Price	55¢
4-1272*	1/2"	Price 40¢	4-1275	3/4"	Price	55¢
4-1273	5/8"	Price 55¢	4-1276	7/8"	Price	60¢

Drain Plug Assortment 4-1270

Metal Assortment Box Containing the Following: 8—4-1271 2—4-1273 2
4-4-1272 1—4-1274 4

\$9.40



Car & Years Models Part No.			
1959-63 All (Ex. Spec. & V-6) 4-1271 1959-63 Y-0ouble Oversize 4-1272 1950-58 Dynaflow 4-1274 1940-58 Standard Transmission 4-1273 1930 All 4-1273 1938 Late 4-1273 1961-63 All (Ex. V-6) 4-1271 1961-63 Y-0ouble Oversize 4-1272 4-1272 1940-63 All 4-1273 1940-48 Y-0ouble Oversize 4-1272 1940-48 Y-0ouble Oversize 4-1271 1940-48 Y-0ouble Oversize 4-1271 1940-48 Y-0ouble Oversize 4-1271 1928-63 All (Ex. Corvair, Corvette) 1928-63 All (Ex. Corvair, Corvette) 4-1271 1928-63 Y-0ouble Oversize 4-1272 1940-63 Y-0ouble Oversize 4-1272 1959-61 All 4-1276 Y-1276			APPLICA
1959-63		Models	Part No.
1959-63	BUICK		
1950-58 Dynaflow 4-1274 1940-58 Standard Transmission 4-1274 1940-58 Standard Transmission 4-1273 1938 Late 4-1273 1938 Late 4-1273 1938 Late 4-1273 1938 Late 4-1273 1901-63 All (Ex. V-6) 4-1271 1961-63 All (Ex. V-6) 4-1272 1940-48 Double Oversize 4-1272 1940-48 Pydramatic 4-1271 1940-41 Standard Transmission 4-1271 1940-41 Standard Transmission 4-1271 1940-41 Standard Transmission 4-1271 1928-63 All (Ex. Corvair, Corvette) 4-1271 1928-63 All (Ex. Corvair, Corvette) 4-1272 1928-63 Double Oversize 4-1272 1952-63 Double Oversize 4-1272 1952-63 Double Oversize 4-1272 1952-63 Double Oversize 4-1272 1952-63 All 4-1271 1960-63 All 4-1276 4-1272 1950-63 Double Oversize 4-1272 1950-63 Double Oversize 4-1272 1950-63 Double Oversize 4-1272 1950-63 Double Oversize 4-1272 1953-63 Double Oversize 4-1272 1953-63 All 4-1271 1953-63 Double Oversize 4-1272 1953-63 Double Oversize 4-1272 1953-63 Double Oversize 4-1272 1953-63 Double Oversize 4-1275 1953-63 Double Oversize 4-1275 1953-63 Double Oversize 4-1275 1955-61 All 4-1276 1955-63 All 4-1276 1955-63 All 4-1276 1955-63 All 4-1275 1955-63 Double Oversize 4-1272 1955-63 All 4-1275 1956-63 Double Oversize 4-1272 1956-63 All 4-1275 1956-63 Double Oversize 4-1272 1956-63 Double Oversize 4-1275 1956-63 All 1956-63 Double Oversize 4-1275 1956-63 Double Overs			
1940-58			
1939			
BUICK SPECIAL 1961-63 All (Ex. V-6) 4-1271 1961-63 *Double Oversize 4-1272			
BUICK SPECIAL 1961-63 AII (Ex. V-6) 1961-63 *Double Oversize 4-1272 1961-63 *Double Oversize 4-1272 1940-48 *Double Oversize 4-1271 1940-48 *Hydramatic 4-1271 1940-48 *Hydramatic 4-1271 1940-49 *Hydramatic 4-1271 1940-40 *Standard Transmission 4-1271 1928-63 AII (Ex. Corvair, Corvette) 4-1272 1928-63 *Double Oversize 4-1272 1928-63 *Double Oversize 4-1272 1962-63 *Double Oversize 4-1272 1962-63 AII 4-1271 1962-63 *Double Oversize 4-1272 1962-63 *Double Oversize 4-1272 1960-63 *Double Oversize 4-1275 1960-63 *Double Oversize 4-1276 1960-63 *Do			
1961-63			
1961-63 *Double Oversize			4-1271
1949-63			
1940-48	CADILLAC		
1940-48	1949-63	All	4-1273
1940-41 Standard Transmission 4-1271			
CHEVROLET (See Corvair, Corvette) 1928-63			
1928-63			4-12/1
1928-63 *Double Oversize			14074
CHRYSLER & IMPERIAL 1962-63 All 4-1271 1962-63 All 4-1275 1928-58 All 4-1276			
1962-63			4-12/2
1962-63 *Double Oversize 4-1272 1959-61 All 4-1273 1928-58 All 4-1276			
1959-61 All 4-1273 1928-58 All 4-1276			
1928-58 All			
COMET			
1960-63		All	4:1270
1960-63 *Double Oversize		All	4.1971
CORVAIR	2000 00		
1960-63		Double Oversize	71212
1960-63 *Double Oversize 4-1272		All	A.1971
CORVETTE			
1953-63		The same of the sa	- 11272
1953-63 *Double Oversize 4-1272	Committee of the Commit		4-1271
1959-61 All 4-1273 1936-58 All 4-1276 DODGE (See Lancer) 1962-63 All 4-1271 1962-63 *Double Oversize 4-1272 1959-61 All 4-1273 1928-58 All 4-1276 EDSEL			
1936-58 All 4-1276	DE SOTO		
1936-58 All	1959-61	All	4-1273
1962-63	1936-58		
1962-63 *Double Oversize 4-1272 1959-61	DODGE (Se	e Lancer)	THE PROPERTY OF THE PARTY OF
1959-61 All 4-1273 1928-58 All 4-1276 EDSEL 1958-60 All 4-1271 F-85 1961-63 *Double Oversize 4-1272 FALCON 1960-63 All 4-1271 1960-63 *Double Oversize 4-1272 FORD (See Falcon) 1957-63 *Double Oversize 4-1272 FORD (See Falcon) 1957-63 *Double Oversize 4-1272 1949-56 All 4-1276 1929-38 All 4-1275 GMC To 63 All Diesel 4-1275 GMC To 63 All Diesel 4-1276 1947-63 Heavy Series 4-1276 1947-63 Light Series 4-1271 1947-63 *Double Oversize, Light Series 4-1271		All	4-1271
1928-58 All	2002 00		
### Forms			
1958-60 All		All	4-12/6
F-85 1961-63 All 4-1271 1961-63 *Double Oversize 4-1272 FALCON 1960-63 All 4-1271 1960-63 *Double Oversize 4-1272 FORD (See Falcon) 1957-63 All (Ex. Falcon) 4-1271 1957-63 *Double Oversize 4-1272 1949-56 All 4-1276 1929-38 All 4-1275 GMC To 63 All Diesel 4-1275 GMC To 63 All Diesel 4-1276 1947-63 Heavy Series 4-1276 1947-63 Light Series 4-1271 1947-63 *Double Oversize, Light Series 4-1271 1947-63 *Double Oversize, Light Series 4-1271		40	
1961-63	-	All	4-1271
1961-63 *Double Oversize			
Table Tabl			
1960-63		Double Oversize	4-12/2
1960-63 *Double Oversize		AII	
FORD (See Falcon) 1957-63			
1957-63			4-12/2
1957-63 *Double Oversize 4-1272 1949-56 All 4-1276 1929-38 All 4-1275 GMC To 63 All Diesel 4-1274 1947-63 Heavy Series 4-1276 1947-63 Light Series 4-1271 1947-63 *Double Oversize, Light Series 4-1272			4 1071
1949-56 All 4-1276 1929-38 All 4-1275 GMC To 63 All Diesel 4-1274 1947-63 Heavy Series 4-1276 1947-63 Light Series 4-1271 1947-63 *Double Oversize, Light Series 4-1272			
1929-38 All 4-1275 GMC To 63 All Diesel 4-1274 1947-63 Heavy Series 4-1276 1947-63 Light Series 4-1271 1947-63 *Double Oversize, Light Series 4-1272			
To 63 All Diesel 4-1274 1947-63 Heavy Series 4-1276 1947-63 Light Series 4-1271 1947-63 *Double Oversize, Light Series 4-1272			
To 63 All Diesel 4-1274 1947-63 Heavy Series 4-1276 1947-63 Light Series 4-1271 1947-63 *Double Oversize, Light Series 4-1272	GMC		
1947-63 Heavy Series 4-1276 1947-63 Light Series 4-1271 1947-63 *Double Oversize, Light Series 4-1272			4-1274
1947-63 Light Series 4-1271 1947-63 *Double Oversize, Light Series 4-1272		Heavy Series	4-1276
1000.00		Light Series	
1930-39 All 4-1271			COLUMN TO THE PERSON OF THE PE
	1930-39	All	4-1271

ON CHART		
Car & Years	Models	Part No.
GMC (Co		
1936-39 HUDSON	*Double Oversize	4-1272
1955-58	All	4-1273
1956	Hornet Spec. 8	4-1275
1930-63	All	4-1276
LANCER		
1962 1962	*Double Oversize	4-1271 4-1272
1961	All	4-1273
LARK 1959-63	All	4-1273
LINCOLN		
1958-63 1958-63	All *Double Oversize	4-1271 4-1272
1952-57	All	4-1276
1936-51	All	4-1275
MERCURY 1957-63	(See Comet) All (Ex. Comet)	4-1271
1957-63	*Double Oversize	4-1272
1952-56 1939-51	AII	4-1276 4-1275
	e Rambler)	
1955-57	All BILE (See F85)	4-1275
1961-63	All (Ex. F-85)	4-1276
1939-60 1939-60	All *Double Oversize	4-1271 4-1272
1931-38	Ali	4-1274
PACKARD		4 107E
1957-58 1935-56	All All	4-1275 4-1273
	TH (See Valiant)	
1962-63 1962-63	*Double Oversize	4-1271 4-1272
1959-61	All	4-1273
1928-58 PONTIAC	(See Tempest)	4-1276
1933-63	All	4-1271
1933-63	*Double Oversize	4-1272
RAMBLER 1962-63	All O.H. VA Eng.	4-1271
1962-63	*Double Oversize	4-1272
1958-63 STIIDERAI	All (Ex. O.H. V.A. Eng.) KER (See Lark)	4-1275
1959-63	All	4-1273
1928-58	All	4-1275
TEMPEST 1961-63	All	4-1271
1961-63	*Double Oversize	4-1272
VALIANT		
1962-63 1962-63	*Double Oversize	4-1271 4-1272
1960-61	All	4-1273
WILLYS	AII	1 1070
1942-63	All	4-1276

STANDARD and OVERSIZE DRAIN PLUG GASKETS

STANDARD SIZE **DRAIN PLUG GASKETS**

4-1286 ½"...Price 5¢ 4-1283 ¾"...Price 5¢ 4-1285 %"...Price 5¢ 4-1282 %"...Price 5¢ 4-1281 ½"...Price 7¢

Standard Gasket Assortment 4-1280

Clear Plastic Box Containing:
10 4-1281 25 4-1283
25 4-1282 15 4-1284
Price 15 4-1285 35 4-1286 \$6.45



OVERSIZE DRAIN PLUG GASKETS

4-1261 ½"... Price 4¢ 4-1264 ¼"... Price 5¢ 4-1262* ½"... Price 4¢ 4-1265 ¾"... Price 5¢ 4-1266 ½"... Price 6¢

Oversize Gasket Assortment 4-1260


Clear Plastic Box Containing: 50 4-1261 25 4-1263 35 4-1262 15 4-1264 Price 25 4-1265 30 4-1266 \$8.45

'rice	\$6.45		
			APPLICAT
Car & Years	Models	Std. Gasket No.	O.S. Gasket No.
BUICK			
1959-63	All (Ex. Spec. & V-6)	4-1286	4-1261
1940-58 1938-39	All	4-1284 4-1285	4-1264 4-1263
BUICK SPEC		4-1203	4-1203
1961-63	All (Ex. V-6)	4-1286	[4-1261
	All (EX. V-D)	4-1200	(4-1262*
CADILLAC	411	4 100E	4 1000
1949-63	All	4-1285	4-1263 (4-1261
1940-48	AII	4-1286	(4-1262*
1929-39	All	4-1283	4-1265
	(See Corvair, Corvette)		(4-1261
1928-63	All (Ex. Corvair, Corvette)	4-1286	4-1262*
CHRYSLER &	R IMPERIAL	W. Line	
1962-63	All	4-1286	∫4-1261 14-1262*
1959-61	All	4-1285	4-1263
1928-58	All	4-1282	4-1266
COMET			
1960-63	All	4-1286	(4-1261)4-1262*
CODVAID			(4-1202
CORVAIR			(4-1261
1960-63	All	4-1286	14-1262*
CORVETTE			
1953-63	All	4-1286	£4-1261
		11.20	14-1262*
DE SOTO 1959-61	All	4-1285	4-1263
1936-58	All	4-1282	4-1266
DODGE (See	Lancer)	Territory.	
1962-63	All	4-1286	ſ4-1261
1959-61	All	4-1285	\\\(4-1262*\\\\\4-1263\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
1928-58	All	4-1282	4-1266
EDSEL		A HOUSE	
1958-60	All	4-1286	4-1261
F85			
1961-63	AII	4-1286	∫4-1261 14-1261
FALCON			14-1262*
FALCON			(4-1261
1960-63	All	4-1286	4-1262*
FORD (See F	alcon, Thunderbird)		
1957-63	All	4-1286	∫4-1261
1949-56	AII	4-1282	(4-1262* 4-1266
1939-48	All (Ex. 60)	4-1281	
1938-40 1929-38	All Model 60	4-1281 4-1283	4-1265
GMC		4-1203	7/1200
	All Diesel	4-1284	4-1264
1947-59	All (Ex. Diesel)	4-1282	4-1266
1939-46	All (Ex. Diesel)	4-1286	\[\langle 4-1261 \\ 4-1262* \]
Prior to '3	9 All (Ex. Diesel)	4-1284	4-1264

ON CHART			
Contracting	0 / / /	Std.	0.S.
Car & Years HUDSON	Models	Gasket No.	Gasket No.
1956	All w/3/4 in.	4-1283	4-1265
1955-56	All (Ex. ¾ in.)	4-1285	4-1263
INTERNAT			
1930-63 KAISER-FR	ATED	4-1282	4-1266
1946-55	AII	4-1282	4-1266
LANCER		93 E-9-66	
1962-63	All	4-1286	{4-1261 {4-1262*
1961	All	4-1285	4-1263
LARK			
1956-63	All	4-1285	4-1263
LINCOLN			(4-1261
1958-63	All	4-1286	4-1262*
1952-57 1936-51	All	4-1282 4-1283	4-1266 4-1265
	(See Comet)	4-1200	4-1203
1957-63	All (Ex. Comet)	4-1286	§4-1261
1949-56	All	4-1283	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
1939-48	Ali	4-1281	4 1200
NASH (See			
1955-57	All (Ex. Rambler)	4-1283	4-1265
1961-63	LE (See F-85) All (Ex. F-85)	4-1282	4-1266
1939-60	All	4-1286	54-1261
1931-38	All	4-1284	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
PACKARD			
1957-58	All	4-1283	4-1265
1953-56	All (See Valiant)	4-1285	4-1263
1962-63	All	4-1286	[4-1261
1959-61	All	4-1285	\(\frac{4-1262*}{4-1263}\)
1928-58	All	4-1282	4-1266
PONTIAC (See Tempest)		
1933-63	All	4-1286	\[\frac{4-1261}{4-1262*} \]
RAMBLER			(4-1202
1962-63	All O.H. V.A. Eng.	4-1286	§4-1261
1958-63	All (Ex. O.H. VA Eng.)	4-1283	4-1262* 4-1265
REO	(En one in Eng.)	7 1200	71200
1939-53	All	4-1283	4-1265
	ER (See Lark)	4 1005	4 4000
1959-63 1929-58	All (Ex. Lark)	4-1285 4-1283	4-1263 4-1265
TEMPEST			
1961-63	All	4-1286	\$4-1261 \$4.1262*
VALIANT			14-1262*
1962-63	All	4-1286	∫4-1261
1960-61	All	4-1285	\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\
WILLYS	All	4-1203	7-1203
1942-63	All	4-1282	4-1266
ATTEMPT TO PETER PROPERTY.			

Standard Type






No.	Hose	Size and Ply	A	В	C	D	PRICE
4-1220	3/8′′	-2 Ply	5/8"	3/8′′	1/2"	3/4"	7¢
4-1221	3/8"	-3 Ply	11/16"	3/8"	1/2"	3/4"	7¢
4-1222	1/2"	-2 & 3 Ply	3/4"	3/8"	1/2"	7/8′′	7¢
4-1224	1/2"	-4 Ply	7/8′′	3/8"	1/2"	1 "	7¢
4-1225	5/8′′	-3 Ply	15/16" .	3/8"	1/2"	1 "	7¢
4-1226	5/8′′	-4 Ply	1-1/32"	3%"	1/2"	1 "	7¢
4-1228	3/4′′	-3 & 4 Ply	1-3/16"	1/2"	1/2"	1 "	7¢
4-1229	7/8′′	-2 & 3 Ply	11/4"	1/2"	5%"	11/8"	9¢
4-1230	1 "	-2 & 3 Ply	1-5/16"	1/2"	5/8′′	11/8"	9¢
4-1234	11/4"	-2 Ply	1-9/16"	1/2"	5/8"	11/8"	9¢
4-1235	11/4"	-3 Ply	15%"	1/2"	5/8′′	11/8"	9¢
4-1238	11/2"	-2 Ply	1-13/16"	1/2"	5/8′′	11/4"	10¢
4-1239	1½"	-3 Ply	17/8"	1/2"	5/8′′	11/8"	10¢
4-1241	15%"	-3 Ply	2-1/32"	1/2"	5/8′′	11/8"	11¢
4-1242	15%"	-4 Ply	21/8"	1/2"	5/8′′	11/4"	11¢
4-1243	13/4"	-3 & 4 Ply	2-3/16"	1/2"	5/8′′	11/8"	11¢
4-1246	2 "	-3 & 4 Ply	23/8"	1/2"	5/8"	11/4"	11¢
4-1249	23/8"	-3 & 4 Ply	23/4"	1/2"	5/8′′	11/4"	12¢

^{*}Note: Due to variation of Ply and Wall thickness during recent years, correct clamp size should be determined by outside diameter of hose after fitting over connection. Given correct dimension, the proper size clamp will be furnished to insure a tight leak proof joint.

OSE CLAMPS

WORM GEAR TYPE





Clamp No.	HOSE	HOSE SIZES		CLAMP DIAMETERS	
	Min.	Max.	Min.	Max.	Price
4-1207	¼ in.	3% in.	3% in.	²⁵ / ₃₂ in.	320
4-1208	3% in.	5% in.	½ in.	11/16 in.	320
4-1201	5% in.	3/4 in.	½ in.	1¼ in.	320
4-1202	1 in.	1¼ in.	13% in.	1¾ in.	34(
4-1203	1¼ in.	1¾ in.	1% in.	21/4 in.	35(
4-1209	1½ in.	2 in.	1% in.	2½ in.	350
4-1204	1¾ in.	2¼ in.	113% in.	2¾ in.	37¢
4-1205	3 in.	3¼ in.	213/16 in.	3¾ in.	430
4-1206	21/4 in.	2¾ in.	25% in.	3¼ in.	400

WORM GEAR HOSE CLAMP SERVICE ASSORTMENT

These 4 sizes fit most radiator and heater hoses-

CONTENTS:

20 4-1201

10 4-1202

10 4-1203

10 4-1204

50 Total Clamps in Display Container

PRICE \$17.00




No. 4-1255

UNIVERSAL WRAP-AROUND TYPE


Universal adjustable clamps fit hoses up to 3 in .- takes care of all car and truck requirements. Flexible straps will conform to any shape. Use to replace many individual size clamps.

4-1214 Price 10¢ 4-1215 Price 15¢



ADJUSTABLE HOSE CLAMPS

No. 4-1211



Used by leading Car and Truck Manufacturers for service. Made of high quality rolled strip steel; plated to prevent rust.

11/2" to 23/4" O. D. Hose

4-1211Price 13¢

UNIVERSAL TYPE HEATER HOSE CLAMP

No. 4-1213

One Size Fits All Heater Hose to 3/4 in. diameter

-Easy to Install -Leak Proof

Replaces:


Chevrolet No. 3696820 Buick No. 1332330 Ford No. 18572

4-1213 Price 10¢

AUTOMATIC CAR CIGARETTE LIGHTERS

AUTOMATIC CAR CIGARETTE LIGHTERS

Chrome finished Standard and Deluxe Ash-Guard Lighters and parts are quality engineered to car factory standards. Ash-Guard units have telescopic sleeve that prevents falling sparks and ashes, yet permits the lighting of cigars and pipes. Illuminated assemblies for both standard and the deluxe ash-guard style aid location of lighter at night.



A. WELL ASSEMBLY

Non-Illuminated

B. WELL ASSEMBLY

Illuminated

Standard

4-2278 6 VoltPrice \$1.45

C. LIGHTER ASSEMBLY

Non-Illuminated

Automotive

4-2271	6	Volt	Price	\$2.85
4-2272	12	Volt	Price	\$3.80

Marine

4-2298	6	Volt	Price	\$5.95
4-2299	12	Volt	Price	\$5.95

D. LIGHTER ASSEMBLY

Illuminated

Standard

4-2270	6	Volt	Price	\$3.15
			Ash-Guard	

4-2281	6	Volt	Price	\$3.85
4-2285	12	Volt	Price	\$4.15

E. HEATING ELEMENT

Rochester Lighter Type

4-2201D	12 VUILPIICE	300
4-2287	Card of 6-4-2287BPrice	\$5.88
Fits	partial production: Buick 1960-63	

Chevrolet 1955-63
Pontiac 1956-63

F. FORD ELEMENT and BEZEL

Fits all	1960-61	Fords.
----------	---------	--------

G. REGULAR POP-OUT UNIT

4-2275B	6 Volt		Price	\$ 1.70
4-2275	Card of	6-4-2275B	Price	\$10.20
4-2276B	12 Volt		Price	\$ 1.98
4-2276	Card of	6-4-2276B	Price	\$11.88

H. REGULAR HEATING ELEMENT

4-2273B	6 Volt		Price	\$1.15
4-2273	Card of	6-4-2273B	Price	\$6.90
4-2274B	12 Volt		Price	\$1.45
4-2274	Card of	6-4-2274B	Price	\$8.70

I. ASH-GUARD POP-OUT UNIT

4-2284B	12 Volt		Price	\$ 2.45
4-2284	Card of	6-4-2284B	Price	\$14.70

J. ASH-GUARD HEATING ELEMENT

4-2279B	6 Volt		Price	\$	1.60
4-2279	Card of	6-4-2279B	Price	\$	9.60
4-2283B	12 Volt		Price	\$	1.90
4-2283	Card of	6-4-2283B	Price	\$1	1.40

[†] Denotes suggested dealer net price. All other prices are suggested list prices.





















LIGHTER REPLACEMENT **ASSORTMENT**

This assortment contains 9 of the most popular B★K elements and 1 Ash-Guard pop-out unit.

Contents: 1 4-2284B

1 4-2273B

1 4-2287B 1 4-2289

6 4-2283B

.....Price \$17.03

B. LIGHTER FUSES

4-2293	Price	65¢
4-2294	Price	65¢
4-2295	Price	65¢

C. LIGHTER MOUNTING BRACKET

Adaptable to foreign as well as domestic automobiles. Mounts lighter under the instrument panel. Includes screw, nut and washer.

REPLACEMENT LIGHTER APPLICATION CHART

			ELE	MENTS	"POP-O	UT" UNITS	LIGHTER ASSEMBLIES			
MAKE	YEARS	MODELS					Illuminated		Non-	FUSE
			Standard	Ash-Guard	Standard	Ash-Guard	Standard	Ash-Guard	Illuminated Standard	
BUICK	1960-63	All	*4-2274B	*4-2283B	*4-2276B	*4-2284B				
(See BUICK SPECIAL)	1955-59	All	4-2274B	4-2283B						Panel and
	1954	All	4 00740		4.00700	4.00040		4-2285	4-2272	Rear Seat
	1953	All (Ex. Spl.)	4-2274B		4-2276B	4-2284B				Footnote
	1953	Special								Page 84
	1950-52	All	4-2273B		4-2275B	4-2279B	4-2270	4-2281	4-2271	
BUICK SPECIAL	1961-63	All	*4-2274B	*4-2283B	*4-2276B	*4-2284B		4-2285	4-2272	4-2295
CADILLAC	1956-63	All	4-2274B	4-2283B	4 007CD	4.00040				
	1953-55	All	4-2274B		4-2276B	4-2284B		4-2285	4-2272	Rear Seat, See Fuse Footnote
	1950-52	All	4-2273B		4-2275B	4-2279B	4-2270	4-2281	4-2271	Page 84
CHEVROLET	1955-63	All	*4-2274B	*4-2283B	*4-2276B	*4-2284B		4-2285	4-2272	
(See Corvair	1954	All	**4-2273B		**4-2275B	**4-2279B				
and Corvette)	1950-53	All .	4-2273B		4-2275B		4-2270	4-2281	4-2271	•••••
CHEVROLET	1955-63	All	4-2274B	4-2283B	4-2276B	4-2284B		4-2285	4-2272	
TRUCK	1950-54	All	4-2273B		4-2275B	4-2279B	4-2270	4-2281	4-2271	*************
CHRYSLER	1956-63	All	4-2274B	4-2283B	4-2276B	4-2284B	1	4-2285	4-2272	ISM IT
	1955	All	4-2273B	11-2121 - 121 1-2	4-2275B	4-2279B	4.0070	4.0001	4 0072	
	1950-54	All	4-2273B		4-2275B		4-2270	4-2281	4-2271	
COMET	1960-63	All	4-2274B	4-2283B	4-2276B	4-2284B		4-2285	4-2272	4-2294
CORVAIR	1960-63	All	*4-2274B	*4-2283B	*4-2276B	*4-2284B		4-2285	4-2272	
CORVETTE	1955-63	II AII	*4-2274B	*4-2283B	*4-2276B	*4-2284B		4-2285	4-2272	
	1954	All	**4-2273B		**4-2275B	**4-2279B	4-2270	4-2281	4-2271	
	1953	All	4-2273B		4-2275B		4-22/0	4-2201	4-22/1	
DESOTO	1956-61	All	4-2274B	4-2283B	4-2276B	4-2284B		4-2285	4-2272	
	1950-55	All	4-2273B		4-2275B		4-2270	4-2281	4-2271	
DODGE	1956-63	All	4-2274B	4-2283B	4-2276B	4-2284B		4-2285	4-2272	
	1950-55	All	4-2273B	**********	4-2275B		4-2270-	4-2281	4-2271	*********
F85	1961-63	All	‡4-2274B	4-2283B	‡4-2276B	4-2284B		4-2285	4-2272	
FALCON	1960-63	All	4-2274B	4-2283B	4-2276B	4-2284B		4-2285	4-2272	4-2294

‡Use listed Elements and Pop-outs only when original is Casco. Otherwise use Special Element 4-2289.

*Use listed Elements and Pop-outs only when original is Casco. Otherwise use Special Element 4-2287B.

**Use listed Elements and Pop-outs only when original is Casco. Otherwise use complete lighter replacement.

† Denotes suggested dealer net price. All other prices are suggested list prices.

AUTOMATIC CAR CIGARETTE LIGHTERS

REPLACEMENT

LIGHTER APPLICATION CHART (Cont.)

			ELEMENTS "POP-OUT"		UT" UNITS LIGHTER ASSEMBLIES					
MAKE	YEARS	MODELS						Illuminated	Non-	FUSE
			Standard	Ash-Guard	Standard	Ash-Guard	Standard	Ash-Guard	Illuminated Standard	
FORD	1956-63	All	4-2274B	4-2283B	4-2276B	4-2284B		4-2285	4-2272	
(See Falcon	1955	All	4-2273B		4-2275B					
and T'Bird)	1953-54	All	4-2273B		4-2275B	4-2279B	4-2270	4-2281	4-2271	4-22
	1950-52	All	4-2273B		4-2275B					
FORD TRUCK	1956-63	All	4-2274B	4-2283B	4-2276B	4-2284B		4-2285	4-2272	
	1950-55	All	4-2273B		4-2275B		4-2270	4-2281	4-2271	4-2294
HUDSON	1956-57	All	4-2274B	4-2283B	4-2276B	4-2284B		4-2285	4-2272	
	1950-55	All	4-2273B		4-2275B	4-2279B	4-2270	4-2281	4-2271	•
LARK.	1959-63	All	4-2274B	4-2283B	4-2276B	4-2284B		4-2285	4-2272	4-229
LINCOLN	1956-63	All	4-2274B	4-2283B	4-2276B	4-2284B		4-2285	4-2272	4.000
	1950-55	All	4-2273B		4-2275B		4-2270	4-2281	4-2271	4-229
MERCURY	1957-63	All	4-2274B	4-2283B	4-2276B	4-2284B		4-2285	4-2272	
(See Comet)	1956	All	4-2274B							4-22
	1950-55	All	4-2273B		4-2275B		4-2270	4-2281	4-2271	
NASH	1956-57	All	4-2274B	4-2283B	4-2276B	4-2284B		4-2285	4-2272	
(See Rambler)	1950-55	All	4-2273B		4-2275B	4-2279B	4-2270	4-2281	4-2271	
OLDSMOBILE	1953-63	All	‡4-2274B	‡4-2283B	‡4-2276B	‡4-2284B				
(See F-85)	1953-62	All	4-2289					4-2285	4-2272	
	1950-52	All	4-2273B		4-2275B		4-2270	4-2281	4-2271	
PACKARD	1956-58	All	4-2274B	4-2283B					3	
	1955	All	4-2274B		4-2276B	4-2284B		4-2285	4-2272	
	1950-54	All	4-2273B		4-2275B	4-2279B	4-2270	4-2281	4-2271	
PLYMOUTH	1956-63	All	4-2274B	4-2283B	4-2276B	4-2284B	7 2270	4-2285	4-2272	
(See Valiant)	1955	All	4-2273B		4-2275B	4-2279B				
(oco ramane)	1950-54	All	4-2273B		4-2275B	4-2270	4-2270	4-2281	4-2271	
PONTIAC	1956-63	All	*4-2274B	*4-2283B	*4-2276B	*4-2284B				
(See Tempest)	1955	All	4-2274B		4-2276B	4-2284B		4-2285	4-2272	4-229
7	1950-54	All	4-2273B		4-2275B	4-2279B	4-2270	4-2281	4-2271	,
RAMBLER	1956-63	All	4-2274B	4-2283B	4-2276B	4-2284B		4-2285	4-2272	
	1950-55	All	4-2273B	. 22003	4-2275B	4-2279B	4-2270	4-2281	4-2271	
STUDEBAKER	1956-63	All	4-2274B	4-2283B	4-2276B	4-2284B		4-2285	4-2272	
(See Lark)	1950-55	All	4-2273B		4-2275B	4-2279B	4-2270	4-2281	4-2271	4-229
TEMPEST	1961-63	All	*4-2274B	*4-2283B	*4-2276B	*4-2284B		4-2285	4-2272	4-229
THUNDERBIRD	1956-63	All	4-2274B	4-2283B	4-2276B	4-2284B		4-2285	4-2272	
	1955	All	4-2273B		4-2275B		4-2270	4-2281	4-2271	4-229
VALIANT	1960-63	All	4-2274B	4-2283B	4-2276B	4-2284B		4-2285	4-2272	

‡Use listed Elements and Pop-outs only when original is Casco. Otherwise use Special Element 4-2289. *Use listed Elements and Pop-outs only when original is Casco. Otherwise use Special Element 4-2287B.

LIGHTER FUSE APPLICATION INFORMATION

BUICK: All Panel Lighters thru 1952 and Special Series only for 1953.

BUICK and CADILLAC: Rear Seat Lighters when equipped with Bayonet Lock Fuse; Models thru 1952 and Buick Special only for 1953.

4-2294 BUICK: Panel Lighters for 1963 only.

4-2295

BUICK and CADILLAC: Rear Seat Lighters when equipped with Threaded Stud Fuse; Models thru 1963.

BUICK: Panel Lighters; Super and Roadmaster only for 1953. All Models 1954 thru 1961.
BUICK and CADILLAC: Rear Seat Lighters when equipped with Bayonet Lock Fuse;
Buick Super and Roadmaster only for 1953.
Buick Models 1954 thru 1963.
Cadillac Models 1953 thru 1963.

COLD!

OR

HOT

KEEP IT THAT WAY

FOR WORK: Farming, Construction Teams, Maintenance, Mining, etc.

FOR PLAY: Picnicking, Camping, Boating, Traveling, Fishing, Athletic Teams

PERMANENT PLASTIC INTERIOR BONDED TO GALVANIZED STEEL

Smooth, White, Permanent, Non-Toxic

Will not crack, chip, flake, peel, rust, corrode or warp.
Will not affect odor or taste of any beverage.

5 and 10 GALLONS 4-3601 5 Gallons

21 in. high, 13½ in. diameter, 10 in. top opening, 13 lbs. wgt.

Price \$13.70+

4-3602 10 Gallons

23½ in. high, 16¼ in. diameter, 10 in. top opening, 19 lbs. wgt. Price \$20.20+





Portable

WATER

COOLERS

4-3600 3 Gallons

17% in. high, 10% in. diameter, 8% in. top opening, 8 lbs. wgt. **Price** \$9.90†

- Thermo-type double wall construction with wide overlap dustproof cover.
- · Seamless, leakproof bottom.
- Sanitary, recessed push-button spigot operates with one finger and is manufactured of non-heat conducting plastic.



A. GAS CAPS

Regular Type

Highly polished stainless or chrome plated steel.

4-1102	vented	Price 70¢
		Price 70¢
4-1108	non-vented	Price 85¢
4-1114	non-vented	Price \$2.25
4-1155	vented	Price \$2.25
		Price \$2.25

B. GAS CAPS

Fenderwell Type

	ited steel.	
4-1105	vented	Price 50¢
4-1106	non-vented	Price 50¢
4-1107	vented	Price 60¢
4-1110	vented	Price 50¢
4-1112	non-vented	Price 50¢
4-1113	non-vented	
4-1153	special anti-surge vent	Price 95¢
4-1154	special anti-surge vent	Price 95¢

LOCKING TYPE GAS CAPS

C. TURN-ON KEY LOCK TYPE

Chrome plated steel with swivel hole cover, 2 keys.

4-1120	vented,	Type	$A - 1\frac{1}{2}$	in.	Price	\$2.95
4-1121	vented,	Type	B-17/8	in.	Price	\$2.95

D. PUSH-ON LOCK TYPE

Locks automatically when pushed on filler neck. Chrome plated steel, keyhole cover, 2 keys.

OHIOHIC	plated steel, Reyliole cover	, L Nojo.
4-1119	non-vented	Price \$3.20
4-1122	vented	Price \$3.35
4-1126	vented	Price \$3.20
4-1127	non-vented	
4-1128	vented	Price \$3.20
4-1129	non-vented	
4-1136	special anti-surge vent	
4-1137	special anti-surge vent	Price \$3.45
4-1157	vented	
4-1158	vented	Price \$3.75
4-1159	non-vented	Price \$3.75

E. ECONOMY GAS CAP

Universal Type

Black finish-fits all 1½ in. spouts.

4-1101 Price 30¢

F. TRUCK SAFETY GAS CAP

Stainless steel vented safety cap-complies with







ICC safety regulations requiring venting and automatic vent closing device. Fits all trucks having $1\frac{1}{2}$ in. I.D. bayonet filler necks.

	Section 1 to 1		
4-1109		Price	\$1 25

TRUCK SAFETY GAS CAPS

Saddle Tank Type

High quality cast brass caps fit all popular auxiliary gas tanks. Non-sparking—Non-corrosive. Comply with I.C.C. safety regulations. Chain and bar fasteners prevent loss. Female cap fits all 2 in. filler necks. Male cap fits all 2% in. filler necks.

G.	4-1117	Female capPrice	\$4.00
		Male capPrice	

I. RADIATOR CAP

Regular Type

Zinc pl	ated.	
4-1132	Price	45¢
4-1133		45¢

J. RADIATOR PRESSURE CAPS

Regular Type

			the second second		
4-1140	5	lbs.	pressure	Price	\$1.40
4-1141	7	lbs.	pressure	Price	\$1.40
4-1142				Price	
4-1143				Price	
4-1144	4	lbs.	pressure	Price	\$1.60
4-1146				Price	
4-1147	4	lbs.	pressure	Price	\$1.40
4-1148	7	lbs.	pressure	Price	\$1.40
4-1149	14	lbs.	pressure	Price	\$1.40
4-1151				Price	
4-1152				Price	

K. RADIATOR PRESSURE CAPS

Safety Type

Eliminate the Burn Hazard!

These pressure caps are equipped with a lever vent that will release the steam pressure through the overflow tube with a flick of the finger.

4-1190	4	lbs.	pressure	Price	\$1.85
4-1191	7	lbs.	pressure	Price	\$1.85
4-1192	14	lbs.	pressure	Price	\$1.85
4-1193	14	lbs.	pressure	Price	\$1.85
4-1194				Price	
4-1195				Price	
4-1196				Price	
4-1197			pressure		\$1.85



OIL FILLER CAPS CAP TESTERS CAP ASSORTMENTS









A. OIL FILLER CAPS

Zinc plated steel with baked enamel finish. Aluminum filter element.

4-1171	Price	\$1.35
4-1172	Price	\$1.40
	Price	

B. OIL FILLER CAPS

Replaceable Filter Element Type

A high quality chrome and enamel finished oil filler cap has a replaceable filter element. Keeps air passages clean and efficient.

4-1134	Price	\$2.75
	Price	
	Price	
4-1168	Price	\$2.60
4-1169	Price	\$2.75
	Price	

C. REPLACEABLE FILTER ELEMENTS

4-1188	Fits:	4-1138,	4-1139		
		4-1168	& 4-1187	Price	75¢
4-1189	Fits:	4-1134,	4-1169	Price	85¢

D. RADIATOR & GAS CAP

Display Merchandiser

A-1166
Metal Wall Rack Type

Contents: 2 4-1102 2 4-1128
2 4-1103 2 4-1132
2 4-1106 2 4-1142
2 4-1107 2 4-1142
2 4-1120 1 Rack

4-1166 Price \$23.80

E. OIL FILLER CAP

Counter Merchandiser

A silent selling tool attractively displaying a 4-1139 oil filler cap and its replaceable filter element.

4	-1	1	91	B	Price \$2.60









F. OIL FILLER CAP ASSORTMENT

Display Merchandiser Type

		4-1167
		Metal Wall Rack Type
Contents:	2	4-1171
	3	4-1172
	2	4-1179
	2	4-1184
	1	Rack

G. RADIATOR PRESSURE CAP ASSORTMENT

4-1167 Price \$11.80

H. OII	F	ILLER	CAP A	SSORTMI	ENT
4-1199				Price	\$22.40
	2	4-1146		2	4-1152
		4-1143		1	4-1151
	2	4-1142		2	4-1149
	1	4-1141			4-1148
Contents:	2	4-1140			
			4-1199		

		11100		
Contents:	2	4-1171		
	3	4-1172	2	4-1178
	4	4-1174	2	4-1179
	3	4-1186	1	4-1184
		Total caps-17		
4-1185			Price	\$20.20

4-1185

I. RADIATOR PRESSURE CAP AND COOLING SYSTEM TESTER

A high quality instrument designed to be used any place a regular cap can be used. Has 2 in. color-coded dial with flexible 14 in. hose. Fits long and short filler necks. Complete with metal carrying case.

4-1162	Price	S	19.95+
4-1161			5.50+
4-1164	Threaded Adapter for		
		\$	5.50+

J. RADIATOR PRESSURE CAP TESTER

Designed for testing radiator pressure caps at all pressure ranges. High quality gauge, rubber bulb and plastic tube.

4-1780 Price \$8.95†

		RADIATOR				GAS	DLINE			011	
		Reg.	Safety	Stainless		iderwell		Locking		Ba Land	
CAR AND YEAR ALLIS-CHALMERS	Reg.	Press.	Press.	Steel Reg.	Reg.	Anti Surge	Anti Surge	Press on	Turn On	Regular	Filter
1955-59 B, C, G, WC, WD, WF, M, MU		4-1141								4-1172	4-1169
B, C, G, M, MU, WC, WD, WF, D-12, 14, 17				4-1109	4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120		
AUSTIN (Eng.)										26	
1960-61 A99		4-1141		4 1102	A 110E	4-1153	4-1136	4-1128 or	4-1120		
1953-58 A30, 35, 40, 50		4-1140		4-1103	4-1105	4-1133	4-1130	4-1136	4-1120		
AUSTIN-HEALY (Eng.)							Reight.				
1958-61 3000 BN-4 6 Cyl., 100-6 6 Cyl. 1958-61 BN-1 4 Cyl., BN-2 4 Cyl.	1 2 100	4-1141				Kin J					
1958-61 Sprite BN-4 6 Cyl., BN-1 4 Cyl.,		A CHEST		4-1103			4-1136	4-1128 or	4-1120	1000	
100-6 6 Cyl., BN-Z 4 Cyl.								4-1136			
600 Series				4-1103	4-1105	4-1153	4-1136	4-1128 or 4-1136			
BROCKWAY 80, 83, 87, 88, 90, 92, 94, 128, 146										4-1172	4-1169
BUICK (See Buick Special)				Marie 1				4 4400		4 1474/0	4 4400
1962-63 AII		4-1152	4-1197	17.00	4-1110	4-1154	4-1137	4-1126 or 4-1137		4-1171(2)	4-1168
1959-61 All Pass. and '61 Sta. Wgn.		4-1152	4-1197	Emissing.	4-1113	or 4-1154	4-1137	4-1119 or		4-1171(2)	4-1168
1959-60 All Station Wagons		4-1152	4-1197		4-1154		4-1137	4-1137 4-1119 or	25-63	4-1171(2)	4-1168
								4-1137			
1957-58 All		4-1152	4-1197		4-1110	4-1154	4-1137	4-1126 or 4-1137	ar eli	4-1171(2)	4-1168
1955-56 All (Ex. Air Cond.)		4-1143	4-1191	4-1103	4-1105	4-1153	4-1136	4-1128 or	4-1120	4-1171(2)	4-1168
1955-56 All w/Air Condtioner		4-1151	4-1196	4-1103	4-1105	4-1153	4-1136	4-1136 4-1128 or	4-1120	4-1171(2)	4-1168
Late 53-54 All V/8 (Ex. Air Cond.)		4-1143	4-1191	4-1103	4-1105	4-1153	4-1136	4-1136 4-1128 or	4-1120	4-1171	4-1169
1948							4-1136	4-1136 4-1128 or	4-1120	4-1171	4-1168
Early 53 All (Ex. V/8 & Air Cond.)		4-1143	4-1191	4-1103	4-1105	4-1153		4-1136			V - 12
1940-47 AII (Ex. V/8)		4-1141		4-1103	4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1171	4-1168
1938-39 All (Ex. V/8)	4-1132			4-1103	4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1171	4-1168
BUICK SPECIAL		121								1	
1962-63 AII		4-1152	4-1197		4-1110	4-1154	4-1137	4-1126 or 4-1137		4-1171(2)	4-1168
1961 AII		4-1152	4-1197		4-1113 4-1154	or 4-1154	4-1137			4-1171	4-1168
CADILLAC											
1963 All		4-1152	4-1197		4-1113 4-1154	or 4-1154	4-1137	4-1119 or 4-1137		4-1186	4-1139
1961-62 All (Ex. Air Cond.)		4-1149	4-1192		A CONTRACTOR OF THE PARTY OF TH	or 4-1154	4-1137	4-1119 or		4-1186	4-1139
					4-1154	or 4-1154	4-1137	4-1137 4-1119 or		4-1186	4-1139
1961-62 All w/Air Cond.		4-1152	4-1197		4-11154	01 4-1134		4-1137			
1960 All (Ex. Air Cond.)		4-1149	4-1192		4-1110	4-1154	4-1137	4-1126 or 4-1137		4-1186	4-1139
1960 All w/Air Cond.		4-1152	4-1197		4-1110	4-1154	4-1137	4-1126 or 4-1137	1	4-1186	4-1139
1959 All (Ex. Air Cond.)		4-1149	4-1192			or 4-1154	4-1137	4-1119 or	Г	4-1186 or	
1959 All w/Air Cond.		4-1152	4-1197			or 4-1154	4-1137	4-1137 4-1119 or		4-1172 4-1186 or	
1949-58 All (Ex. some '56, '57 and			176-116		4-1154			4-1137		4-1172	4-1169
'58. Filler Neck not always				1						To talk	
in same position (on Gas Caps) (Ex. Air Cond.)		4-1149	4-1192		4-1107					4-1186 or	
1040 59 All w/Air Cond /Ev come /EC								4-1122		4-1172	4-1169
1949-58 All w/Air Cond. (Ex. some '56, '57 and '58. Filler Neck											
not always in same position) (on Gas Caps)	12.5	4-1152	4-1197		4-1107			4-1122	e constitution	4-1186 or	
						Market L				4-1172	4-1169
CASE (Tractor)				1						4-1186	4-1139
1961 All 530 1960-61 All 430					4-1105	4-1153	4-1136		4-1120		4-1139
1953-59 All				15/481			71075-0		7	4-1186	4-1139
All 300 Triple Range		4-1142	4-1190	1	4-1105	4-1153	4-1136		4-1120	4-1186	4-1139

			RADIATOR Reg.	Safety	Stainless	Fen	derwell	LINE	Locking		011	-			
CAR AND YEAR		Reg.	Reg.	Reg.	Reg.	Press.	The second secon	Steel Reg.	Reg. Anti Surge				Turn On	Regular	Filter
CASE (Tract		nog.	11033.	11033.	ottor neg.	Mog.	Aut. ou.go	Aller Guige	11033 011	Turn on	no Sarai	111101			
Section 19	VAC				4-1102	1911				4-1121	4-1186	4-113			
the state of the s	N. Diff.		4-1140		4-1102					4-1121	4-1186	1. 1. NO. 15. O. 15.			
430	0 to 930		4-1140								4-1100	4-113			
CHEVROLET	PASS. (See Corvair, Corvette)							A I The			THE STATE OF			
6 Cyl.							100								
	(Ex. Chev. II)		4-1149	4-1192			4-1153	4.1136	4-1128 or		4-1171	4-116			
1302-03 AII	(Ex. Gliev. 11)		4-1143	4-1132			4-1100	4-1130	4-1136	120	4-11/1	4-110			
1962-63 AII	Chev. II including 4 Cyl.		4-1149	4-1192	4-1155				4-1157	- 100	4-1171	4-116			
	(Ex. Corvair & Corvette)		4-1149	4-1192	41100		4-1153	4-1136	4-1128 or		4-1171	4-116			
1301 AII	(Lx. Corvair & Corvette)		4-1143	41132			4-1100	4-1130	4-1136		4-1171	4-110			
1960 AII	(Ex. Sta. Wgn. & Corvair					Total Par				THE THE	E X / E X				
	Corvette)		4-1149	4-1192		4-1105	4-1153	4-1136	4-1129 or	T TON	4-1171	4-116			
						10.00			4-1136	No. of the last					
1960 AII	Sta. Wgn. (Ex. Corvair)		4-1149	4-1192			4-1153	4-1136	THE STATE OF	4-1120	4-1171	4-116			
	(Ex. Corvette)		4-1149	4-1192		4-1112	r 4-1153		4-1129 or	E RANGE	4-1171	4-116			
						4-1153			4-1136						
1955-57 All	(Ex. Corvette)		4-1143	4-1191	1 1 2 3	4-1107			4-1122	1000	4-1171	4-116			
	(Ex. Corvette)	1-1-7	4-1143	4-1191		4-1107			4-1122		4-1174				
	(Ex. Corvette)		4-1142	4-1190		4-1107			4-1122		4-1174				
	51 P. G. only	1	4-1142	4-1190	4-1103	4-1105	4-1153	4-1136	4-1128 or		4-1120	4-117			
1301 02 130	or i. u. only		T 1144	4-1130	4-1103	T-1103	4-1100	4-1130	4-1126		7 1120	7 111			
1949-51 AII	(Ex. '51 P. G.)	4-1132			4-1103	4-1105	4-1153	4-1136	4-1128 or	4-1120	4-1174	-			
TO OI AII	(2 0111 0.)		I CHARLE		1 1100	1.100	4 1100	4 1100	4-1136						
1937-48 AII	The state of the s	4-1132	rage U.C		4-1103	4-1105	4-1153	4-1136	4-1128 or	4-1120	4-1173				
- TO AII			Phila.				1.100		4-1136						
1928-36 All					4-1103	4-1105	4-1153	4-1136	4-1128 or	4-1120		The second			
			N						4-1136			hall E			
8 Cyl.	A C - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	11 11 11 11	Tred to be		1	- 7.			100			11/6			
1961-63 All		1-6-6	4-1149	4-1192			4-1153	A 1120	4-1128 or	4-1120	4-1186	4-113			
1301-03 All		7 min 1	4-1143	4-1132	e-7		4-1133	4-1130	4-1136	4-1120	4-1100	4-116			
1960 AII	(Ex. Sta. Wgn.)		4-1149	4-1192		4-1105	4-1153	4-1136			4-1186	4-113			
1300 All	(Lx. Sta. Wgil.)		4-1143	4-1132		4-1103	4-1100	4-1130	4-1136		4-1100	4-119			
1960 AII	Sta. Wgn.		4-1149	4-1192		*	4-1153	4-1136	1	4-1120	4-1186	4-113			
1958-59 AII			4-1149	4-1192		4-1112		7 1100	4-1129 or	7 1120	4-1186	4-113			
1330-33 All			4-1143	4-1132		4-1153			4-1136		4-1100	4-110			
1955-57 AII			4-1143	4-1191		4-1107			4-1122		4-1186	4-113			
			4-1140	4-1131		41107			41122		41100	4110			
CHEVROLET															
1963 AII	6 Cyl.	The second second	4-1143	4-1191	4-1103*	4-1109	4-1153	4-1136			4-1174 or	4-116			
1000 411	0.01		1 1 1 1 1 0	1 1101	4 4 4 9 9 4	1		1 1100		4 4 4 4 0 0	4-1171	4 440			
	8 Cyl.		4-1143	4-1191	4-1103*	5 4 9 1		4-1136		4-1120		4-113			
	6 Cyl.		4-1143	4-1191	4-1103*			4-1136		4-1120	La Control of the Con	4-116			
1960-61 All	El Camino, Biscayne 8 Cyl.		4-1149	4-1192	4-1103*			4-1136	4-1128 or	4-1120	4-1172	4-116			
1000.01	51.0 : 5:		4 4 4 4 4 4		4.44004				4-1136		4 4 4 7 4				
1960-61 All	El Camino, Biscayne 6 Cyl.		4-1149	4-1192	4-1103*			4-1136	4-1128 or	4-1120	4-1171	4-116			
1000 C1 AU	10 00 00 50 1 00 /5								4-1136	PER CONT		H 11 17			
	10, 20, 30, 50 and 60 (Ex.					10.10					PER S	P.III.			
	Powermatic, El Camino and Biscayne)		4-1143	4-1191	4-1103*			4-1136	4-1128 or	4-1120		1700			
	biscayile)		4-1143	4-1131	4-1103			4-1130	4-1136	4-1120		PARTY.			
1959 30	, 40, 50, 60 (Ex. Power-		12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						1.100			1 10			
1303	matic, El Camino and							1.00							
	Biscayne)		4-1143	4-1191	4-1103*			4-1136	4-1128 or	4-1120					
									4-1136						
1959 All	El Camino, Biscayne 8 Cyl.	100	Er a jou		4-1103*	444	AST AND	4-1136		4-1120	4-1172	4-116			
			Lot I I S	Control of		278			4-1136			1			
1959 All	El Camino, Biscayne 6 Cyl.	no tel	1000		4-1103*			4-1136		4-1120	4-1171	4-116			
		Mark S	5 11 1						4-1136						
Late 55-58 Se	r. 13, 14, 15, 16, 18 w/o									100					
	Auto. Trans., 5100 to 5800,		4 4440	4 1101	4 4400+			4 1100	4 1100	4 1100		1			
	1500 to 4440		4-1143	4-1191	4-1103*	Hadu.		4-1136	4-1128 or 4-1136	4-1120					
10EE EQ A11	I O Cul				4-1103*			4-1136		4-1120	4-1172	4-116			
1955-58 All	l 8 Cyl.				4-1103	11374		4-1130	4-1128 01	4-1120	4-11/2	4-110			
1055 50 C	Cvl. 5100.6800				4-1103*			4-1136	4-1128 or	4-1120	4-1173				
1955-58 6	Cyl. 5100-6800			- 100	4-1103			4-1130	4-1126 01	4-1120	4-11/3	1			
1953—		100		The state of											
Early 55 A			4-1142	4-1190	4-1103*	1 7 7		4-1136	4-1128 or	4-1120	4-1173				
Luiij 00 A			- W. M.				Carter		4-1136			128			
1948-52 All	I C.O.E.		4-1142	4-1190	4-1103*	Att	· Trans	4-1136	4-1128 or	4-1120	4-1173				
TO TO OF AII						N. Tarre	PHYSE		4-1136			1			
1937-52 All	I (Ex. C.O.E.)	4-1132	144		4-1103*			4-1136	4-1128 or	4-1120	4-1173	1XMX			
				11301	21 NAVE		A THE		4-1136			1000			
1935-36 All		211 500	PALL STORES	17/15/2016	4-1103*	A PROPERTY.	Wast War	· 图 / 图 / 图 / 图 /	4-1136	4-1120	4-1173				
						ASTER .						1 8			

	A COLUMNIA		RADIATOR					DLINE			. 01	
	CAR AND YEAR	Reg.	Reg. Press.	Safety Press.	Stainless Steel Reg.	Reg.	derwell Anti Surge	Anti Surge	Locking Press On	Turn On	Regular	Filter
CHRYSLI	ER (See Imperial)	neg.	11633.	11633.	Steer Reg.	Nog.	Anti Suige	Anti Guige	TTC33 OII	Turn on	Regulai	Time:
1962-63	All (Ex. 300 and St. Wgn.)		4-1146 or 4-1151‡	4-1193 or 4-1196‡		4-1113 o 4-1154	r 4-1154	4-1137	4-1119 or 4-1137		4-1186	4-1139
1962	All Sta. Wgn.		4-1146 or 4-1151‡	4-1193 or 4-1196‡	4-1156				4-1158		4-1186	4-1139
1962	AII 300		4-1146 or 4-1151‡	4-1193 or 4-1196‡	4-1156				4-1157		4-1186	4-1139
1960-61	All (Ex. Sta. Wgn.)		4-1146 or	4-1193 or			r 4-1154	4-1137	4-1119 or		4-1186 or	4-1139 or
1957-61	All Station Wagons		4-1151‡ 4-1146 or	4-1196‡ 4-1193 or	4-1156	4-1154			4-1137		4-1172 4-1186 or	4-1169 4-1139 or
1957-59			4-1151‡	4-1196‡		4 4440	4-1154	4-1137			4-1172 4-1186 or	4-1169
	All (Ex. Sta. Wgn.)		4-1146 or 4-1151‡	4-1193 or 4-1196‡		4-1110	4-1134	4-1137			4-1100 or 4-1172	4-1169
1955-56	All w/Air Cond.		4-1151	4-1196		4-1107			4-1122	A MI	4-1186 or 4-1172	4-1139 or 4-1169
1955-56	All (Ex. Air Cond.)		4-1148 or 4-1143	4-1195 or 4-1191		4-1107			4-1122	L. Paris	4-1186 or 4-1172	4-1139 or 4-1169
1953-54	All Ex. S/W & Limo. & Air Cond.)		4-1148 or 4-1143	4-1195 or 4-1191	4-1108				4-1127		4-1186 or 4-1172	4-1139 or 4-1169
1953-54	All w/Air Cond. (Ex. Sta. and Limo.)		4-1151	4-1196	4-1108	0.00		4-1136	4-1128 or 4-1136	4-1120	4-1186 or 4-1172	4-1139 or 4-1169
1953-54	S/W & Limo. w/Air Cond.		4-1151	4-1196	4-1108		he ha		4-1127		4-1186 or	4-1139 or
1953-54	S/W & Limo. (Ex. Air Cond.)		4-1148 or	4-1195 or	4-1103			4-1136	4-1128 or	4-1120	4-1172 4-1186 or	
1952	All w/Air Cond.		4-1143 4-1151	4-1191 4-1196	4-1103			4-1136	4-1136 4-1128 or	4-1120	4-1172 4-1186 or	4-1169 4-1139 or
1952	All (Ex. Air Cond.)	20.00	4-1148 or	4-1195 or	4-1103	18,000		4-1136	4-1136 4-1128 or		4-1172	4-1169
1951	8 Cyl.		4-1143 4-1148 or	4-1191		100			4-1136	10 100	4-1172	4-1169
			4-1143	4-1195 or 4-1191	4-1103			4-1136	4-1128 or 4-1136		4-1172	4-1169
1949-51	6 Cyl.		4-1147 or 4-1142	4-1194 or 4-1190	4-1103			4-1136	4-1128 or 4-1136	4-1120	4-1186 or 4-1172	4-1139 or 4-1169
1949-50	8 Cyl.		4-1147 or 4-1142	4-1194 or 4-1190	4-1103			4-1136	4-1128 or 4-1136	4-1120	4-1186 or 4-1172	4-1139 or 4-1169
1940-48	6 Cyl.	4-1132			4-1103			4-1136	4-1128 or 4-1136	4-1120		4-1139 or 4-1169
1935-39	All				4-1103			4-1136	4-1128 or 4-1136	4-1120	4-1172	4-1103
COMET 1960-63	All		4-1149	4-1192	4-1155				4-1157		4-1186	4-1139
CORVAIR												
1963 1962	All (Ex. Greenbriar) All (Ex. Greenbriar)		Start!			4-1105	4-1153 4-1153		4-1136 4-1128 or		4-1132 4-1132	
				1 1		4-1103			4-1136		4-1132	depth.
1961-63	All Greenbiar Bus		T NA		4-1103		4-1153	4-1136	4-1128 or 4-1136	4-1120		
1961	All (Ex. Sta. Wgn., Truck & Bus)					4-1105	4-1153	4-1136	4-1128 or 4-1136		4-1132	
1960 1960	All (Ex. Sta. Wgn. & Truck)					4-1107 4-1107			4-1122 4-1122	2	4-1132	
CORVETT						41107			71122			
1963	All		4-1149	4-1192					ne d'auxi		4-1186	4-1139
1962 1956-61	All w/Fuel Inj.		4-1143 4-1149†	4-1191 4-1192†			4-1153 4-1153	4-1136 4-1136	4-1128 or	-	4-1186 4-1186	4-1139 4-1139
1955-61	All 8 Cyl. (Ex. Fuel Inj.)		4-1143†	4-1192†		Ji mit (4-1153	4-1136	4-1136 4-1128 or		4-1186	4-1139
						i del			4-1136			
1953-55	All 6 Cyl.	11/2	4-1142	4-1190		444	4-1153	4-1136	4-1128 or 4-1136		4-1171	4-1168
To 1952	All		4-1140								4-1172	4-1169
DESOTO 1960-61	All (Ex. Sta. Wgn.)		4-1146 or 4-1151	4-1193 or 4-1196		4-1113 o 4-1154	r 4-1154	4-1137	4-1119 or 4-1137		4-1186 or 4-1172	4-1139 or 4-1169
1957-61	All Sta. Wgn.		4-1146 or 4-1151	4-1193 or 4-1196	4-1156				4-1158		4-1186 or 4-1172	4-1139 or 4-1169
1957-59	All Ex. Sta. Wgn.)		4-1146 or 4-1151	4-1193 or 4-1196		4-1110	4-1154	4-1137	4-1126 or 4-1137		4-1186 or 4-1172	4-1139 or 4-1169
1955-56	All w/Air Cond.		4-1151	4-1196		4-1107			4-1122		4-1186 or 4-1172	4-1139 or 4-1169
						لـــــا					14-11/2	4-1109

CAR AND YEAR DESOTO (Cont.) 1955-56 All (Ex. Air Cond.)	Reg.	Press.		A STATE OF THE PARTY OF THE PAR		THE PERSON NAMED IN	RADIATOR GASOLINE Reg. Safety Stainless Fenderwell Locking				
		L1622.	Press.	Steel Reg.	Reg.	Anti Surge	Anti Surge	Press On	Turn On	Regular	Filter
1055.56 All (Ev Air Cond.)										The same	
1939-30 All (Ex. All Colld.)		4-1148 or 4-1143	4-1195 or 4-1191			11.13		4-1122		4-1186 or 4-1172	4-1139 4-1169
1953-54 All (Ex. Sta. Wgn. & Air Cond.)		4-1148 or	4-1195 or	4-1108	777			4-1127		4-1172 4-1186 or	4-1139
		4-1143	4-1191							4-1172	4-1169
1953-54 All Sta. Wgn.		4-1148 or 4-1143	4-1195 or 4-1191	4-1103			4-1136	4-1128 4-1136	4-1120	4-1186 or 4-1186	4-1139 4-1169
Late 1952 All (Ex. Air Cond.)		4-1148 or					4-1136	4-1128 o	r 4-1120	4-1186 or	4-1139
1949		4-1143	4-1195					4-1136		4-1172	4-1169
Early 52 All		4-1148 or	4-1195	4-1103			4-1136		r 4-1120	4-1186 or	4-1139
1939-48 AII	4-1132	4-1142	A CONTRACTOR	4-1103			4-1136	4-1136	r 4-1120	4-1172 4-1186 or	4-1169 4-1139
	4-1102			4-1103			4-1130	4-1136		4-1172	4-1169
1929-38 AII				4-1103			4-1136	4-1128 of 4-1136	4-1120	4-1186 or 4-1172	4-1139 4-1169
DIAMOND T			7.0					4-1130		4-11/2	4-1103
DIAMOND T 1937-60 Most				4-1103*			4-1136	4-1128 or	4-1120		
								4-1136			
DIVCO		y pos									
1960 AII			A Tuesday	4-1103	4-1105	4-1153	4-1136	4-1128 of 4-1136	4-1120		
1958-59 AII		4-1140		4-1103	4-1105	4-1153	4-1136	4-1128 o	4-1120		
1041.57		4 1140		4 1100	4 1105	4 1150	4 1100	4-1136		4 1100	4 1100
1941-57		4-1140		4-1103	4-1105	4-1153	4-1136	4-1128 0	r 4-1120	4-1186	4-1139
DODGE PASS. (See Lancer)	5337/33				19.4			400			
1962-63 All (Ex. Sta. Wgn.)		4-1146 or			4-1110	4-1154	4-1137	4-1126 o		4-1186	4-1139
1962-63 All Sta. Wgn.		4-1151‡ 4-1146 or	4-1196‡ 4-1193 or	4-1114				4-1137 4-1159		4-1186	4-1139
1902-05 All Sta. Wgli.	-	4-1151‡	4-1196‡	4-1114				4-1133		4-1100	4-1133
1960-61 All (Ex. Sta. Wgn. & Lancer)	ry's Wes	4-1146 or 4-1151‡	4-1193 or 4-1196		4-1113 (4-1154)	or 4-1154	4-1137	4-1119 o		4-1186 or 4-1172	4-1139 4-1169
1957-61 All Sta. Wgn. (Ex. Lancer)		4-11314 4-1146 or	4-1190 4-1193 or	4-1156	4-1134			4-1158		4-11/2 4-1186 or	4-1109
		4-1151‡	4-1196‡	Li Eli				12		4-1172	4-1168
1957-59 All (Ex. Sta. Wgn.)		4-1146 or 4-1151‡	4-1193 or 4-1196‡		4-1110	4-1154	4-1137	4-1126 4-1137		4-1186 or 4-1172	4-1139 4-1169
1955-56 All w/Air Conditioner		4-1151	4-1196		4-1107	TO THE ST	T A W	4-1122		4-1186 or	4-1138
1955-56 All (Ex. Air Conditioner)		4-1148 or	4-1195 or		4-1107	No. of the last	2011	4-1122		4-1171 4-1186 or	A 1120
1955-56 All (Ex. All Collditioner)		4-1143	4-1191		4-1107			4-1122		4-1171	4-1138
1953-54 All (Ex. Sta. Wgn. & Air Cond.)		4-1148 or	4-1195 or 4-1191	4-1108				4-1127		4-1186 or	4-1138
1953-54 All w/Air Cond. (Ex. Sta. Wgn.)		4-1143 4-1151	4-1196	4-1108				4-1137		4-1171 4-1186 or	4-1139
								Be de		4-1172	4-1169
1953-54 All Sta. Wgn. w/Air Cond.		4-1151	4-1196	4-1103			4-1136	4-1128 of 4-1136	4-1120	4-1186 or 4-1172	4-1139 4-1169
1953-54 All Sta. Wgn. (Ex. Air Cond.)		4-1148 or	4-1195 or	4-1103			4-1136	4-1128 o	4-1120	4-1186 or	4-1139
Late 1952 All (Ex. Air Cond.)		4-1143 4-1148 or	4-1191 4-1195 or	4-1103	407.11		4-1136	4-1136	r 4-1120	4-1172 4-1186	4-1169 4-1139
Late 1932 All (Ex. All Colld.)		4-1143	4-1191	4-1103			4-1130	4-1136			4-1133
1949— Early 52 All		4-1147 or 4-1142	4-1194 or 4-1190	4-1103			4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
1939-48 All	4-1132	4-1142	4-1130	4-1103			4-1136		4-1120	4-1186	4-1139
				- 4				4-1136			
1929-38 AII				4-1103			4-1136	4-1128 or 4-1136	4-1120		
DODGE (Truck)	12 302	142.44	ord vy	7.10				11100			
		4-1148 or	4-1195 or							4-1172	4-1169
1961 AII		4-1143	4-1191 4 1105 or								
1961 AII		4-1148 or 4-1143	4-1195 or 4-1191							4-1186	4-1139
1928-61 All (Ex. Under Seat & Saddle		4-1148 or	4-1195 or	4-1103*	4-1105	4-1153	4-1136	4-1128 01	4-1120	4-1186 or	4-1139
Tanks) 1960 All V/8 up to 2 Ton		4-1143 4-1148 or	4-1191 4-1195 or	2	en cris		PAN I	4-1136		4-1172 4-1186 or	4-1169 4-1139
		4-1143	4-1191							4-1172	4-1169
1957-59 AII		4-1147 or 4-1142	4-1194 or 4-1190							4-1186 or 4-1172	4-1139 4-1169
1956 All 1/2 to 2 Ton	4-1132	11172	7 1130	4 3 4 3	1831				4/1-4	4-11/2 4-1186 or	4-1109
		7 10 19 3								4-1172	4-1169
1954-55 All 1/2 to 2 Ton	4-1132									4-1186 or 4-1172	4-1139 (4-1169
1952-53 All 1/2 to 2 Ton	4-1132	3.00	Mary Indian	10,000	The last	APPEN.				4-1186	4-1139

		RADIATO	D			CASI	DLINE			011	
WALK		Reg.	Safety	Stainless	Control of the Control	nderwell		Locking		Sharrackar .	
CAR AND YEAR	Reg.	Press.	Press.	Steel Reg.	Reg.	Anti Surge	Anti Surge	Press On	Turn On	Regular	Filter
DODGE (Truck) (Cont.)	4 1100		No.					D. E.	ing and a	4 1100	4 4 4 0 0
1939-51 All	4-1132									4-1186	4-1139
1958-60 All Sta. Wgn.		4-1149	4-1192		4-1105	4-1153	4-1136	4-1128 or	4-1120	4-1186	4-1139
								4-1136			
1958-60 All (Ex. Sta. Wgn.)		4-1149	4-1192		4-1106		J. Aldi S	4-1127		4-1186	4-1139
1959 All (Ex. Sta. Wgn.)		4-1149	4-1192		4-1113 4-1154	or 4-1154	4-1137	4-1119 or 4-1137	i i a en	4-1186	4-1139
F-85	1000				4-1134			4-1137		1000	
1963 AII		4-1152	4-1197			4-1159	4-1137			4-1172	4-1169
1961-62 All		4-1152	4-1197		4-1110	4-1154	4-1137	4-1126 or		4-1186	4-1139
有关的。在自己的时间,在我们								4-1137		THE RES	4 10
FALCON									AT L		
1963 AII		4-1149	4-1192	4-1155	No.			4-1157			4-1187
1960-61 AII		4-1149	4-1192	4-1155				4-1157		4-1186 or 4-1172	4-1139 or 4-1169
FEDERAL (Truck)		1154								4-11/2	4-1103
1931-56 Most				4-1103*			4-1136	4-1128 or	4-1120		
100100 111001				7 1100			41100	4-1136	7 1120		
1942-52 35, 45, 45MPZ, 56, 65, 663,		4-1144	第7号标题		200		Sarat.			K. His	
664 1942-52 45, 55, 60, 65, 663, 664	-	4-1144			12.00		7.174		A 4 -	A 1170	1
1942-32 45, 55, 60, 65, 663, 664 1951 45MP, 45MPZ		4-1144							A STATE	4-1173 4-1173	Days 1
1945-50 35, 45		4-1144						The	Programme 1	4-1173	4
FERGUSON (Tractor)					3.63						-
1951-60 To 20, 30, 35, 50, 65, 85, 88	1,544	4-1143	4-1191			4 - 3 -				11.15	T. Sell Plan
1949-51	P-31-057	N. E. P.	THE REAL PROPERTY.	4-1103	4-1105	4-1153	4-1136	4-1128 or	4-1120	State of	55.00
	in pyka							4-1136	44.		
1940-50							- W	4		4-1178	4-1134
FIAT (Ital.)											
1960-61 All 1200 Rondette, Sedan					4-1113	or 4-1154	4-1137	4-1119 or 4-1137			
FORD PASS. (Ex. Sta. Wgn.)				7 7 7 10	4 1101	7. 7.		4 1107			
(See Falcon, Thunderbird)											
6 Cyl.	l was in					Section 1					
1963 Galaxie		4-1149	4-1192		4-1106		4-1136	4-1127		4-1184	4-1138
1962 All Galaxie		4-1149	4-1192		4-1106			4-1127		4-1184	4-1138
1962-63 All Fairlane		4-1149	4-1192		4-1110	4-1154	4-1137	4-1126 or 4-1137		4-1184	4-1138
1960-61 All after April 1960 (Ex.								4-1137			
Falcon & T'Bird)		4-1149	4-1192		4-1106			4-1127		4-1184	4-1138
1955-60 All before April 1960 (Ex.		14440						10.7			To the same
Falcon & T'Bird) 1953-54 All w/OHV		4-1149 4-1143	4-1192		4-1106 4-1106	A Part	- 13 5	4-1127		4-1179	
1953-54 All W/OHV		4-1143	4-1191 4-1191	4-1103	4-1100	-7112	4-1136	4-1127 4-1128 or	4-1120	4-1179 4-1179	23 AV
1332 All W/ Ollv		71143	41131	4-1103			4-1150	4-1136	4-1120	4-11/3	
1952 All w/L. Head		4-1143	4-1191	4-1103		THE STATE	4-1136	4-1128 or	4-1120	4-1178	4-1134
1040 F1 AU		4 1140		4 1100			4 1100	4-1136	4 4 4 4 0 0	4 1170	11-
1949-51 AII		4-1140		4-1103			4-1136	4-1128 or 4-1136	4-1120	4-1178	17,7
1937-48 AII	4-1133			4-1102			1000		4-1121		
8 Cyl.			1	12 O		100	100	12.00		11.00	18 (21)78
1963 All Galaxie	100	4-1149	4-1192		4-1106	19 (3)	4-1136	4-1127			4-1187
1962 All Galaxie		4-1149	4-1192		4-1106			4-1127		4-1186	4-1139
1962-63 All Fairlane	1	4-1149	4-1192		4-1110	4-1154	4-1137	4-1126 or		4-1186	4-1139
1960-61 AII		4-1149	4-1192		4-1106	77.77.48		4-1137 4-1127		4-1186	4-1139
1955-59 All	5 7 7 7 4	4-1149	4-1192		4-1106			4-1127		4-1172	4-1169
1954 All	7.3	4-1143	4-1191		4-1106		44135	4-1127		4-1172	4-1169
Late 1953 All	2000	4-1143	4-1191		4-1106			4-1127		4-1178	4-1134
Early 53 All		4-1141			4-1106		1	4-1127		4-1178	4-1134
1952 All		4-1141	T. BY	4-1103			4-1136	4-1128 or	4-1120	4-1178	4-1134
1949-51 AII		4-1140		4-1103		Y 1.3.1	4-1136	4-1136 4-1128 or	4-1120	4-1178	4-1134
1010-01 MII		T 1140		7-1103			4-1130	4-1126 01	4-1120	4-11/0	4-1134
1937-48 AII	4-1133			4-1102	1 300	1-10			4-1121	JAMES.	
FORD (Station Wagons)	THE STATE		L. I. S.			The state of		17 - 19 - 17			
6 Cyl.											
1963 Galaxie		4-1149	4-1192	Mar Maria	Par Teller	4-1153	4-1136			4-1184	4-1138
1963 Fairlane		4-1149	4-1192	4-1155	ALERY.		C. C. L. H. A.	4-1157	100	FERNIS.	4-1187
		The state of the state of			100 100 100	Parado and a second		The State of the S	TOTAL PORT		

	1 3263	RADIATOR		1			LINE			OIL	4 7 7 1
CAR AND YEAR	Reg.	Reg. Press.	Safety Press.	Stainless Steel Reg.	Fer Reg.	Anti Surge	Anti Curgo	Locking Proce On	Turn On	Regular	Filter
FORD (Station Wagons) (Cont.)	Reg.	Press.	Fiess.	Steel Reg.	neg.	Anti Suige	Anti Suige	FIESS OII	Turn on	Kegulai	FILES
1963 All (Ex. Fairlane)		4-1149	4-1192			4-1153	4-1136		444	4-1186	4-1138
1963 All Fairlane	The said	4-1149	4-1192			4-1155	4-1157				
1961-62 All (Ex. Falcon)		4-1149	4-1192		4-1106	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1184	4-1138
1960 All after April 1960 (Ex. Falcon)		4-1149	4-1192		4-1105	4-1153	4-1136	4-1128 or	4-1120	4-1184	4-1138
1955-60 All before April 1960		4-1149	4-1192		4-1105	4-1153	4-1136	4-1136 4-1128 or	4-1120	4-1179 or	
1953-54 AII		4-1143	4-1191		4-1105	4-1153	4-1136	4-1136 4-1128 or	4-1120	4-1184 4-1179 or	
				4 1100	71100	11100	4-1136	4-1136		4-1184 4-1179 or	
1952 All w/OHV		4-1143	4-1191	4-1103				4-1136		4-1184	
1952 All w/L. Head	Town	4-1143	4-1191	4-1103			4-1136	4-1136		4-1178	4-1134
1949-51 AII		4-1140		4-1103			4-1136	4-1128 or 4-1136	4-1120	4-1178	4-1134
8 Cyl. 1963 All (Ex. Fairlane)		4-1149	4-1192			4-1153	4-1136				4-1187
1963 All Fairlane	The last	4-1149	4-1192			4-1155		4-1157			
1963 Fairlane	NAME OF	4-1149	4-1192	4-1155	1000	MAN STATE		4-1157			4-1187
1962 AII		4-1149	4-1192			4-1153				4-1186	4-1139
1961 All	Y W	4-1149	4-1192			4-1153	4-1136	4-1136		4-1186	4-1139
1960 AII		4-1149	4-1192		4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
1955-59 AII		4-1149	4-1192		4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1172	4-1169
1954 All w/OHV	V.	4-1143	4-1191		4-1105	4-1153	4-1136		4-1120	4-1172	4-1169
Late 1953 All L. Head		4-1143	4-1191		4-1105	4-1153	4-1136		4-1120	4-1178	4-1134
Early 1953 All L. Head		4-1141			4-1105	4-1153	4-1136	4-1128 or	4-1120	4-1178	4-1134
1952 All L. Head		4-1141		4-1103			4-1136		4-1120	4-1178	4-1134
1949-51 All		4-1140		4-1103			4-1136		4-1120	4-1178	4-1134
								4-1136			
FORD (Truck)											
6 Cyl. 1963 Econoline and Ranchero		4-1149	4-1192	4-1155				4-1157		4-1187	
1963 All (Ex. Econoline and 100, 250, 600 Ranchero		4-1192	4-1149	4-1155				4-1157		4-1139	4-1186
1962 All		4-1143	4-1191	4-1103*		4-1153	4-1136	S. S		4-1186	4-1139
1961 All (Ex. Econoline)		4-1143	4-1191	4-1103*			4-1136	4-1128 or	4-1120	4-1172	4-1169
1961 All Econoline			4-1192	4-1155				4-1136 4-1157		4-1186 or	4-1139 or
1959-60 AII		4-1143	4-1191	4-1103*			4-1136		4-1120	4-1172 4-1184	4-1169 4-1138
1957-58 All (Ex. '58 Sch. Bus)		4-1143	4-1191	4-1103*			4-1136	4-1136 4-1128 or	4-1120	4-1179	
1958 All School Bus		4-1146 or		4-1103*			4-1136	4-1136			15.513
1952-56 All w/OHV		4-1151 4-1142	4-1196 4-1190	4-1103*		- 1,12	4-1136	4-1136			
		7-7-64						4-1136			4 1104
1952-53 All L. Head	3 77	4-1143	4-1191	4-1103*			4-1136	4-1136			4-1134
1951 All L. Head		4-1144		4-1103*			4-1136	4-1128 or 4-1136			4-1134
1941-50 All		4-1144		4-1102		19/14	NE G		4-1121	4-1178	4-1134
1937-40 AII	4-1133			4-1102					4-1121		915257
8 Cyl. 1963 All		4-1143	4-1191		1.11	4-1153	4-1136				
1962 All		4-1143	4-1191	4-1103*		4-1153	4-1136			4-1186	4-1139
1960-61 AII	7 4	4-1143	4-1191	4-1103*		174	4-1136		4-1120	4-1186	4-1139
1957-59 All (Ex. '58 School Bus)		4-1143	4-1191	4-1103*			4-1136	The state of the s	4-1120	4-1172	4-1169
1958 All School Bus		4-1146 or		4-1103*			4-1136	4-1128 or	4-1120	4-1172	4-1169
1952-56 All w/OHV		4-1151 4-1142	4-1196 4-1190	4-1103*			4-1136		4-1120	4-1172	4-1169
1952-53 All L. Head		4-1142	4-1190	4-1103*		Call San	4-1136		4-1120	4-1178	4-1134
				THY THE				4-1136			

			RADIATO				0400					
	NAME OF THE PARTY		Reg.	Safety	Stainless	Fer	derwell	LINE	Locking		01	
A CONTRACTOR	CAR AND YEAR	Reg.	Press.	Press.	Steel Reg.	Reg.	Anti Surge	Anti Surge		Turn On	Regular	Filter
	All L. Head		4-1144		4-1103*			4-1136		4-1120	4-1178	4-1134
1040.50	All		1 1114		4 4 4 4 4 4				4-1136	and the same of the		
The state of the s	All		4-1144	113344	4-1102				1.0	4-1121	4-1178	4-1134
The second secon	All	4-1133			4-1102 4-1102					4-1121 4-1121		
		4-1100			4-1102					4-1121		
FORD (Tre 1953-60	All (Ex. Power Major)		4-1142	4-1190		4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120		
	All 8N, 9N		4-1140			4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1178	4-1134
FORD (En 1956-61	g.) Consul, Zephyr, Zodiac		4-1141		4-1102					4-1121	4-1186 or 4-1172	4-1139 or 4-1169
1954-61	Anglia, Escort, Pref., Popular, Sq.		4-1140		4-1102					4-1121	4-1186 or 4-1172	4-1139 or 4-1169
1953-55	Consul, Zephyr		4-1140		4-1102					4-1121	4-1186 or 4-1172	4-1139 or 4-1169
FRAZER 1946-54	All	7.2				4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120		
GMC 1062	All (Ev. CD ECON)		4 11/0	4 4404	1 4444	Will Co						17.56.5756
	AII (Ex. SP-5900) AII SP-5900		4-1143	4-1191	4-1103*	2-4-1		4-1136		4-1120	4-1171	4-1168
	Most)	2 7 3 4	4-1143	4-1191	4-1103*			4-1136	4 4400	4-1120		STATES.
1937-01 (MOSt)				4-1103*			4-1136	4-1128 or 4-1136	4-1120		
1961 J	lunior Van and V-6		4-1143	4-1191					4-1130			
1960 9	910, 920, 930, 940, 950, 960,	THE TA				V2.85.3						
	(Ex. Powermatic)		4-1143	4-1191								
	S Cyl. 100, 300		4-1143	4-1191			到 有4.57					
Late 55-58 9 1953—	3, 94, 95, 96 w/Auto. Trans.		4-1143	4-1191								
Early 55 A	AII		4-1142	4-1190								
	AII C.O.E.	Jan 1990	4-1142	4-1190								
	ight Duty, All w/Rd. Draft										4-1186 or	4-1139 or
	351 to 550		yant yant				411				4-1172	4-1169
GOLIATH 1956-58 A	WI .		4-1142	4-1190	4-1103			4-1136	4-1128 or 4-1136			
HENRY J									4-1130			
A	(II	4-1132			4-1103				4-1128 or 4-1136	4-1120		
HILLMAN (1959-61 M	(Eng.)		4 1140									
1956-58 A			4-1140 4-1141									
HUDSON	National Control of the Control		4-11-41									
	ll Wasp, Hornet, Rambler				4-1155				4-1157		4-1186	4-1139
Late 54-55 Al			4-1143	4-1191					Service V	1000		Emily T
	II Jet		4-1143	4-1191		4-1107			4-1122			14.7510
1950—- Early 54 All	I (Ev. lot)		4-1141		4 4 4 4 0 0							The same
	00	4-1132	4-1141		4-1102					4-1121	4-1186	4-1139
1939-49 A		4-1132	4-1141		4-1102	7				4-1121	4-1186	4-1139
HUMBER (E			7 1171		71102					4-1121		
1959-61 A	II Super Snipe		4-1141			1250		N.Y.				
	II Hawk Ser. 1		4-1140									
	II Hawk VI		4-1141				THE REAL PROPERTY.		The state of		Saprierie	
	II Hawk IV		4-1144									
IHC (Truck 1963 Al			4-1143	4-1191	4-1155				4-1157		4-1171	4-1168
	ravelall (Ex. Scout) Il Scout, Travelall, C-100,		4-1143	4-1192	4-1103	4-1109		4-1136	4-1128	4-1120	4-1171	
	C-130		4-1143	4-1191	4-1155		14/14/4		4-1157			
1953-61 A,	, B, B-100-130, BC-165, C-100-130, DC-405, L, R, S-100-600, VCO-205, C.O.E., Metro AM-80		4-1143	4-1191	4-1103*				4-1128 or 4-1136	4-1120		
1950-61 L-	110, 120A, L, R, S, Most B-110 and some others	10							7-1130		4-1186 or	
				- 1 A							4-1172	4-1169
	adian w/1" Deep Neck 110, 120, 170, 180		4-1141								4-1172	4-1169

		RADIATOR Reg.	Safety	Stainless	For	derwell	DLINE	Locking		01	
CAR AND YEAR	Reg.	Press.	Press.	Stainless Steel Reg.	Reg.	Anti Surge	Anti Surge		Turn On	Regular	Filter
IHC (Truck) (Cont.)										Ships of	N. C
1941-50 K-6, K-7		4-1140		4-1102					4-1121		1
1938-49 D-2, 15, 30, 35, 40, K-1 to K-5, KB-1 to KB-5 (Ex. C.O.E.)				4-1103*			4-1136		4-1121		
IHC (Tractor)								4-1136			
Cub and McCormick Cub (and McCormick) A, AV,	4-1132						100				
B, BN, H, M, 300, 400, Super M-TA and Shop Mule				4-1102					4-1121		
A, AV, B, BN Shop Mule, Farmall				4-1102					4-1121	4-1186 or 4-1172	4-1139 4-1169
IMPERIAL										21 197 1	F 7 T 8
1962-63 All		4-1146 or 4-1151‡	4-1193 or 4-1196‡		4-1113	or 4-1154	4-1137	4-1119 or 4-1137		4-1186	
1961 AII		4-1146 or 4-1151‡	4-1193 or 4-1196‡		4-1113 4-1154	or 4-1154	4-1137	4-1119 or 4-1137		4-1186 or 4-1172	4-1139 4-1169
1957-60 AII		4-1146 or	4-1193 or		4-1104			4-1107		4-1186 or	
1940-56 AII		4-1151‡	4-1196‡							4-1172 4-1186 or	4-1169
	4									4-1172	4-1169
INDIANA (Truck) 1937-53 Most				4-1102					4-1121		
JAGUAR (Eng.)				4-1102					4-1121		
1960-61 3, 4, 3.8 Litres, XK-150		4-1142	4-1190	THE S					Mark at		
1957-59 3, 4, 2.4 Litres, 150		4-1140							u Turke		
Early 140 Mark VIII to Chass Nos. 811424 Rdstr., 811241 Hardtop, 817460 Conv.		4-1144									
140 Mark VIII after above Chassis Nos.		4-1140	-								
1957 3.4, 2.4 Litres; 150		4-1140		4-1103			4-1136		4-1120		
TOWN DEED								4-1136			
JOHN DEERE 435, 530, 630, 1010, 2010, 4110				4-1103			4-1136	4-1128 or 4-1136	4-1120		
L, LA, LI, M								4 1100		4-1186	4-1139
1954 1010, 2010, 4010		4-1140								-11	
Combine, and units w/44 Cooling System		4-1144				15.71					
63, 530, 435		4-1142	4-1190			Sec. 2		THE SALE	508	1	
KAISER 1955 All					4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120		
1949-54 AII		4-1142	4-1190		4-1105	4-1153	4-1136	4-1128 or	4-1120	4-1186	4-1139
1948 AII		4-1140			4-1105	4-1153	4-1136	4-1136 4-1128 or	4-1120	4-1186	4-1139
1946-47 AII					4-1105	4-1153	4-1136	4-1136 4-1128 or			
1940-47 All					4-1103	4-1133	4-1130	4-1126 01	4-1120		10.00
LANCER 1961-62 All 170, 770 Series		4-1146 or 4-1151	4-1193 or 4-1196	4-1114				4-1159		4-1186 or 4-1172	4-1139 d 4-1169
LARK			MATE E			A SALES	Total S				
1962-63 All		4-1146 or 4-1151	4-1193 or 4-1196					4-1157		4-1186	4-1139
1959-61 All (Ex. Sta. Wgn.)		4-1149	4-1192	4-1103	4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
1959-61 All Sta. Wgn.		4-1149	4-1192	4-1155	E STATE			4-1157		4-1186	4-1139
LINCOLN 1962-63 AII		4-1149	4-1192	- 1.	4-1113 c 4-1154	r 4-1154	4-1137	4-1119 or 4-1137		4-1172	4-1169
1961 AII		4-1149	4-1192		4-1113 o 4-1154	r		4-1119 or 4-1137		4-1186	4-1139
1960 All	Part of the second	4-1149	4-1192		4-1106	10,7314		4-1127		4-1186	4-1139
1959 All		4-1146 or 4-1151	4-1193 or 4-1196		4-1106			4-1127		4-1172	4-1169
1957-58 All		4-1149	4-1192	Eggen	4-1106			4-1127		4-1172	4-1169
Late 53-56 All		4-1146 or 4-1151	4-1193 or 4-1196		4-1106			4-1127	1	4-1172	4-1169

	The state of the s		RADIATOR				GAS	OLINE			01	
	CAR AND YEAR	Reg.	Reg. Press.	Safety Press.	Stainless Steel Reg.	Reg.	Iderwell	Anti Surge	Locking Proce On	Turn On	Regular	Filter
LINCOLI	N (Cont.)	neg.	11633.	11033.	Steel Reg.	weg.	Anti Suige	Anti Suige	LIESS OII	turn on	Regular	riiter
1952			4-1146 or	4-1193 or	424	4-1105	4-1153	4-1136	4-1128 or	4-1120		
Early 53			4-1151	4-1196					4-1136		- 4	4 (5)
1950-51	Cosmopolitan (Ex. Early '50)	1000	4-1143	4-1191		4-1107	44450	1 4 4 9 9	4-1122			
1950-51	All (Ex. Cosmopolitan)		4-1143	4-1191		4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120		
1949-50	All Cosmopolitan and Early '50		4-1140	1.4		4-1107			4-1122			
1949	All (Ex. Cosmopolitan and		- 1923				-12.000	The street	7 7122		F-96-57-1	
	Early '50)				4-1103	4-1105	4-1153	4-1136		4-1120	The left	
1942-48	All		4 1140		4 1100		3/297-6		4-1136	1 1 1 1 1 1		
	All		4-1140		4-1102					4-1121		
MACK 1954-55	B-43, B-61, B-63, B-70, B-71,											
1304 00	H-61, H-26T, H-63T, W-711		4-1144			1.						
1941-53	L and E Models	TELL 18	4-1144							521 - 141 B		
1941-49	EH, EHS, EJ, ENT, EJNS, LVT		4-1144									
1937-48	All, 1937 EH & EJ only				4-1102			3000	Market Se	4-1121		
MASSEY	HARRIS				100	BI ALL	19 32					
	Pony		4-1140		4-1103			4-1136		4-1120		
	22, 30, 44, 55		4-1144		100	MILE I			4-1136	100000		
	202, 204, 206		1144		4-1109			4-1136	4-1128 or	4-1120		
			Part of the	1206	4 1103	- Sept		7 1130	4-1136	4-1120		The state of the s
	Y (See Comet)			3 Jay 10	29 22 71			14572		417		1,70,700
1963	All (Ex. St. Wgn. & Meteor)		4-1149	4-1192	11 1 1 1 1	4-1106	YE YE	4-1136	4-1127			4-1187
1962	All Monterey (Ex. Sta. Wgn.)	LAE III	4-1149	4-1192		4-1106			4-1127		4-1186	4-1139
1962	All Meteor		4-1149	4-1192		4-1110	4-1154	4-1137	4-1126 or		4-1186	4-1139
1963	Meteor (Ex. Sta. Wagon)		4-1149	4-1192		4-1110	4-1154	4-1137	4-1137		4 1107	
1963	St. Wgn. (Ex. Meteor)		4-1149	4-1192	4-1155	4-1110	4-1134	4-1137	4-1126 4-1157		4-1187 4-1187	
1962	All Monterey Sta. Wgn.		4-1149	4-1192	4-1100		4-1153	4-1136	4-113/		4-1186	4-1139
1963	All Meteor Sta. Wgn.		4-1149	4-1192			4-1153	4-1136	4-1127		4-1187	4-1103
1961	All (Ex. Sta. Wgn.)		4-1149	4-1192	400	4-1106	* 193		4-1127		4-1186 or	4-1139 or
1.00											4-1172	4-1169
1961	All Sta. Wgn.		4-1149	4-1192		4-1105	4-1153	4-1136	4-1128 or	4-1120	4-1186 or	4-1139 or
1960	All Sto. Wan	7-	4-1149	4 1102	4 1114				4-1136		4-1172	4-1169
1900	All Sta. Wgn.		4-1149	4-1192	4-1114				4-1159		4-1186 or 4-1172	4-1139 or 4-1169
1960	All (Ex. Sta. Wgn.)		4-1149	4-1192		4-1113	r 4-1154	4-1137	4-1119 or		4-1186 or	4-1139 or
			-	1		4-1154	SWEE		4-1137		4-1172	4-1169
1959	All		4-1146 or	4-1193 or			r 4-1154	4-1137	4-1119 or		4-1186 or	4-1139 or
1956-58	All (Ex. St. Wgn.)		4-1151 4-1146 or	4-1196		4-1154			4-1137	71.44	4-1172	4-1169
1930-36	All (Ex. St. Wgll.)		4-1146 UT	4-1193 or 4-1196		4-1106			4-1127		4-1186 or 4-1172	4-1139 or 4-1169
Late 53-58	B All St. Wgn.		4-1146 or	4-1193 or	4-1103	4-1105	4-1153	4-1136	4-1128 or	4-1120	4-1186 or	4-1139 or
			4-1151	4-1196					4-1136		4-1172	4-1169
Late 53-55	All (Ex. Sta. Wgn.)		4-1146 or	4-1193 or	4-1108	4-1106			4-1127		4-1186 or	4-1139 or
1951			4-1151	4-1196		501 A.C.					4-1171	4-1169
Early 53	All		4-1141		4-1103	4-1105	4-1153	4-1136	4-1128 or	4-1120	4-1186 or	4-1139 or
							7 1100	4.100	4-1136	4 1120	4-1172	4-1169
1949					1						To the last	
Early 50	All		4-1140		4-1103	4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1178	4-1134
Late 1950	All		4-1140	National Control	4-1103	4-1105	4-1153	4-1136	4-1136 4-1128 or	4-1120	4-1186 or	4-1139 or
Edit 1500			/ 1140		4-1103	4-1103	4-1100	4-1130	4-1136	4-1120	4-1172	4-1169
1948	All	4-1133		6-1-1-5-1	4-1102		And the second	and the state of the		4-1121	of salepie	Carrier and
1942-47	All		4-1144		4-1102	4-1105	4-1153	4-1136	4-1128 or	4-1121	-	
							196		4-1136		4 G 1 G 1	
METROPO 1954-60		Sylvin	4-1141		4 1102			A 1100	A 1100 -	A 1100		
1334-00	All		4-1141		4-1103			4-1136	4-1128 or 4-1136	4-1120		
MG					1.8 6.7	Chest say	BEE		41100			
	TF, MGA, 1600 Magnette	4-1141					The same					
MINNEAR	POLIS-MOLINE (Tractor)			WATER.	in Ugo.	Street St.	74-14-21	10 NO			- (E-1) - A2	Transaction of the Control of the Co
	Jet Star, 4 Super, M5		4-1141	N to	4-1103		No. of the last	4-1136	4-1128 or	4-1120	4-1186 or	4-1139 or
	All ME				11100	District of the	- 11 - 11		4-1136		4-1172	4-1169
	All M5		() () () () () ()		4-1103	19.4		4-1136	4-1128 or 4-1136	4-1120		
MODDIC	MINOR (Tractor)			944		3.14.71	55 ()		4-1100			Marie Name
1953-57	1000 and OHV		4-1140			4-1107	MAN		4-1122			
1953-57	Oxford and Mini Minor		4-1140			4-1107	37777		4-1122			1. 200
1953-57	Mini Minor 850				4-1103		100	4-1136	4-1128 or	4-1120		10000
		Language and						San San	4-1136			

		RADIATOR Reg.	Safety	Stainless	Fe	nderwell	DLINE	Locking		01	
CAR AND YEAR	Reg.	Press.	Press.	Steel Reg.	Reg.		Anti Surge		Turn On	Regular	Filter
NASH (See Rambler) 1956-57 All		4-1148 or 4-1143	4-1195 or 4-1191								
1955-57 All (Ex. Dipstick on Cap)		4-1143	4-1131						1.0	4-1186 or	4-1139
1952-57 All w/Air Cond.		4-1141	4-1196							4-1172	4-1169
1952-55 Statesman & Amb. (Ex. Air Cond.)		4-1143	4-1191		4-1107	Send to		4-1122			
1949-51 AII		4-1142	4-1180	4-1103	4-1105	4-1154	4-1136	4-1128 or 4-1136	4-1120		
OLDSMOBILE (See F-85)					102			4-1130			
1963 AII		4-1152	4-1197		1 4 4 4 4 5	4-1154	4-1137				4-1187
1962 All	L'ATT	4-1152	4-1197		4-1110	4-1154	4-1137	4-1126 or 4-1137		4-1186	4-1139
1961 All		4-1152	4-1197			4-1154	4-1137	4-1126 or 4-1137		4-1186 or 4-1172	4-1139 4-1169
1960 All w/Air Cond.		4-1152	4-1197		4-1110	4-1154	4-1137	4-1126 or 4-1137		4-1186 or 4-1172	4-1139 (4-1169
1960 All (Ex. Air Cond.)		4-1149	4-1192		4-1110	4-1154	4-1137	4-1126 or		4-1186 or 4-1172	4-1139 4-1169
1959 All w/Air Cond.		4-1152	4-1197		4-1110	4-1154	4-1137	4-1126 or		4-1172	4-1139
1959 All (Ex. Air Cond.)		4-1149	4-1192		4-1110	4-1154	4-1137	4-1137 4-1128 or		4-1186	4-1139
1957-58 All w/Air Cond.		4-1152	4-1197		4-1105	4-1153	4-1136	4-1137 4-1128 or	4-1120	4-1186	4-1139
1957-58 All (Ex. Air Cond.)		4-1149	4-1192		4-1105	4-1153	4-1136	4-1136 4-1128 or	4-1120	4-1186	4-1139
1949-56 All 8 Cyl. and '48 98		4-1143	4-1191		4-1105	4-1153	4-1136	4-1136 4-1128 or			4-1139
1949-50 All 6 Cyl.			4-1191		HALL C	No.		4-1136			
		4-1143			4-1105	4-1153	4-1136	4-1128 or 4-1136			4-1139
1948 AII		4-1142	4-1190		4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
1941-47 AII		4-1140			4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	200	
OLIVER 1960-61 500, 770, 880, 1800		4-1140		4-1102					4-1121		
1947-60 AC, AD, ADZ, AG, BG, CG, DD, DG, ED, EDZ, FD, FG, HD,	1000			7 1102					71121		
880, 770, 550, 1800										4-1186	4-1139
1947-54 AC, AD, ADZ, AG, BG, CG, DD, DG, ED, EG, FD, FDZ, HD,											
880, 770 All 770, 880, 1800		4-1142	4-1190	4-1102					4-1121		
OPEL Delegad (Come)	126	4 1140	4 4 4 4 0 0	4.4400					14.7		
Rekord (Some)		4-1142	4-1190	4-1103			4-1136	4-1128 or 4-1136			
Olympia (Some)	14	4-1143	4-1191	4-1103	E.F.	eus il	4-1136	4-1128 or 4-1136	4-1120		
PACKARD	R-21					1000					
1957-58 AII		4-1146 or 4-1151	4-1193 or 4-1196		4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
1955-56 All w/Air Cond.		4-1146 or 4-1151	4-1193 or 4-1196		4-1107			4-1122		4-1186 or 4-1172	4-1139 o 4-1169
1955-56 All (Ex. Air Cond.)	V-T-R	4-1143	4-1911		4-1107			4-1122	Propaga	4-1186 or 4-1172	4-1139 o 4-1169
1950-54 AII		4-1141		Thus.	4-1107			4-1122		4-1186 or	4-1139 o
1941-49 110, 115, 120		4-1141			4-1105	4-1153	4-1136	4-1128 or	4-1120	4-1172 4-1186 or	4-1169 4-1139 o
1941-49 All (Ex. 110, 115, 120)		4-1141		4-1103		Andrea S	4-1136	4-1136 4-1128 or	4-1120	4-1172 4-1186 or	4-1169 4-1139 o
1937-40 AII	4-1132			4-1102				4-1136		4-1172	4-1169
1931-40 Large Models			St. 12-4-1	4-1102							
1931-40 Small Models				4-1103	15.5		4-1136	4-1128 or 4-1136	4-1120		
PLYMOUTH (See Valiant)			KIN E		MAG	- 1,557	V-1774				
1963 All (Incl. Sta. Wgn.)		4-1146 or 4-1151	4-1193 or 4-1196			r 4-1153	4-1137	4-1119 or		4-1186	4-1139
1962 All (Ex. Sta. Wgn.)	10000	4-1146 or	4-1193 or		4-1154 4-1110	4-1154	4-1137	4-1137 4-1126 or		4-1186	4-1139
1962 All Sta. Wgn.		4-1151‡ 4-1146 or	4-1196‡ 4-1193 or		4-1154			4-1137 4-1159		4-1186	4-1139
		4-1151‡	4-1196‡				R. T. VALLE	100			

		-	DADUATOR				0400	LINE			011	
			RADIATOR Reg.	Safety	Stainless	Fend	derwell	LINE	Locking		011	
	CAR AND YEAR	Reg.	Press.	Press.	Steel Reg.		Anti Surge	Anti Surge		Turn On	Regular	Filter
PLYMOU 1960-61	ITH (Cont.) All (Ex. Sta. Wgn.)		4-1146 or 4-1151‡	4-1193 or 4-1196‡		4-1113 o 4-1154	r 4-1154	4-1137	4-1119 or 4-1137		4-1186	4-1139
1957-61	All Sta. Wgn.		4-1146 or 4-1151‡	4-1193 or 4-1196‡	4-1156	4-1134			4-1158		4-1186 or 4-1172	4-1139 or 4-1169
1957-59	All (Ex. Sta. Wgn. & Suburban)		4-1146 or 4-1151‡	4-1193 or 4-1196‡		4-1110	4-1154	4-1137	4-1126 or 4-1137		4-1186 or 4-1172	4-1139 or 4-1169
1955-56	All		4-1148 or 4-1143	4-1195 or 4-1191		4-1107			4-1122		4-1186 or 4-1172	4-1139 or 4-1169
1953-54	All (Ex. Sta. Wgn.)		4-1148 or 4-1143	4-1195 or 4-1191	4-1108				4-1127		4-1186 or 4-1172	4-1139 or 4-1169
1953-54	All Sta. Wgn.		4-1148 or 4-1143	4-1195 or 4-1191	4-1103	4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1186 or 4-1172	4-1139 or 4-1169
Late 51-5	2 AII		4-1148 or 4-1143	4-1195 or 4-1191	4-1103	4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1186 or 4-1172	4-1139 or 4-1169
1949— Early 51	All		4-1148 or 4-1143	4-1195 or 4-1191	4-1103	4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1186 or 4-1172	4-1139 or 4-1169
1939-48	All	4-1132	71110	41131	4-1103	4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1186 or 4-1172	4-1139 or 4-1169
	(See Tempest)		14450	4.4407			4.4450	4.4400				
1963 1962	All (Incl. Sta. Wgn.) All (Ex. Sta. Wgn.)		4-1152 4-1149	4-1197 4-1192		4-1105	4-1153 4-1153	4-1136 4-1136	4-1128 or		4-1171 4-1171(2)	4-1168
1962	All Sta. Wgn.	S EWIS	4-1149	4-1192	NO PROPERTY		4-1153	4-1136	4-1136		4-1171(2)	4-1168
1961	All (Ex. Sta. Wgn. & Air Cond. & Tempest)		4-1149	4-1192		4-1112 o 4-1153	r		4-1129 or 4-1136		4-1171(2)	4-1168
1961	All w/Air Cond. (Ex. Sta. Wgn. & Tempest)		4-1152	4-1197		4-1112 o 4-1153	r		4-1129 or 4-1136		4-1171(2)	4-1168
1961	All Sta. Wgn. (Ex. Air Cond. & Tempest)		4-1149	4-1192			4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1171(2)	4-1168
1961	All Sta. Wgn. w/Air Cond. (Ex. Tempest)		4-1152	4-1197			4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1171(2)	4-1168
1958-60	All w/Air Cond.		4-1152	4-1197		4-1112 o 4-1153	r		4-1129 or 4-1136		4-1171(2)	4-1168
1958-60	All (Ex. Air Cond.)		4-1149	4-1192		4-1112 o 4-1153	Г		4-1129 or 4-1136		4-1171(2)	4-1168
1957	All w/Air Cond.		4-1152	4-1197		4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1171(2)	4-1168
1957	All (Ex. Air Cond.)		4-1149	4-1192		4-1105	4-1153	4-1136	4-1128 or 4-1136		4-1171(2)	4-1168
1955-56	All		4-1143	4-1191		4-1105	4-1153	4-1136	4-1128 or 4-1136		4-1171(2)	4-1168
1951-54	All		4-1143	4-1191		4-1105	4-1153	4-1136	4-1128 or 4-1136		4-1186	4-1139
1949-50	All		4-1142	4-1190		4-1105	4-1153	4-1136	4-1128 or 4-1136		4-1186	4-1139
1941-48	All		4-1140			4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
RAMBLE				1		7.7		E. P.A.	STREET, STREET			
1963	Classic and Ambassador		4-1151	4-1196	11.11	4 4455			4 4457		4-1186	
1963	American		4-1151	4-1196 4-1196	A 11EE	4-1155		-	4-1157 4-1157		4-1186	
1962 1961-62	All w/Alum. 6 & Rebel V/8		4-1151	4-1130	4-1155				4-1157	- Y55 #	4-1186	4-1139
1951-62	w/o Dip Stick Oil Cap		4-1151 4-1151	4-1196 4-1196	4-1155 4-1155				4-1157		4-1186 or	4-1139 or
1955-57	All w/Air Conditioner		4-1151	4-1196	4-1155				41157		4-1172 4-1186 or	4-1169 4-1139 or
1953-57	All (Ex. Air Cond.)		4-1148 or	4-1195 or	4-1155				41157		4-1172 4-1186 or	4-1169 4-1139 or
1952	All		4-1143 4-1143	4-1191 4-1191					Anny Ware L	245	4-1172	4-1169
1950-51	All		4-1142	4-1190		West.		(T-1 (1) (1) (1)	2 (1)	1	Miss of the last	
RENAULT	(Fr.)		Wash.	R. K. L. H								
1961	Daupine, 4CB, Caravelle		4-1142	4-1190		MA I			i e sici			
1955-60	Dauphine		4-1140			4-1110	4-1154	4-1137	4-1126 or 4-1127			
1955-60	750C.C, Dauphine, 4CV		4-1140				Text of the					
REO 1958-60	Some				4-1102		100 A			4-1121		
00				TO STATE OF THE PARTY OF THE PA								

		L. Carlot	RADIATOR	Safety	Stainless		nderwell	OLINE	Laskins		01	_
	CAR AND YEAR	Reg.	Reg. Press.	Press.	Stainless Steel Reg.	Reg.		Anti Surge	Locking Press On	Turn On	Regular	Filter
REO (Con												
1958-60	Some				4-1103*			4-1136	4-1128 or 4-1136	4-1120		1
1945-57	21, 22, 23, 25, E, F and others	ette-			4-1102		WHI.			4-1121		
1945-57	19, 20, Gold Comet, Super V				4-1103*	SAVE:		4-1136	4-1128 or 4-1136	4-1120		
1945-57	Gold Comet 6 Cyl., 19, 20, 21, 22, 23, 25, E, F								4-1130		4-1186 or 4-1172	4-1139
1945-56	19, 20, Super V		4-1140								4-11/2	
1945-56	21 22, 23, 25, E, F, Gold Comet 6 Cyl.		4-1144									
1937-44	Some	1 (in 11)			4-1102					4-1121	V-46.6	
1937-44	Some				4-1103	4-1105	4-1154	4-1136	4-1128 or 4-1136	4-1120		
SAAB (S	weden)	155		E. B.		2015						8.0
1960-61	93, 95, 96		4-1140		4-1103			4-1136	4-1128 or 4-1136	4-1120		
SIMCA 1956-60	Aronoe 1300		4-1142	4-1190								
1956-58	Trianon, Versailles, Regence, (After April '56)		4-1143	4-1191						Kitt		
STUDEB4	AKER PASS. (See Lark)		7 1140	T 1131					100			
1963	Lark		4-1151	4-1196		4-1155			4-1157		4-1186	
1963	Lark		4-1151	4-1196			4-1153	4-1136			4-1186	1.36
1963 1962	Lark		4-1151	4-1196		4 110E	4-1153	4-1136		4 1100	4 1100	4 1100
	All		4-1146 or 4-1151	4-1193 or 4-1196		4-1105	4-1153	4-1136		4-1120	4-1186	4-1139
1956-61	All (Ex. Lark)		4-1151	4-1196	4-1103	4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
1955	All Late Comm.		4-1151	4-1196	4-1103	4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
1955	All Early Comm.		4-1141		4-1103	4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
1952-54	All		4-1141		4-1103	4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
1941-51	(4-1132 when req.)		4-1140		4-1103	4-1105	4-1153	4-1136	4-1128 or	4-1120	4-1186	4-1139
1941-51	(4-1140 when req.)	4-1132							4-1136			
1941-51	All				4-1103	4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
1928-40	All				4-1103	4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120		
	KER (Truck)								1500			
1961	All		4-1151	4-1196	4-1103*			4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
1955-60	All		4-1143	4-1191	4-1103*			4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
1947-54	All		4-1140		4-1103*			4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
1941-46	All	4-1132	T) in	e Diver	4-1103*			4-1136	4-1128 or 4-1136	4-1120	4-1186 or 4-1172	4-1139
1937-40	All			4000	4-1103*			4-1136	4-1128 or 4-1136	4-1120	1.47.19	
SUNBEA									4-1130			
	Alpine, Talbot		4-1141	S L Rain					-			
1959	M RAPIER	144	4-1140									
1951-57	Mark II and III		4-1144									
TAUNUS		No Design	A STATE					Carrier.		3254.0		
1957-60	Most	F 49.3			4-1103			4-1136	4-1128 or 4-1136	4-1120		
TEMPEST 1963	St. Wgn.		4-1152	4-1197		4-1106		4-1136	4-1127		4.1171	4-1168
	All (Ex. '63 Sta. Wgn.)		4-1152	4-1197		4-1110	4-1154	4-1137	4-1126 or 4-1137		4-1171 4-1171	4-1168
THUNDER	BIRD	1,5							71107	es julio v		
1963	All		4-1149	4-1192			4-1154		4-1126 or 4-1137			

		RADIATOR		04:11			OLINE	Looking		01	
CAR AND YEAR	Reg.	Reg. Press.	Safety Press.	Stainless Steel Reg	Reg.	nderwell Anti Surge	Anti Surge	Locking Press On	Turn On	Regular	Filter
THUNDERBIRD (Cont.)	REE.	FIESS.	F1633.	Steel neg	neg.	Auti Suige	And Suige	11033 011	Turn on	regulai	inc.
1959-60 AII		4-1149	4-1192		4-1153	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
1955-58 AII		4-1149	4-1192		4-1105	4-1153	4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
TRIUMPH (Eng.)								N. 177-32			
1960-61 Herald 40 H.P., 50 H.P.		4-1143	4-1191	SVISI, SI	100	E 7/15/15		H. C.			
1960-61 With Special Head		4-1142	4-1190				- 1 2				
1958-61 w/Regular Cyl. Head TR3										4-1186 or 4-1172	4-1139
w/Spec. Cyl. Head TR3		146.13				1 de la 1				4-1171	4-1168
Herald 40 H.P., 50 H.P.										4-1186	4-1139
1953-59 TR-2, TR-3, Sedan & Sta. Wgn.		4-1140									
VALIANT 1960-63 AII V-100, V-200		4-1146 or 4-1151	4-1193 or 4-1196	4-1114				4-1159		4-1186	4-1139
VAUXHALL (Eng.) 1957-60 Victor				4-1103	4-1105	4-1153	4-1136	4-1128 or	4-1120		
1307 00 110101		18,75	15000			9		4-1136		XxXXXXV	- N. N.
1957-58 Victor PA.		4-1142	4-1190		A	377.50					
VOLKSWAGEN (Ger.) 1960-61 AII (Ex. Pass.)				4-1103		4-1153	4-1136	4-1128 or 4-1136	4-1120		
1960 AII		BACK!								4-1172	4-1169
VOLVO (Sweden) 1958-60 P-4400, 4450, 8300, 1200, 1900, 13400		4-1140									
L-220, 230, 245, 3850, 3950		4-1144	- N. S. Z					PERSON		The second	
WHITE (Truck) 1961 1500T Compact		4-1143	4-1191	4-1103*			4-1136	4-1128 or 4-1136	4-1120		
1944-60 WA, WB, 700, 800, WC-14 to 29, 3000, 9000 ECT.				4-1102					4-1121		
1951-60 Most		4-1144								4-1186 or 4-1172	4-1139
WILLYS 1961 All FC-150-170		4-1149	4-1192	4-1103*			4-1136	4-1128 or 4-1136	4-1120		
1960-61 w/Hurricane Eng. (Ex. CJ & DJ)				4-1103*	2 - 20 A)		4-1136	4-1128 or 4-1136	4-1120	4-1186	4-1139
1945-61 All (Ex. CJ & DJ Models)				4-1103*			4-1136	4-1128 or 4-1136	4-1120	Yes ayo	70 P
1945-61 All CJ & DJ				4-1102					4-1121		
1952-60 All (Ex. '54-55 Aero FC-150, 170)		4-1143	4-1191		19.5						2 X
1950-59 All w/Hurricane Eng. (Ex. CJ & DJ)				4-1103*			4-1136	4-1128 or 4-1136	4-1120	4-1186 or 4-1172	4-1139 or 4-1169
1952-56 All Aero				4-1103*			4-1136	4-1128 or 4-1136	4-1120		
1954-55 Aero	No.	4-1142	4-1190		HHA	N. P.		12 K	Y In	WALLEY.	
1951 CJ-3A (7 lbs. Press.)		4-1143	4-1191			5.758					
1951 All (Ex. CJ-3A) 4 lbs. Pressure		4-1142	4-1190		NA B	100		"东位"		Link	
1948-50 All (Ex. CJ Models) 4 lbs. Pressure		4-1140									
1945-48 CJ-2A	4-1133		1			Acces to	151633				3638

^{*}For ICC Approved Cap use 4-1109

LICENSE PLATE FRAME **Competitive Type** Chrome plated, adjustable type. 3-4916 Price \$1.50 **B. LICENSE PLATE FRAME Competitive Type** A standard non-adjustable, chrome plated frame. 12 in. long x 61/4 in. high. 3-4998 Price \$1.75 LICENSE PLATE FRAME **High Quality Type** Our best quality frame has chrome plated finish and backing plate. Plastic window protects license plate. Fits all cars. 121/4 in. long x 61/4 in. wide. 3-4997 Price \$4.00 D. LICENSE PLATE HOLDERS Quick change holders are fabricated of steel wire springs with cast brass or steel fasteners. 3-4996 Brass fasteners Price 75¢ 3-4999 Steel fasteners Price 50¢ LICENSE PLATE BRACKETS E. 3-4951 Adjustable type-clamps on front bumper of late Price \$1.80 model cars. F. 3-4954 Adjustable for cars and trucks using front gravel guard installation Price 93¢ TAIL PIPE EXTENSIONS Straight Tube Type All chrome plated 3-44 For round tail pipes, 2½ in. O.D. x 7 in. Price \$2.00 H. 3-46 For all tail pipes from 1% in. to 21/4 in. .. Price \$2.40 3-47 Fits all tail pipes, length 12 in. ... Price \$1.95 **BUMPER-EXHAUST EXTENSION** BUMPEREX A uniquely designed extension-gives the illusion of passing through the bumper. Constructed of heavy steel with a triple chrome plating. Special bracket eliminates hole drilling. Fits most bumpers (except Studebaker) right or left side. 3-49 Price \$4.95 DOWNDRAFT EXTENSION K. A chrome plated extension designed to vent exhaust gases downward. Long opening reduces back pressure. Dimensions—2 in. dia. x 9 in. length. 3-40 Price \$1.80 **COMPACT CAR EXTENSION** High quality chrome plated extension with a unique overall curve design. Fits all compact cars and others, too. Overall length 6 in. Fits tailpipes from 1¼ in. dia. to 1¾ in. dia.

Price \$1.75



BALKAMP

Battery Hold-downs
Battery Wing Nuts and Washers




A. BATTERY HOLD-DOWN

Molded Plastic Type

Impervious to acids and not affected by temperature changes. Flexible. See application charts for correct hold-down.

3-4546Price \$2.50	3-4557Price \$1.50	3-4571Price \$2.00	3-4582Price \$3.00
3-4547Price \$2.00	3-4558Price \$1.50	3-4572 Price \$3.00	3-4584Price \$2.00
3-4548Price \$3.00	3-4562 Price \$3.00	3-4573Price \$2.00	3-4585Price \$2.00
3-4549Price \$3.00	3-4563Price \$3.00	3-4574Price \$2.00	3-4586Price \$5.00
3-4550Price \$1.50	3-4564Price \$3.00	3-4575Price \$3.00	3-4587Price \$2.00
3-4551Price \$1.50	3-4565Price \$3.00	3-4576Price \$3.00	3-4588Price \$2.00
3-4552 Price \$1.50	3-4566Price \$1.50	3-4577 Price \$3.00	3-4589Price \$3.00
3-4553Price \$1.50	3-4567Price \$1.50	3-4578Price \$2.00	3-4590Price \$3.00
3-4554 Price \$1.50	3-4568Price \$2.00	3-4580Price \$5.00	3-4596Price \$3.00
3-4555Price \$1.50	3-4569Price \$2.00	3-4581Price \$5.00	3-4597 Price \$3.00
3-4556Price \$1.50	3-4570Price \$2.50		



B. BATTERY HOLD-DOWN

Plastic coated steel brackets-adjustable to any size or shape, 6 to 12 volt battery.

3-4595 Price \$1.98

C. BATTERY HOLD-DOWN

Plastic Coated Steel Rod Type

Will not corrode, peel or crack, impervious to acids and temperature changes. Movable clips can be installed in any position. See application chart for correct hold-down.

3-4535	Price	\$2.00	3-4541	Price	\$2.00
3-4536	Price	\$2.00	3-4542	Price	\$2.00
3-4537	Price	\$2.00	3-4543	Price	\$2.00
3-4539	Price	\$2.00	3-4544	Price	\$2.00
3-4540	Price	\$2.00			

D. WING NUT and WASHER SET

Each set contains 2 plastic wing nuts and 8 plastic washers. See application chart for correct set.

3-4594 Price \$1.00

BATTERY HOLD-DOWNS, WING NUTS & WASHERS PASSENGER CAR APPLICATION

Car - Year		Solid Plastic C Hold Down	Plastic covered Stee Rod Type	l Wing Nut Set
BUICK (Se	ee Buick Special)			100
1963 1959-62	All (Ex. Spec.) All (Ex. 61 Spec.)	3-4597 3-4577	3-4539	3-4594 3-4594
1958	All	3-4562	3-4542	3-4594
1955-57	All	3-4564	3-4539	3-4594
1953-54	All	3-4562	3-4542	3-4594
1938-54	All	3-4558	3-4542	3-4594
BUICK SP	ECIAL			
1963	All	3-4574		3-4594
1961-62	All	3-4546	3-4535	3-4594
CADILLAC				
1958-63	All	3-4577	3-4539	3-4594
1957	All .	3-4576	3-4539	3-4594
1954-56	All	3-4565	3-4542	3-4594
1953	All		3-4542	3-4594
1950-52	All		3-4540	3-4594
1942-49	All	3-4555	3-4540	3-4594
CHEVROLI	ET (See Corvair)			
1962-63	All	3-4587	3-4540	3-4594
1961	All	3-4584	3-4540	3-4594
1960	All	3-4587	3-4540	3-4594
1959	All	3-4584	3-4540	3-4594
1957-58	All	3-4574	3-4540	3-4594

		Solid Plastic C	Plastic overed Steel	Wing Nut
Car - Year		Hold Down	Rod Type	Set
CHEVROLET	(cont.)	15 15 15		No.
1955-56	All	3-4568	3-4540	3-4594
1940-54	All	3-4551	3-4535	3-4594
CHRYSLER			1	
1961-63	All N.Y. & Imperial	3-4570		
1961-63	All Windsor, Saratoga, Newport			
	& 300	3-4569		1000
1960	All Windsor & Imperial	3-4569	- All the	
1959	All	3-4570	3-4540	-
1958	All (Ex. New Yorker)	3-4569	3-4540	
1956-58	All Imperial & New Yorker	3-4570		
1950-55	All	3-4557	3-4540	
1947-49	All	3-4556	3-4540	The said
1938-41	All	3-4554	3-4540	
1933-37	All	3-4550		100
COMET		-1		
1961-63	All	3-4589	3-4544	3-4594
CORVAIR		31/2011		
1961-63	All	3-4547	3-4543	3-4594
1960	All	3-4588	3-4543	3-4594
DESOTO				
1958-61	All	3-4569	3-4540	
1956-57	All	3-4570	3-4540	

BATTERY HOLD-DOWNS, WING NUTS & WASHERS (CONT.)

Car - Year		Solid Plastic Hold Down	Plastic Covered Steel Rod Type	Wing Nu Set
DESOTO (Cont.)			
1950-55	All	3-4557	3-4540	
1947-49	All	3-4556	3-4540	
1938-41	All	3-4554	3-4540	
1933-37	All	3-4550	3-4540	
DODGE (Se	ee Lancer)			
1962-63	880	3-4570		
1956-63	All (Ex. 880)	3-4569	3-4540	
1950-55	All (Ex. 6 Cyl. w/PF)	3-4553	3-4535	
1954-55	All 6 Cyl. w/PF	3-4553	3-4540	
1947-49	All	3-4552	3-4535	
1938-41	All	3-4554	3-4535	
1933-37	All	3-4550	3-4535	
EDSEL	AU 0 1 00 11			
1959	All Corsair, Citation			3-4594
1959 1958	Ranger, Pacer	0.4574	3-4541	3-4594
1958	Corsair, Citation	3-4571	0.4544	3-459
	Ranger, Pacer	3-4573	3-4541	3-459
F-85 1961		3-4546	3-4535	3-4594
FALCON				
1960-63	All	3-4589	3-4544	
FORD (See				
1961	All	3-4549	3-4541	3-4594
1960	All	3-4590	3-4541	3-4594
1959	All	3-4582	3-4541	3-4594
1958	All	3-4573	3-4541	3-4594
1957	All	3-4573	3-4541	
1956 · 1956	All (Ex. Power Pak) All Power Pak	3-4571	3-4541	
1954-55	All (Ex. Power Pak)	3-4572 3-4566	3-4541 3-4537	
1954-55	All Power Pak	3-4567	3-4537	
1928-31	All	3-4551	0-4007	
1932-53	All	3-4555	3-4536	
FRAZER				
1946-54	Ali	3-4551	3-4535	
HENRY J 1951-54	All	0.4554	0 4505	
	All	3-4551	3-4535	
HUDSON 1956-57	All	3-4568	3-4540	
1955	All	3-4551	3-4540	
1948-54	All (Ex. Jet)	3-4555	3-4536	
1953-54	All Jet	3-4555	3-4535	
1938-47	All	3-4555		
KAISER				
1946-54	All	3-4551	3-4535	
LANCER				
1961-62	All	3-4569	3-4540	
LARK 1960-63	All	3-4574	3-4540	3-4594
LINCOLN				
1956	All (Ex. Power Pak)	3-4571		
1956	All Power Pak	3-4572		
1954-55	All	3-4567		
1936-51	All		3-4536	

PASSENGER CAR APPLICATION (Cont.)

FA3.	DEI	IGER CAR	APPL	CATI	ON IC	ont.)
Car - Year	V			Solid Plastic Hold Down	Plastic Covered Steel Rod Type	Wing Nut Set
MERCURY	(See	Comet)				Commence of the
1960-61	Ail			3-4549	3-4541	3-4594
1959	All				3-4541	3-4594
1958	All			41.50	3-4541	3-4594
1957	All			3-4578	3-4541	3-4594
1956	All	(Ex. Power Pak)		3-4571	3-4541	
1956		Power Pak		3-4572	3-4541	
1954-55		(Ex. Power Pak)		3-4566	3-4537	
1954-55		Power Pak		3-4567	3-4537	
1938-53	All	TOWER TAK		3-4555	3-4536	
NASH (See		bler)		0.1000	0 1000	
1956-57	All				3-4540	
1950-55	All				3-4535	
1940-49	All	600 and 6 Cyl. Aml	b.		3-4535	
OLDSMOR	IIF (S	See F85 Only)				
1963	All	de ros Ully)		3-4577		
		(F., C1 FOF)			2 4500	2 4504
1960-62		(Ex. 61 F85)		3-4548	3-4539	3-4594
1957-59	All			3-4575	3-4539	3-4594
1954-56	All			3-4563	3-4539	3-4594
1953	All				3-4542	3-4594
1938-52*	All			3-4558	3-4542	3-4594
1938-52*	All			3-4555		3-4594
PACKARD						
1958	All			3-4568	3-4540	3-4594
					3-4340	3-4334
1941-54	Al!			3-4555	場と	
1935-40	All			3-4550		
PLYMOUTI	H (See	e Valiant)				
1956-63	All			3-4569	3-4540	
1950-55		(Ex. 6 Cyl. P.F.)		3-4553	3-4535	
1954-55		6 Cyl. w/P.F.		3-4553	3-4540	
1947-49	All	0 Oyl. W/1.1.		3-4552	3-4535	
and the second of the second of	All			3-4550	3-4535	
1933-46	All	A STATE OF THE RESERVE OF THE PERSON OF THE		3-4330	3-4333	
PONTIAC	(See	Tempest)				
1959-63	All			3-4585	3-4540	3-4594
1958	All				3-4540	3-4594
1955-57	All			3-4568	3-4540	3-4594
1936-54	All			3-4558	3-4542	3-4594
All lines						
RAMBLER				0.4500	0.4540	0.4504
1958-63	All			3-4568	3-4540	3-4594
1956-57	All				3-4540	
1951-55	All				3-4535	
STUDEBAK	(ER (S	See Lark)		Verse :		
1963	All			3-4574		
1959-61		Silver Hawk		3-4568	3-4540	3-4594
1958	All	Onto Hami		3-4568	3-4540	3-4594
				0-4300	3-4540	0.4004
1956-57	All			3-4551	A CONTRACTOR OF THE PARTY OF TH	
1939-55	All			3-4331	3-4535	
TEMPEST						
1961-63	All			3-4546	3-4535	3-3594
VALIANT				P(10 / N)		
1960-63	All			3-4569	3-4540	
	7411					400
VOLKSWA	GEN					
1958-63	All			3-4596		X- 3
WILLYC	100					DE TO
WILLYS	AII	/F ₂ F C \			2 4540	
1958-61		(Ex. F.C.)			3-4540	
1957-58	All			0.4==4	3-4535	
1946-54	All			3-4551	3-4535	100
1937-45	All				3-4535	
PRESENTED TO				TO LET		

^{*}Two Size Batteries Used.

BALKAMP PLASTIC BATTERY HOLD-DOWNS

TRUCK APPLICATION CHART

MOLDED PLASTIC TYPE HOLD-DOWN



Small Trucks using a Group 1 Battery use **3-4550** with Clamps on side.

Large Trucks using Group 2 Battery use 3-4554 with Clamps on side.

Trucks and Taxis using a Group 3 Battery use **3-4580** with ears on end.

Trucks and Taxis using a Group 4 Battery use **3-4581** 12-7/8" x 7-3/16" or **3-4586** 13-3/16" x 7-3/16" with ears on end.



PLASTIC COATED STEEL ROD TYPE HOLD-DOWN

Truck and Years	Models	Part No.	Truck and Years	Models	Part No.
CHEVROLET		25 to 10 to 10 to	GMC		71.8
1956-59	1/2, 3/4, 1, 11/2 Ton	3-4540	1955-58	Ser. 100 thru 500 (12 V.)	3-4540
1940-55	1/2, 3/4, 1, 11/2 Ton	3-4535	1952-55	Ser. 100 thru 500 (6 V.)	3-4535
			1946-51	EC, FC100-470, EF, FF300-470, EF240	3-4535
DIAMOND T			INTERNATIONAL		
1938-53	½, ¾, 1, 1½ Ton	3-4535	1956-57	\$100, 110, 120, 130, 140, 150	3-4540
		TANCHES IN	1954-55	R110, 120, 130, 140, 150;	
DODGE	411 10 W II			RM120-150 w/240 Eng.,	
1956-57	All 12 Volt	3-4540		RA120-140; RM120-150	
1954-56	C1B6-C6-D6-DU6 } EU6-G6-PW6- }	3-4535		w/220 Eng.	3-4540
	C1B8-C8-D8-G8	3 4000	1954-55	R100-110, R120, 130, 140 (4x4)	
1953	B4F-G-GM	3-4540		R150 w/220 Eng.	3-4536
1953	B4B-C-D-DU-EU-PW	3-4535	1953	R110-120-130	3-4536
1952	B3F-G-GM	3-4540	1950-53	L110-120-130-160-170-180, LB100-160;	
1952	B3B-C-D-DU-EU-PW	3-4535		LC100-160; LM100-160; R150, RA120-140,	19.4 234
2 46 2 46 A COMMON			1047.40	RM120-150	3-4540
FORD			1947-49	KB1M, KB3M	3-4535
1956-59	Ser. 100 to 500 incl. 1½ Ton	3-4541	1947-49	KB1, KB2, KB3, KB5	3-4540
1954-55	C500, F100-250-350-500, P350-500	3-4537	WILLYS		
1940-53	½, ¾, 1, 1½ Ton	3-4536	1937-58	All (ex. '58 Forward Control)	3-4535


Adaptora Crassing 62.65
Adapters, Greasing62-65 Air Conditioner Fluid37
Air Conditioner Fluid
Air Hose Gauge
Air Line Accessories59
Air Tank5/
Air Tank 57 Alignment Gauges 72 Aluminum, Plastic 32
Aluminum, Plastic32
Alternator Tester12
Amcor Discs6
Antenna 52
Anti-Freeze Testers 8
Anti-Rattlers Window 46
Arm Rest Covers46
Axle Shims72
Balls, Trailer44
Barrel Pump
Battery Booster Cables9
Battery Cell Testers 9
Rattery Fillers 8-54
Battery Hold-Downs
Pottery and Ignition Spalar 0.38
Dattery and Ignition Sealer555
Batteries, Flashlight27 Battery Hydrometer8
Battery Hydrometer
Battery Service Kit9
Bearing Packers62
Belt Dressing38
Belts, Seat49
Rench Oilers 53
Blow Guns59
Blow Guns
Bonnets, Polishing 6
Rooster Coil Spring 72
Booster, Coil Spring72 Boot Cement21
Boxes, Tool29
Duxes, 100123
Brackets, License Plate101 Bracket, Trailer Electrical Conn44
Bracket, Trailer Electrical Confi44
Brake Fluid Pump54
Brooms, Garage3 Brushes, Automotive Cleaning1-2-3
Brushes, Automotive Cleaning1-2-3
Buffing Equipment, Tire Repair22 Bug Screens46
Bug Screens46
Bug Sponges4 Bulbs, Light26
Bulhs, Light26
Bumper Clamp44
Rutton Hoad Counters 64
Button Head Couplers64
Button Head Couplers
Button Head Couplers .64 Cables, Booster .9 Cans, Gas .56 Cans, Safety & Utility .56 Can Spouts .56 Caps, Gas, Radiator, Oil .86 to 100 Car Washing Brushes .1-2-3 Caster & Camber Shims .69-70 Cell Tester, Battery .9 Cement, Boot .21
Button Head Couplers .64 Cables, Booster .9 Cans, Gas .56 Cans, Safety & Utility .56 Can Spouts .56 Caps, Gas, Radiator, Oil .86 to 100 Car Washing Brushes .1-2-3 Caster & Camber Shims .69-70 Cell Tester, Battery .9 Cement, Boot .21
Button Head Couplers .64 Cables, Booster .9 Cans, Gas .56 Cans, Safety & Utility .56 Can Spouts .56 Caps, Gas, Radiator, Oil .86 to 100 Car Washing Brushes .1-2-3 Caster & Camber Shims .69-70 Cell Tester, Battery .9 Cement, Boot .21 Cement, Gasket .36 Cement, Alum & Rubher .32
Button Head Couplers .64 Cables, Booster .9 Cans, Gas .56 Cans, Safety & Utility .56 Can Spouts .56 Caps, Gas, Radiator, Oil .86 to 100 Car Washing Brushes .1-2-3 Caster & Camber Shims .69-70 Cell Tester, Battery .9 Cement, Boot .21 Cement, Gasket .36 Cement, Alum & Rubher .32
Button Head Couplers .64 Cables, Booster .9 Cans, Gas .56 Cans, Safety & Utility .56 Can Spouts .56 Caps, Gas, Radiator, Oil .86 to 100 Car Washing Brushes .12-3 Caster & Camber Shims .69-70 Cell Tester, Battery .9 Cement, Boot .21 Cement, Gasket .36 Cement, Alum. & Rubber .32 Cement, Tire Repair .20-21 Cement, Trim .32
Button Head Couplers .64 Cables, Booster .9 Cans, Gas .56 Cans, Safety & Utility .56 Cans, Gas, Radiator, Oil .86 to 100 Car Washing Brushes .1-2-3 Caster & Camber Shims .69-70 Cell Tester, Battery .9 Cement, Boot .21 Cement, Gasket .36 Cement, Alum. & Rubber .32 Cement, Tire Repair .20-21 Cement, Trim .32 Chamois .4
Button Head Couplers .64 Cables, Booster .9 Cans, Gas .56 Cans, Safety & Utility .56 Can Spouts .56 Caps, Gas, Radiator, Oil .86 to 100 Car Washing Brushes .1-2-3 Caster & Camber Shims .69-70 Cell Tester, Battery .9 Cement, Boot .21 Cement, Gasket .36 Cement, Alum. & Rubber .32 Cement, Tire Repair .20-21 Cement, Trim .32 Chamois .4 Chessecloth .5
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Caps, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Cheesecloth 5 Chrome Plastic 32
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Caps, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Cheesecloth 5 Chrome Plastic 32
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Caps, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Cheesecloth 5 Chrome Plastic 32
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Caps, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Chesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps 40.81
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Caps, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Chesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps 40.81
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Caps, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Chesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps 40.81
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Caps, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Cheesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Tire Repair 22 Cleaning Supplies 4-5-6-57
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Caps, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Cheesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Caps, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Chesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Cheanel, Tite 46
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Caps, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Chesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Cheanel, Tite 46
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Caps, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Chesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Cheanel, Tite 46
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Caps, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Chesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Cheanel, Tite 46
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Caps, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Chesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Cheanel, Tite 46
Button Head Couplers .64 Cables, Booster .9 Cans, Gas .56 Cans, Safety & Utility .56 Cans, Safety & Utility .56 Cans, Gas, Radiator, Oil .86 to 100 Car Washing Brushes .1-2-3 Caster & Camber Shims .69-70 Cell Tester, Battery .9 Cement, Boot .21 Cement, Gasket .36 Cement, Alum. & Rubber .32 Cement, Tire Repair .20-21 Cement, Trim .32 Chamois .4 Cheesecloth .5 Chrome, Plastic .32 Cigarette Lighters .82-83-84 Clamp, Bumper .44 Clamps, Hose .80-81 Clamps, Tire Repair .22 Cleaner, Bug .4 Cleaning Supplies .45-6-57 Cloth, Polishing .5 Channel Tite .46 Clutch Oil, Hudson .36 Coil Spring Spacers .70-17-72
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Cans Spouts 56 Caps, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Trie Repair 20-21 Cement, Trim 32 Chamois 4 Chesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 8-81 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Channel Tite 46 Clutch Oil, Hudson 36 Coil Spring Spacers 70-71-72 Cold Patches
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Cans, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Chesecoloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Channel Tite 46 Clutch Oil, Hudson 36 Coil Spring Spacers 70-71-72 Cold Patches 17-18 Compasses <t< td=""></t<>
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Cans, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Chesecoloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Channel Tite 46 Clutch Oil, Hudson 36 Coil Spring Spacers 70-71-72 Cold Patches 17-18 Compasses <t< td=""></t<>
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Cans, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Chesecoloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Channel Tite 46 Clutch Oil, Hudson 36 Coil Spring Spacers 70-71-72 Cold Patches 17-18 Compasses <t< td=""></t<>
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Cans, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Chesecoloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Channel Tite 46 Clutch Oil, Hudson 36 Coil Spring Spacers 70-71-72 Cold Patches 17-18 Compasses <t< td=""></t<>
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Cans, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Chesecoloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Channel Tite 46 Clutch Oil, Hudson 36 Coil Spring Spacers 70-71-72 Cold Patches 17-18 Compasses <t< td=""></t<>
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Cans, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Chesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Hose 80-81 Clamps, Hose 80-81 Clamps, Hose 30-81 Clamps, Hose 30-81 Clamp, Bupplies 4-5-6-57 Cloth, Polishing 5 Channel Tite 46 Cold Patches 17-18
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Can Spouts 56 Cans, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Chesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Hose 80-81 Clamps, Hose 80-81 Clamps, Hose 30-81 Clamps, Hose 30-81 Clamp, Bupplies 4-5-6-57 Cloth, Polishing 5 Channel Tite 46 Cold Patches 17-18
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Cans, Safety & Utility 56 Cans, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Cheesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Channel Tite 46 Clutch Oil, Hudson 36 Coil Spring Spacers 70-71-72 Cold Patches<
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Cans, Safety & Utility 56 Cans, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Cheesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Channel Tite 46 Clutch Oil, Hudson 36 Coil Spring Spacers 70-71-72 Cold Patches<
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Cans, Safety & Utility 56 Cans, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Trim 32 Chamois 4 Cheesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 45-6-57 Cloth, Polishing 5 Channel Tite 46 Clutch Oil, Hudson 36 Coil Spring Spacers 70-71-72 Cold Patches 17-18 Compasses
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Cans, Safety & Utility 56 Cans, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Cheesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Channel Tite 46 Clutch Oil, Hudson 36 Coil Spring Spacers 70-71-72 Cold Patches<
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Cans, Safety & Utility 56 Cans, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Cheesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Channel Tite 46 Clutch Oil, Hudson 36 Coil Spring Spacers 70-71-72 Cold Patches<
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Cans, Safety & Utility 56 Cans, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Cheesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Channel Tite 46 Clutch Oil, Hudson 36 Coil Spring Spacers 70-71-72 Cold Patches<
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Cans, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Trire Repair 20-21 Cement, Trim 32 Chamois 4 Cheesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Channel Tite 46 Clutch Oil, Hudson 36 Coil Spring Spacers 70-71-72 Cold Patches 17-18 Compasses
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Cans, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Trire Repair 20-21 Cement, Trim 32 Chamois 4 Cheesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Channel Tite 46 Clutch Oil, Hudson 36 Coil Spring Spacers 70-71-72 Cold Patches 17-18 Compasses
Button Head Couplers 64 Cables, Booster 9 Cans, Gas 56 Cans, Safety & Utility 56 Cans, Safety & Utility 56 Cans, Gas, Radiator, Oil 86 to 100 Car Washing Brushes 1-2-3 Caster & Camber Shims 69-70 Cell Tester, Battery 9 Cement, Boot 21 Cement, Gasket 36 Cement, Alum. & Rubber 32 Cement, Tire Repair 20-21 Cement, Trim 32 Chamois 4 Cheesecloth 5 Chrome, Plastic 32 Cigarette Lighters 82-83-84 Clamp, Bumper 44 Clamps, Hose 80-81 Clamps, Tire Repair 22 Cleaner, Bug 4 Cleaning Supplies 4-5-6-57 Cloth, Polishing 5 Channel Tite 46 Clutch Oil, Hudson 36 Coil Spring Spacers 70-71-72 Cold Patches<

INDEX

IN	D	
Cushions, Seat47-	48-49	Ligh
Negreaser Engine	38	Ligh Ligh
Diode Tester	12	Ligh
Discs, Anicor	6	Ligh
Disc, Polishing Disinfectant	57	Liqu
Door-Ease Drain Lift	34 56	Loc
Drain, Lift Drain Pans Drain Plugs and Gaskets	55	Lub Lub
Drain Plugs and Gaskets Dressing, Fan Belt	./8-/9	Lub
Dripless Oil	34	Lub Lub
Driveway Signal Dwell Meter, Ignition	57	Lub
		Lub
Electrical Equipment Electric Plug	17	
Flectrical Bracket Trailer	44	Mas
Electrical Tape	28 24-25	Mea
Extensions, Exhaust or Tail Pipe	101	Med
Extension SetsExtinguishers, Fire	.24-25	Mei
Fabric Mender		Mil
Fan Belt Dressing	38	Mir
Farm Lube Kit	66	Mit Moj
Farm Lube KitFillers, Battery, Transmission, Oil, Radiator	9-54	
Filler Cap, OilFilter Element, Oil Filter Cap Filters, Gas (Mileage Minder)	86	Nip Noz
Filters. Gas (Mileage Minder).	.74-75	Noz
Fire ExtinguishersFittings, GreaseFlashlights and Batteries	73	Noz Ohn
Flashlights and Batteries	.63-64 27	Oil
Fluorescent Bulbs	Zb	Oil,
Fountain BrushesFrames, License Plate	l	0il 0il
Friction Tape	28	Oile
Fuel, Hand TorchFuel Pump Tester	33	Oile Oile
Funnels	55	Out
Funnel Measures Fuses, Auto & Household	55	0ve
Fuses, Auto & Household	23	Pac Pai
Garage Brooms	56	Pai
Gas Caps 86	to 100	Pai Par
Gasket Cement	79	Par
Gasket Sealers	36	Pat Per
Gauges, Air Hose	59	Pla
Glue, EpoxyGraphite, Lub-a-Spray	34	Pla Plu
Grease Fittings	35	Plu
Grease Guns	.61-62	Plu
Greasing AdapterGum, Tube Repair	.62-65	Pol Pol
Gun, Body Rivet	77	Pol
Gun, Blow	59	Por
Gun Lubricating	62	Pri
Gun, Soldering	33	Pur
Gun, Spray CleaningGun, Tire Repair	7	Pur
Hammer Handles	30	Pui
Hand Oilers	53	Pur
Hose Clamps	80-81	Rad
Hose, Whip	61	Rai
Hudson Clutch Fluid Hydrometers Battery	36	Rea
Ignition and Battery Acrylic Sea	ler 38	Ref
Ignition Cam Grease	38	Re
Ignition TestersIndicators, Current	10	Rei
Inner Tubes	74	Riv Ro
Insecticides	35	Roj
Inserts, Thread	/6	Roi
Jugs, Picnic	85	Rul Rul
Kex Plugs	.18-19	Rul
Kit, Ruglyde Service Kit, Tube Repair	38	Rul Rul
License Plate Brackets		Rul
License Plate Frames	101	Ru
Lift Drain	b	Sat

	Light Bulbs
-49	Light Rulhs 26
	Lightore Cigarette 82-83-84
.38	Lighte Flood 24 25 26
.12	Lights, Flood 24-25-26 Lights, Fluorescent 26 Lights, Timing 13 Liquid Vulcanizer 21
6	Lights, Fluorescent
6	Lights, Timing
57	Liquid Vulcanizer21
.57 .34	Lock-Ease34
.56	Locks29
.55	Lub-a-Cable34
-79	Lub-a-Spray 34 Lube Kit, Farm 66
-/9	Lube Kit, Farm66
.38	Lubri-Caps 63
.34	Lubri-Caps 63 Lubricating Compounds 34 Lubricating Gun 62 Lubricating Oil 35 Lubricant, Rubber 38
.57	Lubricating Gun 62
.10	Lubricating Oil 35
-25	Lubricant Rubbar 38
.25	Lubricant, Nubber
.44	Mask, Respirator 30 Measures, Funnel 55 Measures, Oil 55
.28	Measures, Funnel55
.28	Measures, Oil55
-25	Mechanics Creepers
101	Mechanics Wire30
-25 .73	Manding Compounds 22.22
	Melang Compounds 32-33 Mileage Minder 74-75 Mirror, Prismatic 51 Mirrors, Rear View 50-51 Mitts, Wash 5
33	Mirror Prismatic 51
38	Mirrors Rear View 50-51
.66	Mitts Wash 5
	Mops3
-54	
86	Nipples, Air Hose
87	Nipples, Air Hose
-75	Nozzles, Hose
73	Nozzles, Water Saver/
-64	O hmmeter12
.27	Oil Filler Caps
26	Oil, Lubricating & Penetrating35
1	Oil Measures55
101	Oil Suction Gun61
28	Oilers, Bench53
33	Oilers, Hand & Pump53
-16	Oiler, Top66
-16 55	Outlets, Electric24-25
55	Oilers, Bench 53 Oilers, Hand & Pump 53 Oiler, Top 66 Outlets, Electric 24-25 Over Engine Body Rest 58
23	Padlacke 20
3	Pail, Mop
56	Paint and Varnish Brushes3
100	Paint Mask and Refills30
36	Pane Ilrain
79	Part-Ease35
36	Part-Ease 35 Patches, Tire and Tube 17-18-19 Penetrating Oil 35 Plastic Rubber and Aluminum 32
59	Penetrating Oil35
32	Plastic Rubber and Aluminum32
34	Plastic Tape28
35	Plugs, Drain78
3-64	Plastic Tape 28 Plugs, Drain 78 Plugs, Electric 24-25
1-62	Plure lira IX-IV
2-65	Polishing Bonnets and Discs6
20	Polishing Cloths 5
77	Polishing Bonnets and Discs 6 Polishing Cloths 5 Polishing Supplies 4-5-6 Porcelain, Plastic 32
59	Porcelain, Plastic 32
62	Pressure Gauges 59
61	Pressure Gauges 59 Prismatic, Mirror 51
33	Pump, Barrel
7	Pump, Brake Fluid54
19	Pump Nozzle Repair Kits, Gas57
30	Pump Oilers
53	Pump, Tire53
55)-81	Radiator Caps 86 to 100
7	Radiator Filler Water Valves7 Radiator Pressure Tester9-87
61	Radiator Pressure Tester 9-87
36	Rear View Mirrors 50-51
30	Rear View Mirrors 50-51 Reel, Cord 25
8	Reflectors 24-25
38	Reflectors 24-25 Refrigerant & Accessories 37
38	Regulator Testers11
10	Renovene 57
15	Rivets, Body77
74	Roller Creeners & Seats
35	Rope, Starting
76	Rope, Starting
33	Rubber Bonding Cement21
85	Rubber Bonding Cement 21 Rubber Flux 20 Rubber Lubricant 38
3-19	Rubber Lubricant38
38	Rubber, Plastic32
21	Rubber Seal30
101	Rubber Plastic 32 Rubber Seal 30 Rubber Solvent 20 Ruglyde 38
101	Ruglyde38
101 56	Safety Cans56

Safety Type Radiator Caps86	to 100
Sani-Kitt	57
Screens, Radiator Bug	46
Seal, Rubber	30
Sealer, Gasket32, 33,	36 30
Sealing Compounds32, 33,	30, 30
Seat Belts	7-48-49
Seate Roller	58
Shims, Axle	72
Shims, Caster and Camber	69-70
Signals, Curb	46
Signals, Curb	38
Soldering Gun	. 33
Solvent Rubber	20
Spacers, Coil Spring	0-71-72
Speed Couplers	60
Sponges Spouts, Can	4 54.56
Spray Cleaning Gun	34-30
Spray Cleaning Gun	31
Starting Circuit Tester	11
Squeegees Starting Fluid Steel, Liquid Steering Wheel Spinner	3
Starting Fluid	36
Steel, Liquid	32
Suction Gun, Oil	61
Switches, Electric	25
Tachometer	10_11
Tachometer	101
lank, Air	5/
Tank Parte Cleaning	56
Tank, Tube Testing Tape, Plastic and Friction Test Instruments Tester, Alternator	56
Tape, Plastic and Friction	+- 16
Tester Alternator	12
Tester Anti-Freeze	8
Tester, Battery Cell	9
Tester, Anti-Freeze Tester, Battery Cell Tester, Compression	14
Tester, Diode Tester, Fuel Pump	12
Tester, Fuel Pump	11-16
Tester, Vacuum	10
Testers, Ignition Thread Inserts & Tools	76
Testers, Regulator	11
Testers, Regulator Tinning Fluid (Tins-Tyter)	33-37
Timing Lights	15
Tire Crayon	10
Tire Lubricant	38
Tire Plugs	18-19
Tire Pumn	19
Tire and Tube Repairs17 Toilet Cleaning Materials	to 22
Toilet Cleaning Materials	57
Tool Boxes Torches, Gas Hand Tractor Seat Cushions Tractor Steering Wheel Spinne	29
Tractor Seat Cushions	10
Tractor Steering Wheel Spinne	r 46
Trailor Rall	- /1/1
Trailer Connectors	to 44
Trailer Hitches & Parts39	to 45
Transmission Fillers Trim Cement	54
Trouble Lights	21.25
Trouble Lights	74
Tubing, Copper	37
Tubing, Copper10	to 16
Universal Cement, Tire Repair	5
Vacuum Tester	11-16
Vacuum Tester Valve Grinding Compound	36
Vises	29
Voltage Regulator Tester	16
Volt-Amp Testers	16
Voltmeter Vulcanizing Cement Vulcanizing Patches	21
Vulcanizing Patches	17-18
	5
Wash Mitts	85
Wash Mitts	7
Wash Mitts Water Coolers Water Saver Nozzles	7
Water Saver Nozzles	
Water Saver Nozzles Water Valves	30
Water Saver Nozzles Water Valves Weatherstripping Whoele Poolsegment	3.1
Water Saver Nozzles Water Valves Weatherstripping Whoele Poolsegment	3.1
Water Saver Nozzles Water Valves Weatherstripping Wheels, Replacement Wheel Weights & Tools Whip Hose Wind Silencer	
Water Saver Nozzles Water Valves Weatherstripping Wheels, Replacement Wheel Weights & Tools Whip Hose Wind Silencer Window Anti-Rattlers	67-68 61 46
Water Saver Nozzles Water Valves Weatherstripping Wheels, Replacement Wheel Weights & Tools Whip Hose Wind Silencer Window Anti-Rattlers Window Sealer	31 67-68 61 46 46
Water Saver Nozzles Water Valves Weatherstripping Wheels, Replacement Wheel Weights & Tools Whip Hose Wind Silencer Window Anti-Rattlers	31 67-68 61 46 46



B*K SERVICE PRODUCTS

DIVISION OF BALKAMP INC.
INDIANAPOLIS 41, INDIANA